

Kooora.com — Site Architecture Blueprint

Date	2026-06-12
Purpose	A complete, structure-only information-architecture blueprint of https://www.kooora.com , compiled from six research reports. It is intended as reference input for designing the client's own original sports site — not for copying Kooora.
Method	robots.txt analysis + full sitemap-index crawl (1 index + all 13 child sitemaps, ≈3,532 URLs inventoried) + ~60 polite sequential page fetches covering every distinct page template (homepage, match center, broadcast schedule, competitions, teams, players, news, transfers, videos, shop, other-sport verticals, static pages), including raw-HTML pulls for navigation and deliberate 404 probes to verify routing rules.
Ethics note	This is a structure-only study. No article text, images, or proprietary design assets were copied at any stage. URLs, slugs, navigation labels, and layout-block descriptions are recorded generically for IA analysis. The client's site must be an original design informed by — not an imitation of — these patterns.

1. Executive Summary

What the site is. Kooora.com is the largest Arabic-language sports website: a fully right-to-left (RTL), Arabic-only property (`<html lang="ar" dir="rtl">`) running as the Arabic edition (`"edition": "ar"`) of the **Footballco/GOAL publishing platform** — the same Next.js component system (`fco-*` class prefix) that powers GOAL.com. There is no language switcher and no hreflang alternates; internationalization is handled by sibling sites, not locales.

Two backends, visible in the URLs. The site is a thin presentation layer over two distinct systems, each with its own ID scheme:

Backend	What it serves	ID format	Example
Headless CMS (Contentstack-style)	Articles, listicles, video articles, sport-section hubs, most author pages	<code>blt</code> + 16 lowercase hex chars	<code>blt9153ffc689ab3cad</code>
Sports-data feed (Opta/Stats-Perform-style; assets via sportfeeds.io CDN)	Matches, teams, players, competitions, standings, stats	Opaque ~21–25-char base-36 token (lowercase for teams/players/competitions; mixed-case, occasionally hyphenated, for matches)	<code>ak48fkypnql8y4n69cvcq5ghc</code> (team), <code>fE4K18TDt5GkVQ9xvE114</code> (match)

Two football namespaces. Football content is split across two near-identical path prefixes distinguished only by the Arabic definite article "ال":

- `/كرة-القدم/...` (*kurat al-qadam*, "the football") — **live data pages**: matches, teams, players, competitions, country hubs.
- `/كرة-قدم/...` (*kurat qadam*, "football") — **editorial pages**: news articles and listicles from the CMS.

Headline IA insight. Kooora is **one deep football data product plus news verticals for everything else**. Football gets the full entity model (match / team / player / competition / country, each with tabbed sub-pages, standings, and statistics). The six other sports (tennis, Formula 1, basketball, handball, volleyball, futsal) are **news-only CMS feeds** with no scores, standings, or fixtures. Transfers and Shop are likewise editorial

feeds dressed as sections, not data products. Coaches, referees, and stadiums appear as plain text — they are not navigable entities.

Other defining traits: mandatory trailing entity IDs on all data and editorial detail URLs (slug-only URLs 404); tab sub-pages expressed as path segments **between** slug and ID on competition/team/player pages but as **client-side JS tabs** on match pages and the matches hub; path-segment pagination (أخبار/2) with zero query parameters anywhere; and a compact single-bar footer.

2. Complete Hierarchical Site Tree

Legend: [URL] = real server route (verified) · [JS] = client-side tab/state on the parent URL (no route of its own; probed variants 404) · [modal] = client-rendered overlay, no URL · <id> = sports-data entity ID · <blt> = CMS blt +16-hex ID. Every Arabic slug is paired with its English translation.

```
www.kooora.com/
|
+-- /                                     Homepage [URL]
|
+-- كرة-القدم / ("the football" - SPORTS-DATA NAMESPACE)
|
|   +-- مباريات-اليوم                     Today's matches / live hub [URL]
|   |   +-- date strip + month calendar      [JS] (no date URLs; ?date= ignored, path dates 404)
|   |   +-- filter: الكل (All)                [JS]
|   |   +-- filter: مباشر (Live, count badge) [JS]
|   |   +-- filter: المفضلة (Favorites)      [JS]
|   |
|   +-- مباراة / <home>-v-<away> / <id>      Match detail [URL] ("match"; joiner -v- or -ضد- "vs")
|   |   +-- نظرة عامة / الملخص              [JS] Overview/Summary (default; label varies by match state)
|   |   +-- الأحداث الرئيسية                 [JS] Key events timeline
|   |   +-- التشكيلة                         [JS] Lineups (sitemap links use #التشكيلة fragment)
|   |   +-- تعليق                          [JS] Minute-by-minute commentary
|   |   +-- ترتيب                          [JS] Standings
|   |   +-- مناقشة                          [JS] Fan discussion
|   |
|   +-- مسابقة / <slug> / <id>              Competition hub - معلومات Info (default) [URL]
|   |   +-- أخبار / <id>                     [URL] News tab ("akhbar")
|   |   +-- مباريات / <id>                  [URL] Matches tab - round selector ("mubarayat")
|   |   +-- جدول / <id>                     [URL] Standings tab (label: ترتيب; slug: "jadwal" = table)
|   |   +-- أفضل-اللاعبين / <id>           [URL] Top players tab (stat leaderboards)
|   |   *League and tournament variants share this 5-tab template; see 3.6*
|   |
|   +-- فريق / <slug> / <id>                 Team page - معلومات Info (default) [URL] ("fariq" = team)
|   |   +-- أخبار / <id>                     [URL] News tab
|   |   +-- فيديوهات / <id>                 [URL] Videos tab ("vidyuhat")
|   |   +-- مباريات / <id>                  [URL] Matches tab (competition + season filters)
|   |   +-- قائمة-اللاعبين / <id>         [URL] Squad list ("qa'imat al-la'ibin")
|   |   +-- جدول / <id>                     [URL] Standings tab (label: ترتيب)
|   |   +-- أفضل-اللاعبين / <id>           [URL] Top players tab - CLUBS ONLY
|   |   *National-team variant: same pattern, 6 tabs (no Top players); see 3.8*
|   |
|   +-- لاعب / <slug> / <id>                 Player page - إحصائيات Stats (default) [URL] ("la'ib" = player)
|   |   +-- مسيرة-اللاعب / <id>           [URL] Career path / transfer history ("masirat al-la'ib")
|   |   +-- أخبار / <id>                     [URL] News tab (the form most internal links use)
|   |
|   +-- دولة / <country-name> / <iso3>      Country hub [URL] ("dawla" = country; 20 in sitemap)
|   |   (multi-word names keep literal spaces, e.g. المملكة العربية السعودية/ksa)
|
+-- كرة-قدم / ("football", no article - EDITORIAL/CMS NAMESPACE)
```

	++- أخبار/⟨headline-slug⟩/⟨blt⟩	Article page [URL] - shared by 4 editorial sub-types:
		news, video articles ("فيديو:" headline prefix),
		where-to-watch guides, featured long-form
	++- القوائم/⟨slug⟩/⟨blt⟩	Listicle / slideshow [URL] ("al-qawa'im" = lists)
	++- أخبار	News hub [URL] ("akhbar" = news)
	++- 3/ أخبار/2, ...	[URL] pagination ("أقدم" Older link)
	++- فيديوهات	Videos hub [URL] ("vidyuhat" = videos)
	++- فيديوهات/2/ ...	[URL] pagination
++-	الانتقالات/⟨id⟩	Transfers hub [URL] ("al-intiqalat" = transfers; NFD-encoded slug)
	++- 2/الانتقالات/⟨id⟩ ...	[URL] pagination (page number BETWEEN slug and ID)
++-	أحداث-رياضية/كرة-القدم	Broadcast/TV schedule - football [URL]
		("ahdath riyadiya" = sports events; nav label جدول البث)
	++- date tabs: اليوم Today + 6 days	[JS] (no date URLs)
	++- sport switcher	-> links to other-sport CMS hubs (below)
++-	كل-البطولات	All-competitions index [URL] ("kul al-butulat" = all tournaments)
	++- filter bar: الكل All شائع Popular جميع الدول All countries دوري League رجال Men [JS]	
++-	التسوق-الرياضي/⟨id⟩	Shop feed [URL] ("al-tasawwuq al-riyadi" = sports shopping)
	++- 2/التسوق-الرياضي/⟨id⟩ ...	[URL] pagination
++-	OTHER-SPORT VERTICALS (news-only CMS hubs, pattern /⟨sport-slug⟩/⟨blt⟩)	
	++- تنس/⟨blt⟩	Tennis [URL] (+ articles /أخبار/تنس/⟨slug⟩/⟨blt⟩; page /2/تنس/⟨blt⟩)
	++- الفورملا-1/⟨blt⟩	Formula 1 [URL]
	++- كرة-سلة/⟨blt⟩	Basketball [URL]
	++- كرة-يد/⟨blt⟩	Handball [URL]
	++- كرة-طائرة/⟨blt⟩	Volleyball [URL]
	++- قدم-صالات/⟨blt⟩	Futsal [URL]
++-	مؤلف/⟨author-slug⟩/⟨id⟩	Author pages [URL] ("mu'allif" = author;
		ID = legacy numeric OR <blt>; 100 in sitemap)
++-	UTILITY / LEGAL	
	++- سياسة-الخصوصية	Privacy policy [URL]
	++- سياسة-الاستخدام	Terms (slug literally "usage policy") [URL]
	++- اتصل-بنا	Contact us [URL]
	++- cookie-consent settings	[modal] (footer button, no href)
	++- login / create account	[modal] (header button; Google Identity Services;
		favorites/follow-team, newsletters - no account URL found)
	++- search	[JS] client-side only; no SSR search box, no search URL found
++-	sitemap	XML sitemap index [URL]
	++- sitemap/⟨name⟩.xml	13 children: main, matches, teams, competitions, countries, categories, authors, editorial-news, editorial-videos, editorial-slides, editorial-where-to-watch, editorial-featured, google-news

Notes on the tree:

- **Header "مباشر (Live)" and "مباريات اليوم (Today's matches)" resolve to the same URL** — there is no dedicated live route; "Live" is a filter state.
- **Match tabs are the only JS-tab entity tabs**; competition, team, and player tabs are all real, crawlable URLs with the tab segment inserted between slug and ID.
- **Players have no sitemap** — none of the 13 children indexes player pages; they are discoverable only through links (squads, leaderboards, nav, article chips).
- The header's third item, **كأس العالم 2026 (World Cup 2026)**, is an event-scoped editorial menu (the homepage also carries World Cup theming); researchers flag it as a time-bound state likely to rotate with

the sporting calendar — long-term behavior not verified.

3. Page-Type Catalog

Consistent mini-format per template: **Purpose** · **URL pattern** · **Layout blocks (top→bottom)** · **Key entities** · **Links emitted** · **Behaviors**.

A shared shell wraps every template: global header (logo + 8-item nav + country dropdown + login button) → affiliate-disclaimer strip → main column → compact single-bar footer. Entity pages are **single-column, mobile-first, no sidebar**, with labelled ad slots (إعلان "Ad") interleaved between modules.

3.1 Homepage

- **Purpose:** Aggregation front door — live scores, featured match, curated and regional news, videos, transfers.
- **URL:** /
- **Layout blocks:** the 11-module sequence detailed in §5.3 (live ticker → date-grid schedule → featured-match hero → broadcast block → curated news carousel → World Cup feed → video rail → competition/region news tabs → transfers block → regional news sections → personalised follow-your-team rail).
- **Key entities:** matches, teams, competitions, players, articles, videos, broadcast channels.
- **Links emitted:** match detail, matches hub, team pages, competition pages, player pages (news-tab form), articles, news hub, transfers hub, external broadcaster sites, external YouTube (video rail).
- **Behaviors:** live scores and the personalised rail hydrate client-side; competition/region news tabs are JS toggles; heavy ad-slot interleaving.

3.2 Matches hub (live scores / today)

- **Purpose:** Single page for today's fixtures, live scores, and any other date.
- **URL:** كرة-القدم/مباريات-اليوم (today's matches) — one URL for "Live" and "Today".
- **Layout blocks:** (1) date strip (7 days centered on today) + monthly calendar grid; (2) filter tabs الكل All / مباشر Live (with live-count badge) / المفضلة Favorites; (3) match list grouped under competition section headers (flag + competition name + country + round label, header links to competition page); (4) match rows.
- **Match-row anatomy:** home crest+name | score or kickoff time | away crest+name | status label (live minute 8', مباشر live, مؤجلة postponed, finished) | broadcaster block "شاهد مباشرة على" (watch live on) with channel logos and **external** watch links.
- **Key entities:** matches, teams, competitions, broadcasters.
- **Links emitted:** exactly five types per row — match detail, home team, away team, competition (group header), external broadcaster.
- **Behaviors:** date switching, live filter, and favorites are all client-side XHR on the same URL (?date= is ignored; path-date probe returned 404). Favorites tie into the login/follow system.

3.3 Match detail (+ 6 JS tabs)

- **Purpose:** Full match center for one fixture.
- **URL:** /كرة-القدم/مباراة/ <home>-v-<away>/<matchId> — joiner -v- or -ضد- ("vs"), both resolve to the same ID. Match IDs are ~21-char **mixed-case** alphanumeric, occasionally hyphenated (a different format from team/player IDs).
- **Layout blocks (header zone):** competition badge + round (links to competition) → date/time → home crest+name | score + live-minute badge (or kickoff time) | away crest+name → venue (plain text, unlinked) → broadcast channels with external watch links.
- **Tabs (all client-side JS, single URL):** Overview/Summary (default; label نظرة عامة on a live match, الملخص on the post-match sample) · الأحداث الرئيسية · التشكيلة Lineups · تعليق Commentary · ترتيب Standings · مناقشة Discussion.
- **Overview modules in order:** live broadcast widget → 3-way prediction poll with live percentages → standings snippet (mini table, team rows linked) → match statistics (possession, xG, shots, corners, fouls) → detailed stats groups (attacking/defensive/disciplinary) → match-details footer block (competition, date, venue, broadcaster recap).
- **Key entities:** match, teams, players (lineups), competition, standings, broadcasters.
- **Links emitted:** both team pages, competition page, external broadcaster links. No coach/referee/stadium links.
- **Behaviors:** tab content (lineups, commentary...) is hydrated via XHR and absent from server HTML; probed tab-suffix URL returned 404; ~50% of sitemap match entries carry a #التشكيلة (lineup) fragment confirming client-side tab routing. Tab set may vary by match state (only live + post-match states sampled).

3.4 Broadcast schedule

- **Purpose:** TV/streaming guide — where and when to watch.
- **URL:** /أحداث-رياضية/كرة-القدم/ (sports-events / football); header nav label جدول البث (broadcast schedule).
- **Layout blocks:** title block → date tabs (اليوم Today + next 6 days; JS, no URLs) → competition-grouped listing → cards: competition logo+name | team crests+names | time or مباشر live badge | broadcaster logo+name | external watch link.
- **Key entities:** matches, competitions, broadcast channels.
- **Links emitted:** match detail, competition page, external broadcaster sites; a sport switcher linking to the other-sport CMS hubs (<bt>/تنس/) etc. — those siblings are news hubs, not broadcast grids).
- **Behaviors:** date tabs client-side; full-width cards, no sidebar.

3.5 Competitions index

- **Purpose:** Directory of every league and cup.
- **URL:** /كل-البطولات/ (all tournaments). Heading: "جميع الدوريات والمسابقات للرجال" (all leagues and men's competitions).
- **Layout blocks:** filter bar (الكل All | شائع Popular | جميع الدول All countries | دوري League type | رجال Men) → international/continental block → country groups sorted alphabetically in Arabic, each expanding to that country's leagues **and** domestic cups together.
- **Key entities:** competitions, countries.
- **Links emitted:** competition hubs (<slug>/كرة-القدم/مسابقة/ <id>).

- **Behaviors:** one long filterable list; no pagination, no in-page search.

3.6 Competition hub (Info, default tab) معلومات

- **Purpose:** Landing page per competition.
- **URL:** /<slug>/<id>/كرة-القدم/مسابقة/ — clubs competitions and tournaments share one template.
- **Layout blocks:** identity block (badge + Arabic name; **no follow button, no season selector**) → 5-tab bar → news feed (cards: image+headline+timestamp) → matches strip (recent/upcoming) → mini standings widget (top 5, links to standings tab) → team-crests grid (all clubs, linked) → footer.
- **Key entities:** competition, articles, matches, teams, standings.
- **Links emitted:** tab URLs, articles, match details, team pages.
- **Behaviors:** tabs are real URLs (segment between slug and ID). **League vs tournament:** identical tab set; differences live inside tabs — World Cup standings tab renders 12 group tables (no qualification color legend, no bracket view); its matches tab adds knockout round entries (1/16, 1/8, ربع النهائي quarter-final, نصف النهائي semi-final, برونز bronze, النهائي final) and prominent per-fixture broadcast info; its hub adds a FAQ/SEO module. Pages are pinned to the current season ("أحدث موسم" latest season) — no historical-season access found.

3.6.1 Standings tab (ترتيب label, slug جدول)

- **URL:** /<id>/جدول/<slug>/كرة-القدم/مسابقة/
- **Blocks:** full table — columns (RTL order): position مركز | team فريق (crest + linked name) | played | wins | draws | losses | goals for | goals against | +/- نقاط | form strip نتائج → qualification color legend (CL/EL/Conference/relegation; leagues only) → filter: المستوى الكل All | first half الذهاب | second half الإياب | of season.
- **Links emitted:** team pages. **Behaviors:** tournament variant = one table per group with a "ال الجولة القادمة" (next round) strip per group.

3.6.2 Matches tab (المباريات, slug مباريات)

- **URL:** /<id>/مباريات/<slug>/كرة-القدم/مسابقة/
- **Blocks:** round selector (38→1 الجولة for a 20-team league; group rounds + knockout stages for tournaments) → date headers inside the round → match rows (crests, full+abbreviated names, score or kickoff time, status badge e.g. انتهت finished).
- **Links emitted:** match detail pages. **Behaviors:** one round per view, no pagination, no fixtures/results toggle.

3.6.3 Top players tab (أفضل اللاعبين slug, أفضل اللاعبين)

- **URL:** /<id>/أفضل-اللاعبين/<slug>/كرة-القدم/مسابقة/
- **Blocks:** stacked ~top-10 leaderboards (not sub-tabs): top scorers, assists/contributions, red cards, yellow cards, shots on target, fouls committed, fouls suffered, tackles, offsides. Row = rank | team crest | linked player name | value.
- **Links emitted:** player pages. **Behaviors:** no season/stat filters observed.

(News tab أخبار = full-length version of the hub's news card list; not fetched separately.)

3.7 Club team page (معلومات Info, default tab)

- **Purpose:** Club landing page.
- **URL:** /<id>/<slug>/كرة-القدم/فريق/ — same pattern serves clubs and national teams.
- **Layout blocks:** identity header (crest + Arabic name; SEO title formula "<team> النتائج والإحصائيات وأبرز" — results, stats, highlights) → 7-tab bar → team news feed (~5 featured + more-news link) → recent/next matches module → league-table snippet (top 5, links to standings tab) → latest completed match card → footer.
- **Key entities:** team, articles, matches, standings.
- **Links emitted:** tab URLs, articles, match details, opponent teams; player links only via news items on the Info tab.
- **Behaviors:** tabs are real URLs; no transfers tab at team level.

3.7.1 Squad tab (قائمة اللاعبين, slug)

- **URL:** /<id>/قائمة-اللاعبين/<slug>/كرة-القدم/فريق/
- **Blocks:** four position groups in order — خط الوسط midfielders, المدافعون defenders, حراس المرمى goalkeepers, المهاجمون forwards → player cards (headshot, jersey number, linked name, season stat figures) → coach at bottom (name + headshot, **not linked** — no coach entity).
- **Links emitted:** player pages.

3.7.2 Team matches tab (المباريات, slug)

- **URL:** /<id>/مباريات/<slug>/كرة-القدم/فريق/
- **Blocks:** competition dropdown (جميع المسابقات all competitions) + **season selector** (multi-season archive — notably present here but absent on competition pages) → month-header chronological list → rows: crests+names, score/kickoff, status, competition label, date; knockout ties show aggregate ("مجموع 3 - 1").
- **Links emitted:** match detail pages.

(Team standings tab جدول and top-players tab أفضل اللاعبين not fetched — assumed standard table/leaderboard layouts; flagged as a gap.)

3.8 National team variant

- **Purpose / URL:** same فريق pattern and template as clubs, with deltas:
- **Differences:** 6 tabs (**no أفضل اللاعبين Top players tab**) · standings tab shows tournament/group standings instead of a league table · no standings snippet on the Info tab · matches mix المباريات الودية friendlies with tournament fixtures, with more prominent broadcast badges · identity header is crest/flag only (no confederation badge, no stadium info).

3.9 Player page

- **Purpose:** Player profile, stats, career, news.
- **URL:** /<id>/<slug>/كرة-القدم/لاعب/ (default = إحصائيات Statistics). Most internal links point at the news-tab form /<id>/أخبار/<slug>/لاعب/.

- **Layout blocks (stats default):** bio header (large photo + name overlay; current club crest + **linked club name** — the only entity link in the bio; fields: الجنسية nationality, رقم القميص shirt number, تاريخ الميلاد birthdate, العمر age, المركز position; no height/market value; national team not linked) → filters (competition dropdown + season selector back to 2015/16) → stats table with **three columns: club / national team / total** and Arabic metric rows (appearances, starts, minutes, goals, assists, penalty goals, missed penalties, shots on/off target, yellow/red cards, offsides).
- **Tabs (3, real URLs):** إحصائيات Statistics (default, no segment) · مسيرة اللاعب Career path / transfer history · أخبار News (reduced header; chronological feed with thumbnail, headline, topic tag, timestamp; "أقدم" Older pagination).
- **Links emitted:** club page, articles. **Behaviors:** no videos tab at player level (unlike teams).

3.10 News hub

- **Purpose:** Site-wide latest-news archive.
- **URL:** /أخبار/ ; page N at /أخبار/<N> . Title pattern: "أخبار كرة القدم صفحة 1" (Football News Page 1).
- **Layout blocks:** hero/featured card (large image + headline) → reverse-chronological card grid — card anatomy: thumbnail (~300×200), headline ≤2 lines, optional subtitle, timestamp (HH:MM + Arabic date), contextual entity label (team or match pairing); no author/comment/view counts on cards → "أقدم" (Older) link.
- **Key entities:** articles (+ their tagged entities).
- **Links emitted:** article pages.
- **Behaviors: no own category tabs or filters** — scoped news lives on entity pages instead; server-side path pagination, no infinite scroll; no sidebar.

3.11 News article

- **Purpose:** Single editorial story (also the base for video/where-to-watch/featured sub-types — distinguished by sitemap membership and slug keywords, not URL segment).
- **URL:** /أخبار/<headline-slug>/<blt> (listicles: /كرة-قدم/القوائم/<slug>/<blt>). No date in URLs. -- double hyphen marks stripped punctuation.
- **Layout blocks:** shared header (no breadcrumb) → **topic chips** — linked entity tags (team, competition, country, player, sport section) → H1 headline → byline (author name **linked to author page**) + publish date/time → hero media slot (one licensed agency photo with credit) → plain-paragraph body (no subheads/inline embeds in sample) → "اقرأ أيضًا" (Read also) related block (~4 cards) → footer.
- **Key entities:** article, author, tagged entities.
- **Links emitted:** entity hubs via chips, author page, related articles.
- **Behaviors:** no comments, no share buttons, no sidebar; single-column with ad slots.

3.12 Videos hub

- **Purpose:** Internal video-article archive.
- **URL:** /فيديوهات/ ; page N at /فيديوهات/<N> .
- **Layout blocks:** featured grid (~6 cards) → further card grids → "أقدم" pagination. Card: thumbnail (JPG+WebP), "فيديو:"-prefixed headline, contextual subtitle, match/team label, date, short time value. No view counts or channel attribution.

- **Links emitted:** internal video-article pages (not YouTube). **Behaviors:** no category tabs; single mixed feed. (The homepage "YallaGoal" rail is separate — it deep-links to YouTube.)

3.13 Video detail

- **Purpose:** Video story. **It is the standard article template** (same `/كرة-قدم/أخبار/<slug>/<blt>` pattern) with deltas:
- **Deltas:** custom/self-hosted **video player replaces the hero image** (not a bare YouTube iframe) · "فيديو:" headline prefix retained · short contextual paragraphs after the player · related block headed "قد يعجبك" (You may also like) mixing articles and match coverage · topic chips may include a **match-page chip** linking to the match entity.

3.14 Transfers feed

- **Purpose:** Transfer-news vertical.
- **URL:** `/الانتقالات/<id25>` (al-intiqalat = transfers); page N at `/الانتقالات/<N>/<id25>` — page number **between slug and ID**. Slug is served NFD-encoded (see §4 gotchas). Modeled as a category/section entity (competition-style ID), not a special app.
- **Layout blocks:** hub title → chronological feed of 20+ transfer-article cards (image, destination-club tag, headline, subtitle, timestamp — the standard news card).
- **Behaviors:** **pure news feed, no data product** — no confirmed-deals table, no window (summer/winter) organization, no league/club/rumor-status filters. Items link to ordinary article URLs.

3.15 Shop feed

- **Purpose:** Commerce-editorial section ("تسوق مع كووورة" Shop with Kooora) — **not a storefront**.
- **URL:** `/التسوق-الرياضي/<id25>` (sports shopping); page N at `/التسوق-الرياضي/<N>/<id25>`.
- **Layout blocks:** standard article-card feed of buying guides (ticket guides at sample time), newest first.
- **Behaviors:** no product grid, prices, cart, or visible affiliate markers in the listing; no sub-categories or filters. Items link to normal article URLs.

3.16 Other-sport vertical hub

- **Purpose:** News-only section per secondary sport (tennis, Formula 1, basketball, handball, volleyball, futsal).
- **URL:** `/<sport-slug>/<blt>` (e.g. `/تنس/b1ta843d4a7d2cc7ebc`); page N at `/<sport-slug>/<N>/<blt>`. Articles namespaced under the sport: `/<sport-slug>/أخبار/<slug>/<blt>`.
- **Layout blocks:** shared header → hero background → featured card + secondary card + standard card grid → "أقدم" pagination → footer. No sidebar.
- **Behaviors:** verified on tennis: **no scores, standings, or tournament sub-navigation** — none of the football infrastructure. Same template engine and URL shape strongly implies the other five verticals are identical (only tennis depth-probed).

3.17 Country hub

- **Purpose:** Per-country football hub (20 countries in the sitemap; also reached via article topic chips).

- **URL:** /كرة-القدم/دولة/<country-name>/<iso3> — ID is a human-readable lowercase 3-letter football code (egy, ksa, mar, eng...), the only non-opaque ID class on the site. Multi-word country names keep **literal spaces** (%20), uniquely among all entities.
- **Layout / entities / links: internals not verified** — no researcher fetched a country hub page; existence and URL pattern are sitemap- and chip-verified only.

3.18 Author & category archives

- **Author page** — /مؤلف/<slug>/<id>; ID is legacy numeric (11, 140, 270...) or CMS b1t ID; slugs may be Arabic or Latin; 100 authors in the sitemap. Linked from article bylines. **Page internals not verified** (not fetched).
- **Category hubs** — the categories sitemap lists exactly 7 section hubs: the six other-sport verticals (3.16) + sports shopping (3.15); those templates are documented above.

3.19 Legal / static pages

- **Purpose:** Utility content. **URLs:** سياسة-الاستخدام/terms (slug literally "usage policy") · اتصل-بنا/contact us. Arabic slugs, **no trailing IDs** — the only ID-less detail pages on the site. Listed in main.xml alongside home and كل-البطولات/. (No about-us, careers, advertise, or editorial-policy pages exposed in the shared footer.)

4. URL Pattern Map

All paths relative to <https://www.kooora.com>. Arabic shown percent-decoded. <id25> = ~21–25-char lowercase base-36 sports-data ID · <idM> = ~21-char mixed-case match ID (may contain hyphens) · <b1t> = b1t + 16 lowercase hex CMS UID.

Pattern template	Entity / view	ID system	Example (decoded)	Notes
/	Homepage	—	/	
/كرة-القدم/مباريات-اليوم	Matches hub (today + live + all dates)	—	—	Single URL; dates/filters are client state; ?date= ignored; path dates 404
//كرة-القدم/مباراة/<home>-v-<away>/<idM>	Match detail (all 6 tabs)	mixed-case match ID	كرة-القدم/مباراة/كوريا- v-الجنوبية/fE4K18TDt5GkVQ9xvE114	Joiner -v- or -ضد-, same ID; tabs JS-only; #التشكيلة/fragment deep-links lineups
//كرة-القدم/مباراة/<slug>/<id25>	Competition hub (Info tab)	base-36	كرة-القدم/مباراة/كأس-70/excpe1synn9kadnbppahdn7	
//كرة-القدم/مباراة/<slug>/<tab>/<id25>	Competition tab	base-36	كرة-القدم/مباراة/الدوري-الإنجليزي-الممتاز/2/kwbbcootiqqgmrzs6o5in1e5	مباريات · news أخبار · <tab> matches · standings جدول · top أفضل اللاعبين

Pattern template	Entity / view	ID system	Example (decoded)	Notes
كرة-القدم- / <slug> / <id25>	Team page (Info tab)	base-36	كرة-القدم/فريق/ريال-/ 3/مدريدkq9cckrnlogidldtdie2fkb1	Clubs + national teams, one namespace
كرة-القدم- / <slug> / <tab> / <id25>	Team tab	base-36	كرة-القدم/فريق/ريال-مدير// قائمة- 3/اللاعبينkq9cckrnlogidldtdie2fkb1	أخبار · فيديوهات ∈ <tab> مباريات · قائمة-اللاعبين · videos جدول · أفضل-اللاعبين · squad (clubs only)
كرة-القدم- / <slug> / <id25>	Player page (Stats tab)	base-36	كرة-القدم/لاعب/كيليان-/ 5/مبابيe9ilgrz3tzg9kd1gk3yvrahh	
كرة-القدم- / <slug> / <tab> / <id25>	Player tab	base-36	كرة-القدم/لاعب/محمد-صلاح// 5/أخبارi1kkfbsss0bxd6tttd1qg0uz9	مسيرة - news أخبار ∈ <tab> career; nav links use the news form
كرة-القدم- / <name> / <iso3>	Country hub	3-letter code	egy/كرة-القدم/دولة/مصر/	Multi-word names keep literal spaces: المملكة العربية السعودية/ksa
كرة-قدم- / <slug> / <blt>	Editorial article (news / video / where-to-watch / featured)	blt	كرة-قدم-// /.../b1t9153ffc689ab3cad	4 sub-types share one path; distinguished by sitemap + slug keywords
كرة-قدم- / <slug> / <blt>	Listicle / slideshow	blt	كرة-قدم-// /.../b1tee7e56aa6da72486	Only editorial sub-type with its own segment
/ <N> / أخبار → / أخبار /	News hub + pages	—	أخبار/2/	"أقدم" (Older) link; H1 shows "N صفحة"
فيديوهات → / / / <N> / فيديوهات	Videos hub + pages	—	فيديوهات/2/	Internal video articles, not YouTube
→ / <id25> / الإنتقالات / / <id25> / <N> / الإنتقالات	Transfers hub + pages	base-36	/ /k94w8e1yy9ch14m11pf4srnks	Page number between slug and ID; NFD encoding mandatory
التسوق- / / <id25> / الرياضي التسوق- / <id25> / <N> / الرياضي	Shop feed + pages	base-36	التسوق- / /jay11q18ea7j1bks90cjvzor9	
أحداث-رياضية/كرة-/ القدم	Broadcast schedule (football)	—	—	Date tabs JS-only
كل-البطولات /	Competitions index	—	—	In main.xml
/ <sport-slug> / <blt> → / <sport-slug> / <N> / <blt>	Other-sport hub + pages	blt	/ /b1ta843d4a7d2cc7ebc	6 sports; CMS section entities
/ <sport-slug> / / <slug> / <blt> / أخبار	Other-sport article	blt	تنس// /.../b1t60ca310c191e8b12	

Pattern template	Entity / view	ID system	Example (decoded)	Notes
/مؤلف/<slug>/<id>	Author page	legacy numeric or blt	مؤلف/عبدالاعلى-سكير/11	Slugs Arabic or Latin; mixed ID scheme = platform migration artifact
/<static-slug>	Legal/static	none	سياسة-الخصوصية/	Only ID-less detail pages
/sitemap , /sitemap/<name>.xml 1	Sitemap system	—	/sitemap/matches.xml	XML index + 13 children, ≈3,532 URLs

Generalized grammar for data/editorial entities:

```
{namespace}/{entity-type}/{arabic-slug}/{tab-or-page-segment}/{entity-id}
```

4.1 Implementation gotchas (verified by probing)

- Trailing entity IDs are mandatory.** The slug is decoration; the ID is the canonical key. ID-less URLs 404 (probed: /انتقالات/ ;404 → كرة-القدم/مسابقة/كاس-العالم/أخبار bare → 404).
- Unicode normalization is inconsistent and load-bearing.** Canonical data-page and section URLs encode hamza in **NFD-decomposed** form (alef U+0627 + combining hamza U+0654/0655), e.g. الإنتقالات served as %D8%A7%D9%84%D8%A7%D9%95%D9%86%D8%AA%D9%82%D8%A7%D9%84%D8%A7%D8%AA ; requests with **NFC-composed** hamza (%D8%A5 ...) returned **404**. Editorial segments meanwhile use precomposed forms. Crawlers must preserve encodings verbatim; dedupers must normalize before comparing.
- Literal %20 spaces in country slugs** — country hubs are the only entity keeping spaces instead of hyphens (المملكة العربية السعودية /ksa).
- Fragments inside sitemap entries** — ~50% of matches.xml URLs end in التشكيلة# (lineups), which is non-standard in sitemaps and signals client-side tab routing.
- Zero query parameters site-wide** — no ?page= / ?date= anywhere in ~3.5k sitemap URLs or navigation; pagination is always a **path segment** (/أخبار/2), inserted **before the trailing ID** when the hub has one (/<id>/الإنتقالات/2).
- Tab segments sit between slug and ID** (/مسابقة/<slug>/جدول/<id>) — an unusual ordering any router/crawler must accommodate.
- Tab label ≠ tab slug** — standings tabs are labelled ترتيب (ranking) but routed as جدول (table) on both competitions and teams.
- Two joiners for the same match** — -v- and -ضد- slugs both resolve to the identical match ID.
- The two football namespaces differ by one character cluster** (definite article ال): كرة-القدم = data platform, كرة-قدم = CMS. Easy to conflate; routing-critical.
- Raw Arabic and percent-encoded URL forms both resolve** identically (subject to gotcha 2).

5. Navigation Map

5.1 Header

Structure: logo (→ /) + primary nav bar of **8 items** (most with mega-menu dropdowns; 103 anchors total in the header) + country-dropdown button + login button. No SSR search box.

	كووورة (Kooora logo) /
1.	كرة-القدم/مباريات-اليوم / مباشر (Live) /
	+ كرة-القدم/مباريات-اليوم / مباشر (Today's matches) /
	+ أحداث-رياضية/كرة-القدم / جدول البث (Broadcast schedule) /
2.	أخبار / أخبار (News) – direct link, no dropdown /
3.	كأس العالم 2026 (World Cup 2026) – mega-menu, 3 groups
	+ معلومات (Information)
	+ أخبار (News) /70/أخبار/كأس-العالم/مباريات-القدم/excpe1synn9kadnbppahdn7
	+ جدول المباريات (Match schedule) /70/كأس-العالم/مباريات-القدم/excpe1synn9kadnbppahdn7
	+ جدول الترتيب (Standings) /70/كأس-العالم/مباريات-القدم/excpe1synn9kadnbppahdn7
	+ أبرز المنتخبات العالمية (Top international teams) - 6 links
	Argentina, Brazil, France, Portugal, Spain, Germany ... /<slug>/<id> كرة-القدم/فريق /
	+ المنتخبات العربية (Arab national teams) - 8 links
	Saudi Arabia, Morocco, Egypt, Qatar, Iraq, Jordan, Algeria, Tunisia
4.	مسابقات (Competitions) – mega-menu, 3 groups; /<slug>/<id> كرة-القدم/مباريات-القدم/excpe1synn9kadnbppahdn7
	+ كل-البطولات / -> (All) كل المسابقات (International) - مسابقات عالمية
	World Cup 2026, UEFA CL, AFC CL Elite, CAF CL, UEFA Europa League
	+ الدول الأوروبية (European) - La Liga, Premier League, Serie A, Bundesliga, Ligue 1
	+ الدول العربية (Arab) - Saudi Pro League, Egyptian PL, Botola Pro (Morocco),
	Algerian Ligue 1, Jordanian Pro League, Qatar Stars League, UAE Pro League, Tunisian Ligue 1
5.	فرق (Teams) – mega-menu, 5 country columns x 5 clubs; /<slug>/<id> كرة-القدم/فريق /
	+ إسبانيا Spain: Athletic Bilbao, Atletico Madrid, Barcelona, Real Madrid, Valencia
	+ إنجلترا England: Arsenal, Chelsea, Liverpool, Man City, Man United
	+ إيطاليا Italy: Inter, Roma, AC Milan, Napoli, Juventus
	+ ألمانيا Germany: Leverkusen, Bayern, Dortmund, Schalke 04, Wolfsburg
	+ فرنسا France: PSG, Lille, Lyon, Marseille, Monaco
6.	رياضات (Sports) – dropdown of 6 non-football verticals; /<sport-slug>/<blt>
	+ كرة Tennis, كرة السلة F1 الفورملا, كرة اليد Handball, كرة الطائرة Volleyball, قدم الصالات Futsal
7.	اللاعبون (Players) – mega-menu, 6 league columns x 5 players; /<slug>/<id> أخبار/كرة-القدم/لاعب /
	+ Spain: Mbappe, Vinicius Jr, Lamine Yamal, Raphinha, Bellingham
	+ England: Salah, Haaland, Wirtz, Saka, Palmer
	+ Saudi Arabia: Ronaldo, Benzema, Mahrez, Al-Dawsari, Nunez
	+ Germany: Kane, Musiala, Guirassy, Olise, Davies
	+ France: Hakimi, Dembele, Vitinha, Kvaratskhelia, Doue
	+ Italy: Lautaro, Dybala, Leao, McTominay, Modric
8.	تسوق مع كووورة (Shop with Kooora) /jay1lq18ea7j1bks90cjvzor9 التسوق-الرياضي /
Utility: country dropdown (client-rendered; sets country for broadcast localization - NOT language)	
login button (client-side auth modal; Google sign-in; favorites/follow teams, newsletters)	

A few player links deviate from the standard pattern (no أخبار / segment, or malformed extra segment) — header data-quality artifacts worth avoiding in a rebuild.

5.2 Footer

A **single compact bar** (not multi-column link lists):

Zone	Contents
Logo + copyright	Kooora logo → / ; text "كل الحقوق محفوظة كووورة © 2026" (All rights reserved)

Zone	Contents
App links (2)	Google Play (com.sikooora) · Apple App Store (id 859950269)
Social (5, icon-only)	YouTube · Facebook · Instagram · X · TikTok
Legal nav (4)	Privacy (/ سياسة الخصوصية) · Cookies (consent button , no href) ملفات الارتباط (اتصل بنا / Contact) · Terms (سياسة الاستخدام / الشروط والاحكام) · سياسة الخصوصية


Not present: language/region switcher, sitemap link, about-us, advertising page. An RSS feed is declared in <head> (feeds.footballco.com/kooora/feed/...) but is not surfaced in the footer.


5.3 Homepage module sequence (11 ordered modules)

An affiliate-links disclaimer strip sits directly under the header; labelled ad slots (إعلان) appear between modules throughout.

#	Module	Description	Entities
1	Live scoreboard / ticker	Horizontal strip "المباريات" with live scores, minute, favorites/settings button; cards link to match detail/preview	matches, teams, competitions
2	Match schedule grid	Date scroller (~1-month window) + competition filters	matches, competitions
3	Featured match hero	One spotlighted match: crests, lineups/formations, possession + momentum visuals, player ratings, standings snippet, "اختر الفائز" pick-the-winner widget	match, teams, players, standings
4	Broadcast/streaming block	Channel logos with outbound viewing links; ties to جدول البث	matches, broadcasters
5	Hero news carousel	Editorially curated headline slider (prev/next + indicators)	articles
6	World Cup 2026 news feed	Competition-scoped chronological list (event theming active at capture)	articles, competition
7	Video rail ("YallaGoal")	Branded video series cards — deep-links directly to YouTube (unlike فيديوهات /)	videos
8	Competition/region news tabs	JS-tabbed article lists (World Cup, Premier League, La Liga, Saudi League, Morocco, Egypt)	articles, competitions
9	Transfers block	Transfer-market article cluster → transfers hub	articles, players, teams
10	Regional news sections	Country blocks (Saudi Arabia, England, Spain, Morocco, Egypt) + "المزيد من الأخبار" more-news → أخبار /	articles
11	Personalised rail	"اختر فريقك المفضل" (pick your favorite team) follow-onboarding; client-hydrated	teams, user prefs

5.4 Internal-linking graph





Bullet rules (each verified on raw pages):

- **Match row emits exactly five link types:** match detail, home team, away team, competition (via group header), external broadcaster.
- **Article → entities:** topic chips link to team, competition, country, player, and sport hubs; the byline links to the author page; related-articles blocks link to other articles; video articles may additionally chip-link to a **match page**.
- **Competition → teams/players/matches:** crest grid and standings rows → team pages; top-players rows → player pages; matches tab rows → match details; news tab → articles.
- **Team → players/matches:** squad rows → player pages (coach NOT linked); matches tab → match details; standings tab → other teams; news/videos tabs → articles.
- **Player → club:** the bio header links only the current club (national team unlinked); news tab → articles.
- **Dead ends (display-only, no pages):** coach, referee, stadium/venue, broadcaster (external links only).
- **Hub cross-links:** matches hub and broadcast schedule cross-link the same match/competition entities; transfers/shop/other-sport feeds link only to articles.

6. Language, RTL & Content Organization

- **Document setup:** `<html lang="ar" dir="rtl" class="fco-kooora">` — Arabic-only, fully right-to-left. All slugs, labels, and content are Arabic (rare Latin author slugs aside). Standings tables read right-to-left (position column rightmost).
- **No internationalization surface:** `<head>` carries only a canonical link and one RSS alternate — **no hreflang, no English alternate** anywhere. Embedded data sets `"edition":"ar"`: Kooora is one edition of the Footballco platform; other languages are sibling sites (e.g., GOAL), not locales of this one.
- **Country ≠ language:** the header country dropdown (options client-rendered) localizes **broadcast/TV-channel data** per the user's country; it is not a language switcher. Per-article `geoTargeting` arrays (empty in samples) imply optional geo-scoped content.
- **Arabic slug conventions:** hyphen-joined words derived from names/headlines; `--` double hyphen where punctuation was stripped; ضد ("vs") or `-v-` as match joiners; slugs are decorative — the trailing ID is

canonical; raw and percent-encoded forms both resolve; hamza encoding is mixed NFD/NFC across namespaces (gotcha 4.1.2); one CMS leak observed (`copy-of-...` slug).

- **Categories taxonomy (7):** the categories sitemap defines exactly seven section hubs — tennis, Formula 1, basketball, handball, volleyball, futsal, and sports shopping. Football is *not* a category: it is the site's substrate, expressed through the two football namespaces instead.
 - **Editorial sub-types are sitemap-level, not URL-level:** news, video articles, where-to-watch guides, and featured long-form all share `/.../كرة-قدم/أخبار/`; only listicles get their own segment (`/القوائم/`). Five editorial sitemaps + a 48-hour Google News sitemap (publication "Kooora.com", language `ar`) carry full ISO-8601 lastmod; data sitemaps carry none.
 - **Regional news organization:** geography is a first-class editorial axis — homepage regional blocks (Saudi Arabia, England, Spain, Morocco, Egypt), Arab-league and Arab-team groupings in the header mega-menus, and 20 country hubs (`/.../كرة-القدم/دولة/`) fed by article country chips. The news hub itself is deliberately unfiltered; scoping happens on entity and country pages.
 - **Editorial author system:** 100 authors in the sitemap with mixed ID schemes — legacy numeric IDs (migrated from the old kooora platform) alongside CMS `b1t` IDs; author slugs in Arabic or Latin; bylines on every article link to author pages.
 - **Sitemap philosophy:** a freshness feed, not an archive — top-20 competitions, 20 countries, ~1k recent/upcoming matches, 1,086 teams, rolling editorial window; players entirely absent.
-

7. Blueprint Notes for Building an Original Site

Original-design guidance distilled from the study — adopt the *lessons*, not the surface.

7.1 Recommended entity model

Make six things first-class entities, each with its own template, stable ID, and hub: **competition, team, player, match, article, video**. Kooora proves this set carries the entire experience. Two extensions Kooora lacks that cost it little to add and would differentiate the client's site:

- **Coach, stadium, referee as linkable entities** (Kooora renders them as dead text).
- **Transfers as a structured data product** (player / from / to / fee / status / window), not just an article category — Kooora's transfers hub is a plain news feed.

Model "country" as a lightweight taxonomy hub and "author" as a person entity from day one (Kooora's mixed numeric/CMS author IDs are a visible migration scar).

7.2 Routing scheme lessons

- **Readable slug + stable ID works** — keep it, but put the variable parts in saner places: prefer `/ {entity} / {slug} - {id}` or `/ {entity} / {id} / {slug}` over Kooora's tab-and-page-segments-between-slug-and-ID ordering, which complicates routers and crawlers.
- **Make every tab a real URL.** Kooora does this for competition/team/player tabs (good — crawlable, deep-linkable) but uses JS tabs + sitemap fragments for match lineups/commentary/stats (bad — invisible to SEO and unlinkable). Give match sub-views routes.

- **Give dates URLs.** Kooora's matches hub has no date parameter at all (`?date=` ignored, path dates 404) — a real shareability/SEO gap. Implement `/matches/2026-06-12` -style routes.
- **Normalize Unicode at the router.** Accept NFC and NFD, redirect to one canonical form. Kooora's decomposed-hamza-only URLs (NFC → 404) are a defect class to design out. Likewise: no literal spaces in slugs, one slug joiner (not two "vs" variants), align tab labels with tab slugs.
- **Keep path-segment pagination** (`/news/2`) — clean and crawlable — and keep query strings out of canonical URLs.
- **Avoid namespace pairs distinguishable only by a definite article.** If data and editorial systems need separate namespaces, make them visibly different (e.g., `/football/` vs `/news/`).

7.3 Section priorities

Kooora's effort allocation is a proven market read for an Arabic sports audience — order of investment:

1. **Football match center** (live hub + match detail) — the core product; broadcast/"where to watch" info is a first-class feature on every match surface, reflecting real MENA user intent.
2. **Competition hubs** with standings/fixtures/top-player stats.
3. **Team and player profiles** with stats and scoped news.
4. **News engine** (hub + entity-scoped feeds + regional blocks + transfers + videos).
5. **Secondary sports as light news verticals** — ship feeds first; add data products per sport only when justified.

7.4 Weaknesses to improve on (verified gaps in Kooora)

Kooora gap	Opportunity for the original site
No season selector on competition pages (pinned to current season; team matches tab has one, inconsistently)	Season-aware competition URLs and archives everywhere
No bracket/knockout visualization for tournaments (World Cup = 12 flat group tables)	Proper bracket view + group/knockout toggle
No team-level transfers tab; transfers hub is articles-only	Structured transfer center + per-team transfer tabs
Match tabs JS-only; lineups deep-linked via sitemap <code>#fragments</code>	Routed match sub-pages
Secondary sports are news-only	At minimum, scores/schedule modules per sport vertical
No header search (client-side afterthought)	Prominent universal entity search
Coach/referee/stadium unlinked	Entity pages or at least structured data
News hub has no filters; no date in article URLs	Faceted news archive; consider dated URLs for clarity
Footer minimal — no about/editorial-policy pages	Trust pages (about, editorial standards, advertising)
Inconsistent Unicode encoding; duplicate match-slug joiners	Single normalized canonical form, enforced

Appendix: Research provenance

#	Report file	Scope (one line)	Fetches
1	01-sitemap-url-inventory.md	robots.txt + sitemap index + all 13 child sitemaps; full URL-pattern grammar; ≈3,532 URLs inventoried	14
2	02-navigation-homepage.md	Header (8 items, mega-menus, 103 anchors) + footer via raw HTML; 11 homepage modules; news + competitions hub sub-navigation; RTL/i18n/account findings	6
3	03-matches-live-match-detail.md	Matches hub (date nav, filters, row anatomy), live match detail + 6 JS tabs (404-probed), broadcast schedule	8
4	04-competitions.md	Competitions index + Premier League and World Cup hubs with standings/matches/top-players tabs; league-vs-tournament comparison; season handling	10
5	05-teams-players.md	Club (Real Madrid) + national team (Morocco) templates and tabs, squad/matches sub-templates, player (Mbappé) template, coach/referee/stadium entity probe	8
6	06-news-transfers-videos-other.md	News hub, article + video templates, transfers/shop/videos hubs, 6 other-sport verticals (tennis depth-probed), static pages, NFD-encoding gotcha	14

Total: ~60 fetches (sequential, polite, structure-only), including deliberate 404 probes that established the routing rules in §4.1.

Residual gaps flagged by researchers (carried forward, not papered over):

- **JS-hydrated match-tab internals** — lineup formation graphic, per-player links inside lineups, commentary internals: absent from server HTML, not inspected (no browser/network tooling used).
- **Match tab set by state** — only live and post-match samples; pre-match tab set (preview/H2H?) and the Overview-vs-Summary default-label variation not fully mapped.
- **XHR/API endpoints** feeding date switches and match tabs — out of scope for polite static fetching.
- **Logged-in state** — account area, favorites management, and personalised rail rendered only behind the client-side auth modal; not exercised.
- **Rotating editorial surfaces** — the World Cup 2026 header menu and homepage theming are event-scoped snapshots; their off-season behavior is unverified.
- **Not fetched:** country hub internals, author page internals, team standings + team top-players tabs, competition news tab (assumed standard variants); five of six other-sport verticals (template inferred from tennis); historical-season access (none found, may not exist).