



Select a definition

Online\_Shopping v1

# Online\_Shopping 1.0 OAS 3.0

<https://localhost:7199/swagger/v1/swagger.json>

## product



GET /api/product



### Parameters

[Cancel](#)

No parameters

[Execute](#)[Clear](#)

### Responses

#### Curl

```
curl -X 'GET' \
  'https://localhost:7199/api/product' \
  -H 'accept: */*'
```

#### Request URL

<https://localhost:7199/api/product>

#### Server response

Code	Details
------	---------

200	Response body
-----	---------------

## Code

```
        "productQuantity": 20,  
        "productPrice": 49.99,  
        "productDescription": "Kitchen blender with multiple settings",  
        "productCategoryName": "Home Appliances"  
    },  
    {  
        "productId": 8,  
        "productName": "Mine Craft",  
        "productQuantity": 8,  
        "productPrice": 150.25,  
        "productDescription": "Trending game",  
        "productCategoryName": "Toys"  
    }  
]
```

[Download](#)

## Response headers

```
content-type: application/json; charset=utf-8  
date: Sun, 10 Nov 2024 08:41:21 GMT  
server: Kestrel
```

## Responses

Code	Description	Links
200	OK	No links

POST /api/product [^](#)

## Parameters

[Cancel](#)[Reset](#)

No parameters

## Request body

[application/json](#)

```
{  
    "name": "Mine Craft",  
    "price": 150.25,  
    "desc": "Trending game",  
    "amount": 10,  
    "cat_id": 2  
}
```

[Execute](#)[Clear](#)

## Responses

### Curl

```
curl -X 'POST' \
  'https://localhost:7199/api/product' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "Mine Craft",
    "price": 150.25,
    "desc": "Trending game",
    "amount": 10,
    "cat_id": 2
}'
```

### Request URL

<https://localhost:7199/api/product>

### Server response

Code	Details
------	---------

201

*Undocumented*

#### Response body

```
{
  "productId": 0,
  "productName": "Mine Craft",
  "productQuantity": 10,
  "productPrice": 150.25,
  "productDescription": "Trending game",
  "productCategoryName": "Books"
}
```

[Download](#)

#### Response headers

```
content-type: application/json; charset=utf-8
date: Sun, 10 Nov 2024 08:38:36 GMT
location: https://localhost:7199/api/product/id8
server: Kestrel
```

### Responses

Code	Description	Links
------	-------------	-------

200 OK

*No links*

GET /api/product/{id}



### Parameters

[Cancel](#)

Name	Description
------	-------------

**id** \* required

integer(\$int32)

(path)

ExecuteClear

## Responses

### Curl

```
curl -X 'GET' \
  'https://localhost:7199/api/product/id8' \
  -H 'accept: */*'
```

### Request URL

<https://localhost:7199/api/product/id8>

### Server response

Code	Details
------	---------

200

#### Response body

```
{  
  "productId": 8,  
  "productName": "Mine Craft",  
  "productQuantity": 10,  
  "productPrice": 150.25,  
  "productDescription": "Trending game",  
  "productCategoryName": "Books"  
}
```

[Download](#)

#### Response headers

```
content-type: application/json; charset=utf-8  
date: Sun, 10 Nov 2024 08:39:11 GMT  
server: Kestrel
```

## Responses

Code	Description	Links
------	-------------	-------

200

OK

No links

GET /api/product/price{price} ^

## Parameters

[Cancel](#)

Name	Description
------	-------------

**price** \* required

number(\$double)

(path)

9.99

**Execute****Clear**

## Responses

### Curl

```
curl -X 'GET' \
  'https://localhost:7199/api/product/price9.99' \
  -H 'accept: */*'
```

### Request URL

<https://localhost:7199/api/product/price9.99>

### Server response

Code	Details
------	---------

200

#### Response body

```
[  
  {  
    "productId": 4,  
    "productName": "T-shirt",  
    "productQuantity": 100,  
    "productPrice": 9.99,  
    "productDescription": "Comfortable cotton T-shirt",  
    "productCategoryName": "Clothing"  
  }  
]
```

[Download](#)

#### Response headers

```
content-type: application/json; charset=utf-8  
date: Sun, 10 Nov 2024 08:40:16 GMT  
server: Kestrel
```

### Responses

Code	Description	Links
------	-------------	-------

200

OK

*No links*[DELETE /api/product/{id}](#)

### Parameters

[Cancel](#)

Name	Description
<b>id</b> * required integer(\$int32) (path)	2

**Execute**      **Clear**

## Responses

### Curl

```
curl -X 'DELETE' \
  'https://localhost:7199/api/product/2' \
  -H 'accept: */*'
```

### Request URL

<https://localhost:7199/api/product/2>

### Server response

Code	Details	Links
200	<b>Response headers</b>  content-length: 0 date: Sun, 10 Nov 2024 08:41:05 GMT server: Kestrel	<i>No links</i>

### Responses

Code	Description	Links
200	OK	<i>No links</i>

PUT /api/product/{id} ^

Parameters		Cancel	Reset
------------	--	--------	-------

Name	Description
<b>id</b> * required integer(\$int32) (path)	8

## Request body

application/json

```
{  
  "id": 8,  
  "name": "Mine Craft",  
  "price": 150.25,  
  "desc": "Trending game",  
  "amount": 8,  
  "cat_id": 5  
}
```

[Execute](#)[Clear](#)

## Responses

## Curl

```
curl -X 'PUT' \  
  'https://localhost:7199/api/product/8' \  
  -H 'accept: */*' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "id": 8,  
    "name": "Mine Craft",  
    "price": 150.25,  
    "desc": "Trending game",  
    "amount": 8,  
    "cat_id": 5  
  }'
```

## Request URL

<https://localhost:7199/api/product/8>

## Server response

## Code Details

201

Undocumented

## Response body

```
{  
  "productId": 8,  
  "productName": "Mine Craft",  
  "productQuantity": 8,  
  "productPrice": 150.25,  
  "productDescription": "Trending game",  
  "productCategoryName": "Toys"  
}
```

[Download](#)

Code	Details	
<b>Response headers</b>		
<code>content-type: application/json; charset=utf-8 date: Sun, 10 Nov 2024 08:40:55 GMT location: https://localhost:7199/api/product/id8 server: Kestrel</code>		
Responses		Links
200	OK	<i>No links</i>

## Schemas



## Catalog

## Product