محمد تیسیر منیر تیسیر سکشن ۱7

1. The probability of a leap year selected at random contain 53 Sunday is:
(a) 53/366 (b) 1/7 (c) 2/7 (d) 53/365
2. A bag contains 3 red and 2 blue marbles. A marble is drawn at
random. The probability of drawing a black ball is :
(a) 3/5 (b) 2/5 (c) 0/5 (d) 1/5
3. The probability that it will rain tomorrow is 0.85. What is the
probability that it will not rain tomorrow
(a) 0.25 (b) 0.145 (c) 3/20 (d) none of these
4. What is the probability that a number selected from the numbers
(1, 2, 3,,15) is a multiple of 4?
(a) 1/5 (b) 4/5 (c) 2/15 (d) 1/3
5. What are the total outcomes when we throw three coins?
(a) 4 (b) 5 (c) 8 (d) 7
6. The probability that a prime number selected at random from the
numbers (1,2,3,35) is :
(a) 12/35 (b) 11/35 (c) 13/35 (d) none of these
7. The sum of the probability of an event and non event is :
(a) 2 (b) 1 (c) 0 (d) none of these.
8. The following probabilities are given; choose the correct answer
for that which is not possible.
(a) 0.15 (b) 2/7 (c) 7/5 (d) none of these.
9. If three coins are tossed simultaneously, than the probability of
getting at least two heads, is:
(a) 1/4 (b) 3/8 (c) ½ (d) 1/8
10. A letter is chosen at random from the letters of the word
♦ ASSASSINATION ♦. The probability that the letter chosen has:
(a) 6/13 (b) 7/13 (c) 1 (d) none of these.
11. A dice is thrown. Find the probability of getting an even number.
(A) 2/3 (B) 1 (C) 5/6 (D) 1/2
12. Two coins are thrown at the same time. Find the probability of
getting both heads.
(A) 3/4 (B) 1/4 (C) 1/2 (D) 0

13. Two dice are thrown simultaneously. The probability of getting a sum of 9 is:

(A) 1/10	(B) 3/10	(C) 1/9	(D) 4/	'9				
14. 100 cards are numbered from 1 to 100. Find the probability of getting a prime number.								
(A) 3/4		(C) 1/4	(D)	29/100				
_	a blue ball is do	uble that of a		f the probability in the number of				
16. A box of 600 bulbs contains 12 defective bulbs. One bulb is taken out at random from this box. Then the probability that it is non-defective bulb is: (A) 143/150 (B) 147/150 (C) 1/25 (D) 1/50								
17. Cards marked with numbers 2 to 101 are placed in a box and mixed thoroughly. One card is drawn from this box randomly, then the probability that the number on card is a perfect square. (A) 9/100 (B) 1/10 (C) 3/10 (D) 19/100								
18. What is (A) 1/7	the probability (B) 53/366	•	-					
19. A card is drawn from a well shuffled deck of 52 cards. Find the probability of getting a king of red suit. (A) 1/26 (B) 3/26 (C) 7/52 (D) 1/13								
20. A game of chance consists of spinning an arrow which is equally likely to come to rest pointing to one of the number 1,2,312 ,then the probability that it will point to an odd number is: (A) 1/6 (B) 1/12 (C) 7/12 (D) 5/12								
21. A game consists of tossing a one rupee coin 3 times and noting its outcome each time. Aryan wins if all the tosses give the same result i.e. three heads or three tails and loses otherwise. Then the probability that Aryan will lose the game. (A) 3/4 (B) 1/2 (C) 1 (D) 1/4								

same birth	nday is the s	same birth	_	nt both will hav	ve the				
23. A number x is chosen at random from the numbers -2, -1, 0, 1, 2. Then the probability that $x^2 < 2$ is? (A) $1/5$ (B) $2/5$ (C) $3/5$ (D) $4/5$									
24. A jar contains 24 marbles. Some are red and others are white. If a marble is drawn at random from the jar, the probability that it is red is 2/3, then the number of white marbles in the jar is: (A) 10 (B) 6 (C) 8 (D) 7									
Then the p	25. A number is selected at random from first 50 natural numbers. Then the probability that it is a multiple of 3 and 4 is: (A) 7/50 (B) 4/25 (C) 1/25 (D) 2/25								
with n dot showing 4	s showing υ dots is?	ıp is propo	rtional to n. T	t probability of the probability					
a) $\frac{1}{7}$	b) $\frac{5}{42}$		c) $\frac{1}{21}$	(d) $\frac{4}{21}$					
	_		5 one day ma	atches are 50,	70, 82,				
•			c) 25.29		9				
28. Find median and mode of the messages received on 9 consecutive days 15, 11, 9, 5, 18, 4, 18, 13, 17.									
a) 13, 15	•		c) 18, 15		d) 13, 16				
29. A coin is tossed up 4 times. The probability that tails turn up in 3 cases is									
		$/_3$	c) $\frac{1}{4}$	of E(X²) is	d) $^{1}/_{6}$				
a) 8	b) 7	c)	27	d) 9	· ·				
31. The random variables X and Y have variances 0.2 and 0.5 respectively. Let Z= 5X-2Y. The variance of Z is?									

32.Out of the probability?	•	alues, whicl	n one is not poss	sible in
a) $P(x) = 1$	b) ∑ x			
c) $P(x) = 0.5$	d) P(x	(x) = -0.5		
33.If E(x) =	2 and E(z) = 4	, then E(z -	· x) =?	
a) 2	b) 6	c) 0	d) Ins	sufficient data
34.The cov	ariance of two	independe	nt random variab	ole is
a) 1	b) 0	c) – 1	d) Ur	ndefined
35.If Σ P(x) a) 0	= k² – 8 then, b) 1	the value o		sufficient data
36.If P(x) = a) 1	0.5 and x = 4, b) 0.5	then E(x) =	? d) 2	
37.In a disc is always?	rete probabilit	y distribution	on, the sum of al	l probabilities
a) 0	b) Infinite	c) 1	d) Un	defined
38.If the pr	obability of hi	tting the tar	get is 0.4, find n	nean and
	b) 0.6,	0.24	c) 0.4, 0.16	d) 0.6, 0.16
-	% and if 10 bo	mbs are dro	pped from a place opped, find mear 0.4, 0.16	
a) 2	e mean of toss b) 4 the mean and	c) 8	d) 1 or standard norn	nal distribution?

c) 5

d) 7

a) 3

b) 4

a) Mean is 0			•			
c) Mean is 0	and vari	ance is c	ο d) M	ean is ∞	and variand	ce is 0
42.Variance				_	-	
a) E(X)	b) E	(X2)	c) E(X	(2) – (E()	X))2	d) (E(X))2
43.Mean of						
a) E(X) b) E(X2)		(2)	c) E(X2	2) – (E(X)))2	d) (E(X))2
44.Mean of						
a) 0 b) a			c) a/2		d) 1	
45. Variance						
(a) 0	b) a		c) a/	′2	d) 1	
46.Find the	mean an	d variand	e of X?			
					<u> </u>	
X	0	1	2	3	4	
f(x)	1/9	2/9	3/9	2/9	1/9	
a) 2, 4/3	b)	3, 4/3		c) 2, 2/3	3	d) 3, 2/3

47. Find the expectation of a random variable X?

	X	0	1	2	3		
	f(x)	1/6	2/6	2/6	1/6		
a) ().5		b) 1.5		c) 2.5	d) 3.	5

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by

c) np2q

d) npq2

- 49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use **Binomial Distribution.**
- a) P(X = x) = nCx px qx
- b) P(X = x) = nCx px q(n-x)
- c) P(X = x) = xCn qx p(n-x)
- d) P(x = x) = xCn pn qx
- 50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard **Deviation?**

- a) \sqrt{np} b) \sqrt{pq} c) (np)2
- d) \sqrt{npq}