

Day 3: Navigating the File System and Common Commands on Kali Linux

On Day 3, I focused on learning how to navigate the Linux file system using Kali Linux. The goal was to become comfortable using the terminal to move between directories, manage files, and understand how common Linux commands behave in real scenarios.

Key Commands Practiced

- `pwd` – Display current working directory
- `cd` – Navigate between directories
- `ls / ls -l / ls -la` – List files and hidden files
- `mkdir / rmdir` – Create and remove directories
- `rm -r` – Remove non-empty directories
- `touch` – Create empty files
- `cat` – Display file contents
- `locate` – Search for files system-wide

Proof of Hands-On Practice

```
kali@kali: ~/Downloads
Session Actions Edit View Help
kali@kali:~$ pwd
/home/kali
kali@kali:~$ cd Downloads
kali@kali:~/Downloads$ ls
evtx  evtx-master  network-dump.flag.pcap  pico.flag.png  test  text.txt  volatility
kali@kali:~/Downloads$ ls -la
total 40
drwxrwxr-x 3 kali kali 4096 Jan 11 00:43 evtx
drwxrwxr-x 8 kali kali 4096 Nov 15 15:53 evtx-master
-rw-rw-r-- 1 kali kali 778 Nov 25 00:11 network-dump.flag.pcap
-rw-rw-r-- 1 kali kali 13438 Nov 24 21:56 pico.flag.png
drwxrwxr-x 2 kali kali 4096 Jan 10 02:00 test
-rw-rw-r-- 1 kali kali 115 Jan 11 00:53 text.txt
drwxrwxr-x 10 kali kali 4096 Nov 23 10:29 volatility
kali@kali:~/Downloads$ ls -la
total 40
drwxrwxr-x 3 kali kali 4096 Jan 11 00:55 .
drwxrwxr-x 3 kali kali 4096 Jan 11 00:43 ..
drwxrwxr-x 8 kali kali 4096 Nov 15 15:53 evtx-master
-rw-rw-r-- 1 kali kali 778 Nov 25 00:11 network-dump.flag.pcap
drwxrwxr-x 2 kali kali 4096 Jan 10 02:00 test
-rw-rw-r-- 1 kali kali 115 Jan 11 00:53 text.txt
drwxrwxr-x 10 kali kali 4096 Nov 23 10:29 volatility
kali@kali:~/Downloads$ mkdir test
mkdir: cannot create directory 'test': File exists
kali@kali:~/Downloads$ ls
evtx  evtx-master  network-dump.flag.pcap  pico.flag.png  test  text.txt  volatility
kali@kali:~/Downloads$ rm -r test
kali@kali:~/Downloads$ ls
evtx  evtx-master  network-dump.flag.pcap  pico.flag.png  text.txt  volatility
kali@kali:~/Downloads$ mkdir test
kali@kali:~/Downloads$ evtx/ evtx-master/ network-dump.flag.pcap pico.flag.png test/ text.txt volatility/
kali@kali:~/Downloads$ ls
evtx  evtx-master  network-dump.flag.pcap  pico.flag.png  test  text.txt  volatility
kali@kali:~/Downloads$ cd /test
cd: no such file or directory: /test
kali@kali:~/Downloads$ cd test
kali@kali:~/Downloads/test$ cd ..
kali@kali:~/Downloads$ rmdir test
```

```

(kali@kali)-[~/Downloads]
$ cat > test.txt
hello
^C

(kali@kali)-[~/Downloads]
$ ls
evtx evtx-master network-dump.flag.pcap pico.flag.png test.txt test.txt volatility

(kali@kali)-[~/Downloads]
$ ls
evtx evtx-master network-dump.flag.pcap pico.flag.png test.txt volatility

(kali@kali)-[~/Downloads]
$ rm test.txt

(kali@kali)-[~/Downloads]
$ ls
evtx evtx-master network-dump.flag.pcap pico.flag.png volatility

(kali@kali)-[~/Downloads]
$ mkdir test2

(kali@kali)-[~/Downloads]
$ ls
evtx evtx-master network-dump.flag.pcap pico.flag.png test2 volatility

(kali@kali)-[~/Downloads]
$ =

(kali@kali)-[~/]
$ cd Downloads

(kali@kali)-[~/Downloads]
$ ls

```

```

(kali@kali)-[~/]
$ cd Downloads/test
cd: no such file or directory: Downloads/test

(kali@kali)-[~/]
$ cd Downloads/test2

(kali@kali)-[~/Downloads/test2]
$ ls

(kali@kali)-[~/Downloads/test2]
$ touch file

(kali@kali)-[~/Downloads/test2]
$ ls
file

(kali@kali)-[~/Downloads/test2]
$ open file

(kali@kali)-[~/Downloads/test2]
$ cd ..

(kali@kali)-[~/Downloads]
$ ls
evtx evtx-master network-dump.flag.pcap pico.flag.png test2 volatility

(kali@kali)-[~/Downloads]
$ rmdir test2
rmdir: failed to remove 'test2': Directory not empty

(kali@kali)-[~/Downloads]
$ rm -r test2

(kali@kali)-[~/Downloads]
$ ls\
$

evtx evtx-master network-dump.flag.pcap pico.flag.png volatility

(kali@kali)-[~/Downloads]
$ mkdir test1 test2 test3

(kali@kali)-[~/Downloads]
$ ls
evtx evtx-master network-dump.flag.pcap pico.flag.png test1 test2 test3 volatility

```

```

kali@kali:~$ locate test2
usr/lib/llvm-18/build/utils/lit/tests/Inputs/config-map-discovery/tests/test2.txt
usr/lib/llvm-18/build/utils/lit/tests/Inputs/custom-result-category/test2.txt
usr/lib/llvm-18/build/utils/lit/tests/Inputs/parallelism-groups/test2.txt
usr/lib/llvm-19/build/utils/lit/tests/Inputs/config-map-discovery/test2.txt
usr/lib/llvm-19/build/utils/lit/tests/Inputs/parallelism-groups/test2.txt
usr/lib/llvm-21/build/utils/lit/tests/Inputs/custom-result-category/test2.txt
usr/lib/llvm-21/build/utils/lit/tests/Inputs/config-map-discovery/test2.txt
usr/lib/llvm-21/build/utils/lit/tests/Inputs/parallelism-groups/test2.txt
usr/lib/python3/dist-packages/scipy/io/arrff/test2/data/test2.arrff
usr/lib/python3/dist-packages/sympy/parsing/autolev/test-examples/ruletest2.al
usr/share/go-1.24/src/cmd/go/internal/test/issue26213/test26213.go
usr/share/go-1.24/src/cmd/go/internal/test/issue27054/test27054.go
usr/share/go-1.24/src/cmd/go/testdata/script/test2json_interrupt.txt
usr/share/go-1.24/src/cmd/go/testdata/vcstest/go/test2-svn-git.txt
usr/share/go-1.24/src/cmd/go/testdata/vcstest/go/test2-svn-git.txt
usr/share/go-1.24/src/cmd/internal/test2json/test2json.go
usr/share/go-1.24/src/cmd/internal/test2json/testdata
usr/share/go-1.24/src/cmd/internal/test2json/testdata/ascii.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/ascii.test
usr/share/go-1.24/src/cmd/internal/test2json/testdata/bench.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/bench.test
usr/share/go-1.24/src/cmd/internal/test2json/testdata/benchfail.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/benchfail.test
usr/share/go-1.24/src/cmd/internal/test2json/testdata/benchshort.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/benchshort.test
usr/share/go-1.24/src/cmd/internal/test2json/testdata/empty.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/empty.test
usr/share/go-1.24/src/cmd/internal/test2json/testdata/frame.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/framebig.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/framefuzz.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/framefuzz.test
usr/share/go-1.24/src/cmd/internal/test2json/testdata/issue23036.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/issue23036.test
usr/share/go-1.24/src/cmd/internal/test2json/testdata/issue23920.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/issue23920.test
usr/share/go-1.24/src/cmd/internal/test2json/testdata/issue29755.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/issue29755.test
usr/share/go-1.24/src/cmd/internal/test2json/testdata/panic.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/panic.test
usr/share/go-1.24/src/cmd/internal/test2json/testdata/smilev.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/smilev.test
usr/share/go-1.24/src/cmd/internal/test2json/testdata/timeout.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/timeout.test
usr/share/go-1.24/src/cmd/internal/test2json/testdata/unicode.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/unicode.test
usr/share/go-1.24/src/cmd/internal/test2json/testdata/vet.json
usr/share/go-1.24/src/cmd/internal/test2json/testdata/vet.test
usr/share/go-1.24/src/cmd/test2json/signal_unix.go
usr/share/go-1.24/src/cmd/test2json/signal_unix.go
usr/share/metasploit-framework/vendor/bundle/ruby/3.3.0/gems/packetfu-2.0.0/test/pcapng-test/output_be/difficult/test200.pcapng
usr/share/metasploit-framework/vendor/bundle/ruby/3.3.0/gems/packetfu-2.0.0/test/pcapng-test/output_be/difficult/test200.txt
usr/share/metasploit-framework/vendor/bundle/ruby/3.3.0/gems/packetfu-2.0.0/test/pcapng-test/output_be/difficult/test201.pcapng
usr/share/metasploit-framework/vendor/bundle/ruby/3.3.0/gems/packetfu-2.0.0/test/pcapng-test/output_be/difficult/test201.txt
usr/share/metasploit-framework/vendor/bundle/ruby/3.3.0/gems/packetfu-2.0.0/test/pcapng-test/output_be/difficult/test202.pcapng
usr/share/metasploit-framework/vendor/bundle/ruby/3.3.0/gems/packetfu-2.0.0/test/pcapng-test/output_be/difficult/test202.txt
usr/share/metasploit-framework/vendor/bundle/ruby/3.3.0/gems/packetfu-2.0.0/test/pcapng-test/output_le/difficult/test200.pcapng
usr/share/metasploit-framework/vendor/bundle/ruby/3.3.0/gems/packetfu-2.0.0/test/pcapng-test/output_le/difficult/test201.pcapng
usr/share/metasploit-framework/vendor/bundle/ruby/3.3.0/gems/packetfu-2.0.0/test/pcapng-test/output_le/difficult/test201.txt
usr/share/metasploit-framework/vendor/bundle/ruby/3.3.0/gems/packetfu-2.0.0/test/pcapng-test/output_le/difficult/test202.pcapng
usr/share/metasploit-framework/vendor/bundle/ruby/3.3.0/gems/packetfu-2.0.0/test/pcapng-test/output_le/difficult/test202.txt
usr/share/nodejs/acorn-bigint/run_test262.js

```

```

kali@kali:~/Downloads$ mv test2 ~/Downloads/test3

kali@kali:~/Downloads$ ls
ls: command not found

kali@kali:~/Downloads$ ls
evtx evtx-master network-dump.flag.pcap pico.flag.png test3 volatility

kali@kali:~/Downloads$ cd test3

kali@kali:~/Downloads/test3$ l
test2/

```

This document is part of my personal cybersecurity learning journey using Kali Linux. All commands shown were executed manually for learning purposes.