git > github

Git & GitHub Quick Guide

Set your identity, branch safely, upload a new project, and update an existing repository. Click Copy on any command.

Email | Branch | Upload project | Update repo

1. Check and change your Git email

Commits carry this email. Use `--global` for every repo on your machine; leave it out for the current repo only.

Check

```
$ git config user.email
```
Copy

```
$ git config --global user
```
Copy

Change

```
$ git config user.email "y
```
Copy

```
$ git config --global user
```
Copy

Set the email before your first commit. Earlier commits keep the old email.

2. Move from main to a new feature branch

Creates the branch `feature` and switches to it in one step.

```
$ git checkout -b feature
```
Copy

```
$ git branch
```
Copy

`git branch` lists your branches; the current one has a star.

3. Upload a new project to GitHub

Pick one route for creating the repo. The first steps are the same.

1 Log in to GitHub

```
$ gh auth login
```
Copy

2 Start the repo, stage, and commit

```
$ git init
```
Copy

```
$ git add .
```
Copy

```
$ git config user.email "your-new-email@example.com"
```
Copy

```
$ git commit -m "first commit"
```
Copy

Route A

Create with the GitHub CLI

```
$ gh repo create <repositor
```
Copy

Short form:

```
$ gh repo create my-awesom
```
Copy

Or run `gh repo create` and answer the prompts.

Route B

Connect an empty repo made on github.com

```
$ git remote add origin ht
```
Copy

3 Push to GitHub

```
$ git push -u origin main
```
Copy

If your branch is called `master`, run `git branch -M main` first.

4. Update an existing repository

Log in and link your folder to the repo, then choose how to push.

1 **Log in**

```
$ gh auth login
```
Copy

2 **New folder, new repo**

```
$ git init
```
Copy

```
$ git add .
```
Copy

3 **Existing repo: add the remote**

```
$ git remote add origin https://github.com/yourusername/your-repo.gi
```
Copy

Replace everything

Force push

GitHub matches your local folder exactly. Files you deleted locally are deleted on GitHub.

```
$ git add .
```
Copy

```
$ git commit -m "Merge con
```
Copy

```
$ git push --force origin
```
Copy

> **Careful.** Force push overwrites the remote history and is hard to undo.

Keep everything

Safe update

Pulls remote changes first, then adds yours. Nothing on GitHub is deleted.

```
$ git pull origin main --r
```
Copy

```
$ git add .
```
Copy

```
$ git commit -m "Merge con
```
Copy

```
$ git push -u origin main
```
Copy

If the pull stops on a conflict, fix the files, run `git add .`, then `git rebase --continue`.

Run commands inside your project folder.

Switch theme