

Material Safety Data Sheet

Acetonitrile

1. Product and company identification

Product name	: Acetonitrile		
Synonym	: cyanomethane; Methylcyanide		
Chemical formula	: C2-H3-N		
Supplier	: Thermo Fisher Scientific Pierce Biotechnology P.O. Box 117 Rockford, IL 61105 United States 815.968.0747 or 800.874.3723	Manufacturer	: Thermo Fisher Scientific Pierce Biotechnology P.O. Box 117 Rockford, IL 61105 United States 815.968.0747 or 800.874.3723
Code	: TS-20062 0051101 1870110 1896450 1896561		
MSDS #	: 0141		
Validation date	: 4/9/2012.		
Print date	: 4/9/2012.		
Responsible name	: MSDS Specialist		
In case of emergency	: CHEMTREC: 800.424.9300 OUTSIDE US: 703.527.3887	Material uses	: Refer to the instruction booklet for proper and intended use. Otherwise, contact supplier for specific applications.
Product type	: Liquid.		

2. Hazards identification

Emergency overview	
Physical state	: Liquid. [COLORLESS LIQUID WITH A SWEET, ETHER-LIKE ODOR [NOTE:FORMS CYANIDE IN THE BODY]]
Color	: Colorless.
Odor	: Characteristic. Aromatic.
Signal word	: WARNING!
Hazard statements	: FLAMMABLE LIQUID AND VAPOR. HARMFUL IF INHALED OR ABSORBED THROUGH SKIN. CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED. CAN CAUSE TARGET ORGAN DAMAGE.
Precautionary measures	: Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Keep container tightly closed. Wash thoroughly after handling.
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Routes of entry	: Dermal contact. Eye contact. Inhalation. Ingestion.
Potential acute health effects	
Inhalation	: Toxic by inhalation. Irritating to respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

4/9/2012.

1/11

Acetonitrile

2. Hazards identification

Ingestion	: Harmful if swallowed.
Skin	: Toxic in contact with skin. Irritating to skin.
Eyes	: Irritating to eyes.
Potential chronic health effects	
Chronic effects	: Can cause target organ damage.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Target organs	: May cause damage to the following organs: blood, kidneys, lungs, liver, mucous membranes, gastrointestinal tract, cardiovascular system, upper respiratory tract, skin, eyes, central nervous system (CNS).
Over-exposure signs/symptoms	
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Ingestion	: No specific data.
Skin	: Adverse symptoms may include the following: irritation redness
Eyes	: Adverse symptoms may include the following: pain or irritation watering redness
Medical conditions aggravated by over-exposure	: Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

3. Composition/information on ingredients

United States

Name	CAS number	%
acetonitrile	75-05-8	98 - 100

Canada

Name	CAS number	%
acetonitrile	75-05-8	98 - 100

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact	: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

4/9/2012.

2/11

Acetonitrile	
4. First aid measures	

- | | |
|-----------------------------------|---|
| Inhalation | : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately. |
| Ingestion | : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |
| Notes to physician | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |

5. Fire-fighting measures	
----------------------------------	--

- | | |
|---|--|
| Flammability of the product | : Flammable liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard. |
| Extinguishing media | |
| Suitable | : Use dry chemical, CO ₂ , water spray (fog) or foam. |
| Not suitable | : Do not use water jet. |
| Special exposure hazards | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| Special remarks on fire hazards | : Store under nitrogen. Vapor may travel a considerable distance to source of ignition and flash back. Emits very toxic fumes when heated to decomposition. |
| Special remarks on explosion hazards | : Explosive in the form of vapor when exposed to heat or flame. Container explosion may occur under fire conditions or when heated. Containers should be grounded. |

6. Accidental release measures	
---------------------------------------	--

- | | |
|----------------------------------|---|
| Personal precautions | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8). |
| Environmental precautions | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |

Methods for cleaning up

4/9/2012.

3/11

Life Science Research PO Box 117 Rockford, IL (815) 968-0747 www.thermo.com
Pierce Biotechnology Inc. 3747 N. Meridian Road 61105 (815) 968-7316 Fax

Acetonitrile	
6. Accidental release measures	

- | | |
|--------------------|--|
| Small spill | : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. |
| Large spill | : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal. |

7. Handling and storage	
--------------------------------	--

- | | |
|-----------------|---|
| Handling | : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Storage | : Store between the following temperatures: 20 to 25°C (68 to 77°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

8. Exposure controls/personal protection	
---	--

United States	
Ingredient	Exposure limits
acetonitrile	ACGIH (United States). TWA: 40 ppm STEL: 60 ppm NIOSH (United States). TWA: 20 ppm MSHA (United States). TWA: 70 mg/m ³ ACGIH TLV (United States). Absorbed through skin. : 20 ppm ACGIH TLV (United States, 2/2010). Absorbed through skin. TWA: 20 ppm 8 hour(s). NIOSH REL (United States, 6/2009). TWA: 34 mg/m ³ 10 hour(s). TWA: 20 ppm 10 hour(s). OSHA PEL (United States, 6/2010).

4/9/2012.

4/11

Life Science Research PO Box 117 Rockford, IL (815) 968-0747 www.thermo.com
Pierce Biotechnology Inc. 3747 N. Meridian Road 61105 (815) 968-7316 Fax

Acetonitrile	
8. Exposure controls/personal protection	
	TWA: 70 mg/m³ 8 hour(s). TWA: 40 ppm 8 hour(s). OSHA PEL 1989 (United States, 3/1989). STEL: 105 mg/m³ 15 minute(s). STEL: 60 ppm 15 minute(s). TWA: 70 mg/m³ 8 hour(s). TWA: 40 ppm 8 hour(s).

Canada

Occupational exposure limits		TWA (8 hours)			STEL (15 mins)			Ceiling			
Ingredient	List name	ppm	mg/m ³	Other	ppm	mg/m ³	Other	ppm	mg/m ³	Other	Notations
acetonitrile	US ACGIH 2/2010	20	-	-	-	-	-	-	-	-	[1]
	AB 4/2009	20	34	-	-	-	-	-	-	-	[3]
	BC 9/2010	20	-	-	-	-	-	-	-	-	[1]
	ON 7/2010	20	-	-	-	-	-	-	-	-	[1]
	QC 6/2008	40	67	-	60	101	-	-	-	-	

[1]Absorbed through skin. [3]Skin sensitization

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

- Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

4/9/2012.

5/11

Acetonitrile	
9. Physical and chemical properties	
Physical state	: Liquid. [COLORLESS LIQUID WITH A SWEET, ETHER-LIKE ODOR [NOTE:FORMS CYANIDE IN THE BODY]]
Flash point	: Closed cup: 12.8°C (55°F) Open cup: 5.6°C (42.1°F) [Cleveland]
Auto-ignition temperature	: 524°C (975.2°F)
Flammable limits	: Lower: 3% Upper: 16%
Color	: Colorless.
Odor	: Characteristic. Aromatic.
Molecular weight	: 41.06 g/mole
Molecular formula	: C ₂ H ₃ N
Boiling/condensation point	: 82°C (179.6°F)
Melting/freezing point	: -46°C (-50.8°F)
Critical temperature	: 274.75°C (526.6°F)
Relative density	: 0.8
Vapor pressure	: 9.7 kPa (72.75 mm Hg) [20°C]
Vapor density	: 1.4 [Air = 1]
Volatility	: 100% (v/v)
Odor threshold	: 1181 ppm
Evaporation rate	: 2.33 (butyl acetate = 1)
Viscosity	: Dynamic: 0.36 mPa·s (0.36 cP)
Solubility	: Easily soluble in the following materials: cold water and hot water. Soluble in the following materials: methanol, diethyl ether and acetone.

10. Stability and reactivity

- Chemical stability** : The product is stable.
- Conditions to avoid** : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.
- Incompatible materials** : Reactive or incompatible with the following materials: oxidizing materials
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

11. Toxicological information

United States

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
acetonitrile	LC50 Inhalation Vapor	Rat	17100 ppm	4 hours
	LD50 Dermal	Rabbit	980 mg/kg	-
	LD50 Oral	Rat	2460 mg/kg	-

Conclusion/Summary : Not available.

Chronic toxicity

4/9/2012.

6/11

Acetonitrile

11. Toxicological information

Conclusion/Summary : Metabolized to cyanide in the body. Can cause central nervous system (CNS) depression. Exposure can cause stomach pains, vomiting and diarrhea. Lacrimator. Can cause gastrointestinal disturbances. Inhalation of vapors may cause dizziness, an irregular heartbeat, narcosis, nausea or asphyxiation. May cause convulsions.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 microliters	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-

Conclusion/Summary : Not available.

Sensitizer

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Animal tumorigen.

Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
acetonitrile	A4	-	D	None.	-	None.

Mutagenicity

Conclusion/Summary : Laboratory experiments have shown mutagenic effects.

Teratogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Embryotoxic and/or fetotoxic in animals.

Canada

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
acetonitrile	LC50 Inhalation Vapor	Rat	17100 ppm	4 hours
	LD50 Dermal	Rabbit	980 mg/kg	-
	LD50 Oral	Rat	2460 mg/kg	-

Conclusion/Summary : Not available.

Chronic toxicity

Conclusion/Summary : Metabolized to cyanide in the body. Can cause central nervous system (CNS) depression. Exposure can cause stomach pains, vomiting and diarrhea. Lacrimator. Can cause gastrointestinal disturbances. Inhalation of vapors may cause dizziness, an irregular heartbeat, narcosis, nausea or asphyxiation. May cause convulsions.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
acetonitrile	Eyes - Moderate irritant	Rabbit	-	24 hours 100 microliters	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-

Conclusion/Summary : Not available.

Sensitizer

Conclusion/Summary : Not available.

Carcinogenicity

4/9/2012.

7/11

Acetonitrile

11. Toxicological information

Conclusion/Summary : Animal tumorigen.

Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
acetonitrile	A4	-	D	None.	-	None.

Mutagenicity

Conclusion/Summary : Laboratory experiments have shown mutagenic effects.

Teratogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Embryotoxic and/or fetotoxic in animals.

IDLH

: 500 ppm

12. Ecological information

Ecotoxicity : Readily biodegradable This product shows a low bioaccumulation potential.

United States

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
acetonitrile	Acute EC50 3600 mg/L	Daphnia	48 hours
	Acute EC50 5838 mg/L	Daphnia - Daphnia pulex	18 hours
	Acute IC50 7300 mg/L	Algae	72 hours
	Acute IC50 3685000 ug/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 >100000 ug/L Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) - 0.2 to 0.5 g	96 hours
	Acute LC50 1000 mg/L	Fish	96 hours
	Chronic NOEC 160000 ug/L Fresh water	Daphnia - Daphnia magna - <24 hours	21 days

Conclusion/Summary : Not available.

Persistence/degradability

Conclusion/Summary : Not available.

Canada

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
acetonitrile	Acute EC50 3600 mg/L	Daphnia	48 hours
	Acute EC50 5838 mg/L	Daphnia - Daphnia pulex	18 hours
	Acute IC50 7300 mg/L	Algae	72 hours
	Acute IC50 3685000 ug/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 >100000 ug/L Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) - 0.2 to 0.5 g	96 hours
	Acute LC50 1000 mg/L	Fish	96 hours
	Chronic NOEC 160000 ug/L Fresh water	Daphnia - Daphnia magna - <24 hours	21 days

Conclusion/Summary : Not available.

Persistence/degradability

Conclusion/Summary : Not available.

Partition coefficient: n-octanol/water : -0.34

Bioconcentration factor : 0.3

4/9/2012.

8/11

Acetonitrile

12. Ecological information

Toxicity of the products of biodegradation : The products of biodegradation are as toxic as the original product.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Waste disposal : The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Waste stream : Code: F039, K011, K013, K014 []

RCRA classification : U003

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*
DOT Classification	UN1648	Acetonitrile	3	II
IATA-DGR Class	UN1648	Acetonitrile	3	II

PG* : Packing group

15. Regulatory information

United States

HCS Classification : Flammable liquid
Toxic material
Irritating material
Target organ effects

U.S. Federal regulations : **TSCA 8(a) PAIR**: acetonitrile
TSCA 8(a) IUR Exempt/Partial exemption: Not determined
United States inventory (TSCA 8b): This material is listed or exempted.
SARA 302/304/311/312 extremely hazardous substances: No products were found.
SARA 302/304 emergency planning and notification: No products were found.
SARA 302/304/311/312 hazardous chemicals: acetonitrile
SARA 311/312 MSDS distribution - chemical inventory - hazard identification: acetonitrile: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard
Clean Water Act (CWA) 307: acetonitrile

4/9/2012.

9/11

Life Science Research PO Box 117 Rockford, IL (815) 968-0747 www.thermo.com
Pierce Biotechnology Inc. 3747 N. Meridian Road 61105 (815) 968-7316 Fax

Acetonitrile

15. Regulatory information

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 313

	Product name	CAS number	Concentration
Form R - Reporting requirements	acetonitrile	75-05-8	98 - 100
Supplier notification	acetonitrile	75-05-8	98 - 100

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

State regulations

Massachusetts : This material is listed.
New York : This material is listed.
New Jersey : This material is listed.
Pennsylvania : This material is listed.
United States inventory (TSCA 8b) : This material is listed or exempted.

Canada

WHMIS (Canada) : Class B-2: Flammable liquid
Class D-1A: Material causing immediate and serious toxic effects (Very toxic).
Class D-2B: Material causing other toxic effects (Toxic).

Canadian lists

Canadian NPRI : This material is listed.
CEPA Toxic substances : This material is not listed.
Canada inventory : This material is listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International regulations

International lists : **Australia inventory (AICS)**: This material is listed or exempted.
China inventory (IECSC): This material is listed or exempted.
Japan inventory: This material is listed or exempted.
Korea inventory: This material is listed or exempted.
New Zealand Inventory of Chemicals (NZIoC): This material is listed or exempted.
Philippines inventory (PICCS): This material is listed or exempted.

4/9/2012.

10/11

Life Science Research PO Box 117 Rockford, IL (815) 968-0747 www.thermo.com
Pierce Biotechnology Inc. 3747 N. Meridian Road 61105 (815) 968-7316 Fax

Acetonitrile

16. Other information

Label requirements : FLAMMABLE LIQUID AND VAPOR. HARMFUL IF INHALED OR ABSORBED THROUGH SKIN. CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED. CAN CAUSE TARGET ORGAN DAMAGE.

Hazardous Material Information System (U.S.A.) :

Health	2
Flammability	3
Physical hazards	0

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.) :



References : -Hawley, G.G.. The Condensed Chemical Dictionary, 11e ed., New York N.Y., Van Nostrand Reinold, 1987.
-Material safety data sheet emitted by: la Commission de la Santé et de la Sécurité du Travail du Québec.
-SAX, N.I. Dangerous Properties of Indutr

Date of printing : 4/9/2012.

Date of issue : 4/9/2012.

Date of previous issue : 3/7/2012.

Version : 1.04

Prepared by : MSDS Specialist

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.