



[Time since reference or first frame: 44.746953446 seconds]  
Frame Number: 74  
Frame Length: 1230 bytes (9840 bits)  
Capture Length: 1230 bytes (9840 bits)  
[Frame is marked: False]  
[Frame is ignored: False]  
[Protocols in frame: eth:ethertype:ip:tcp:http:json:data-text-lines]  
[Coloring Rule Name: HTTP]  
[Coloring Rule String: http || tcp.port == 80 || http2]  
Ethernet II, Src: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61), Dst: Intel\_28:7d:fa (94:b8:6d:28:7d:fa)  
Destination: Intel\_28:7d:fa (94:b8:6d:28:7d:fa)  
    ....0. .... = LG bit: Globally unique address (factory default)  
    ....0. .... = IG bit: Individual address (unicast)  
Source: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61)  
    ....0. .... = LG bit: Globally unique address (factory default)  
    ....0. .... = IG bit: Individual address (unicast)  
Type: IPv4 (0x0800)  
[Stream index: 0]  
Internet Protocol Version 4, Src: 142.251.36.142, Dst: 172.30.48.149  
0100 .... = Version: 4  
.... 0101 = Header Length: 20 bytes (5)  
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)  
Total Length: 1216  
Identification: 0x2016 (8214)  
010. .... = Flags: 0x2, Don't fragment  
...0 0000 0000 0000 = Fragment Offset: 0  
Time to Live: 63  
Protocol: TCP (6)  
Header Checksum: 0x86e5 [validation disabled]  
[Header checksum status: Unverified]  
Source Address: 142.251.36.142  
Destination Address: 172.30.48.149  
[Stream index: 8]  
Transmission Control Protocol, Src Port: 80, Dst Port: 33626, Seq: 1, Ack: 402, Len: 1164  
Hypertext Transfer Protocol, has 3 chunks (including last chunk)  
HTTP/1.1 200 OK\r\n  
Content-Type: application/json; charset=utf-8\r\n  
Vary: Sec-Fetch-Dest, Sec-Fetch-Mode, Sec-Fetch-Site\r\n  
X-Content-Type-Options: nosniff\r\n  
x-cup-server-proof:  
304602210092b542148a60d120983e6f33177f251c6a419a9eb43201e8407030b77f9c920002210083eff122437cc01cf201f740bcd  
ETag:  
W/"304602210092b542148a60d120983e6f33177f251c6a419a9eb43201e8407030b77f9c920002210083eff122437cc01cf201f740bcd"  
Cache-Control: no-cache, no-store, max-age=0, must-revalidate\r\n  
Pragma: no-cache\r\n  
Expires: Mon, 01 Jan 1990 00:00:00 GMT\r\n  
Date: Sun, 12 Oct 2025 15:01:57 GMT\r\n  
Content-Disposition: attachment; filename="json.txt"; filename\*=UTF-8''json.txt\r\n  
Cross-Origin-Opener-Policy: same-origin\r\n  
Cross-Origin-Resource-Policy: same-site\r\n  
Content-Encoding: gzip\r\n  
Transfer-Encoding: chunked\r\n  
Server: ESF\r\n  
X-XSS-Protection: 0\r\n  
X-Frame-Options: SAMEORIGIN\r\n  
\r\n  
[Request in frame: 63]  
[Time since request: 0.185854022 seconds]  
[Request URI: /time/1/current?  
cup2key=9:pC7WwKJ8IUCA5Co9SF0Yg9VUYnW9U5\_s8s8\_exVvB0&cup2hreq=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b  
[Full request URI: http://clients2.google.com/time/1/current?  
cup2key=9:pC7WwKJ8IUCA5Co9SF0Yg9VUYnW9U5\_s8s8\_exVvB0&cup2hreq=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b  
HTTP chunked response  
Content-encoded entity body (gzip): 107 bytes -> 81 bytes  
File Data: 81 bytes  
JavaScript Object Notation: application/json  
Line-based text data: application/json (2 lines)  
)}}'\n  
{\"current\_time\_millis\":1760281317388,\"server\_nonce\":-4.039869200756221E-140}  
No. Time Source Destination Protocol Length Info  
946 51.892849918 172.30.48.149 128.119.245.12 HTTP 538 GET /wireshark-labs/  
INTRO-wireshark-file1.html HTTP/1.1  
Frame 946: 538 bytes on wire (4304 bits), 538 bytes captured (4304 bits) on interface wlo1, id 0  
Section number: 1  
Interface id: 0 (wlo1)  
Encapsulation type: Ethernet (1)

Arrival Time: Oct 12, 2025 18:32:04.586356815 +0330  
UTC Arrival Time: Oct 12, 2025 15:02:04.586356815 UTC  
Epoch Arrival Time: 1760281324.586356815  
[Time shift for this packet: 0.000000000 seconds]  
[Time delta from previous captured frame: 0.000117834 seconds]  
[Time delta from previous displayed frame: 7.145896472 seconds]  
[Time since reference or first frame: 51.892849918 seconds]  
Frame Number: 946  
Frame Length: 538 bytes (4304 bits)  
Capture Length: 538 bytes (4304 bits)  
[Frame is marked: False]  
[Frame is ignored: False]  
[Protocols in frame: eth:ethertype:ip:tcp:http]  
[Coloring Rule Name: HTTP]  
[Coloring Rule String: http || tcp.port == 80 || http2]  
Ethernet II, Src: Intel\_28:7d:fa (94:b8:6d:28:7d:fa), Dst: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61)  
Destination: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61)  
    ....0. .... = LG bit: Globally unique address (factory default)  
    ....0. .... = IG bit: Individual address (unicast)  
Source: Intel\_28:7d:fa (94:b8:6d:28:7d:fa)  
    ....0. .... = LG bit: Globally unique address (factory default)  
    ....0. .... = IG bit: Individual address (unicast)  
Type: IPv4 (0x0800)  
[Stream index: 0]  
Internet Protocol Version 4, Src: 172.30.48.149, Dst: 128.119.245.12  
0100 .... = Version: 4  
....0101 = Header Length: 20 bytes (5)  
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)  
Total Length: 524  
Identification: 0x46fe (18174)  
010. .... = Flags: 0x2, Don't fragment  
...0 0000 0000 0000 = Fragment Offset: 0  
Time to Live: 64  
Protocol: TCP (6)  
Header Checksum: 0x9fb6 [validation disabled]  
[Header checksum status: Unverified]  
Source Address: 172.30.48.149  
Destination Address: 128.119.245.12  
[Stream index: 26]  
Transmission Control Protocol, Src Port: 33872, Dst Port: 80, Seq: 1, Ack: 1, Len: 472  
Hypertext Transfer Protocol  
GET /wireshark-labs/INTRO-wireshark-file1.html HTTP/1.1\r\n  
Host: gaia.cs.umass.edu\r\n  
Connection: keep-alive\r\n  
Upgrade-Insecure-Requests: 1\r\n  
User-Agent: Mozilla/5.0 (X11; Linux x86\_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/140.0.0.0  
Safari/537.36\r\n  
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,\*/\*  
;q=0.8,application/signed-exchange;v=b3;q=0.7\r\n  
Accept-Encoding: gzip, deflate\r\n  
Accept-Language: en-US,en;q=0.9,ar;q=0.8\r\n  
\r\n  
[Response in frame: 1029]  
[Full request URI: http://gaia.cs.umass.edu/wireshark-labs/INTRO-wireshark-file1.html]  

| No.  | Time         | Source         | Destination   | Protocol | Length | Info                        |
|------|--------------|----------------|---------------|----------|--------|-----------------------------|
| 1029 | 52.353695557 | 128.119.245.12 | 172.30.48.149 | HTTP     | 504    | HTTP/1.1 200 OK (text/html) |

Frame 1029: 504 bytes on wire (4032 bits), 504 bytes captured (4032 bits) on interface wlo1, id 0  
Section number: 1  
Interface id: 0 (wlo1)  
Encapsulation type: Ethernet (1)  
Arrival Time: Oct 12, 2025 18:32:05.047202454 +0330  
UTC Arrival Time: Oct 12, 2025 15:02:05.047202454 UTC  
Epoch Arrival Time: 1760281325.047202454  
[Time shift for this packet: 0.000000000 seconds]  
[Time delta from previous captured frame: 0.026846298 seconds]  
[Time delta from previous displayed frame: 0.460845639 seconds]  
[Time since reference or first frame: 52.353695557 seconds]  
Frame Number: 1029  
Frame Length: 504 bytes (4032 bits)  
Capture Length: 504 bytes (4032 bits)  
[Frame is marked: False]  
[Frame is ignored: False]  
[Protocols in frame: eth:ethertype:ip:tcp:http:data-text-lines]  
[Coloring Rule Name: HTTP]  
[Coloring Rule String: http || tcp.port == 80 || http2]

Ethernet II, Src: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61), Dst: Intel\_28:7d:fa (94:b8:6d:28:7d:fa)  
Destination: Intel\_28:7d:fa (94:b8:6d:28:7d:fa)  
.... ..0. .... = LG bit: Globally unique address (factory default)  
.... ..0. .... = IG bit: Individual address (unicast)  
Source: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61)  
.... ..0. .... = LG bit: Globally unique address (factory default)  
.... ..0. .... = IG bit: Individual address (unicast)  
Type: IPv4 (0x0800)  
[Stream index: 0]

Internet Protocol Version 4, Src: 128.119.245.12, Dst: 172.30.48.149  
0100 .... = Version: 4  
.... 0101 = Header Length: 20 bytes (5)  
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)  
Total Length: 490  
Identification: 0xa76a (42858)  
010. .... = Flags: 0x2, Don't fragment  
...0 0000 0000 0000 = Fragment Offset: 0  
Time to Live: 63  
Protocol: TCP (6)  
Header Checksum: 0x406c [validation disabled]  
[Header checksum status: Unverified]  
Source Address: 128.119.245.12  
Destination Address: 172.30.48.149  
[Stream index: 26]

Transmission Control Protocol, Src Port: 80, Dst Port: 33872, Seq: 1, Ack: 473, Len: 438

Hypertext Transfer Protocol  
HTTP/1.1 200 OK\r\n  
Date: Sun, 12 Oct 2025 15:02:04 GMT\r\n  
Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/7.4.33 mod\_perl/2.0.11 Perl/v5.16.3\r\n  
Last-Modified: Sun, 12 Oct 2025 05:59:01 GMT\r\n  
ETag: "51-640efd8faea9b"\r\n  
Accept-Ranges: bytes\r\n  
Content-Length: 81\r\n  
Keep-Alive: timeout=5, max=100\r\n  
Connection: Keep-Alive\r\n  
Content-Type: text/html; charset=UTF-8\r\n  
\r\n  
[Request in frame: 946]  
[Time since request: 0.460845639 seconds]  
[Request URI: /wireshark-labs/INTRO-wireshark-file1.html]  
[Full request URI: http://gaia.cs.umass.edu/wireshark-labs/INTRO-wireshark-file1.html]  
File Data: 81 bytes

Line-based text data: text/html (3 lines)  
<html>\n  
Congratulations! You've downloaded the first Wireshark lab file!\n  
</html>\n

| No.  | Time         | Source        | Destination    | Protocol | Length | Info                      |
|------|--------------|---------------|----------------|----------|--------|---------------------------|
| 1048 | 52.590399137 | 172.30.48.149 | 128.119.245.12 | HTTP     | 484    | GET /favicon.ico HTTP/1.1 |

Frame 1048: 484 bytes on wire (3872 bits), 484 bytes captured (3872 bits) on interface wlo1, id 0  
Section number: 1  
Interface id: 0 (wlo1)  
Encapsulation type: Ethernet (1)  
Arrival Time: Oct 12, 2025 18:32:05.283906034 +0330  
UTC Arrival Time: Oct 12, 2025 15:02:05.283906034 UTC  
Epoch Arrival Time: 1760281325.283906034  
[Time shift for this packet: 0.000000000 seconds]  
[Time delta from previous captured frame: 0.122453795 seconds]  
[Time delta from previous displayed frame: 0.236703580 seconds]  
[Time since reference or first frame: 52.590399137 seconds]  
Frame Number: 1048  
Frame Length: 484 bytes (3872 bits)  
Capture Length: 484 bytes (3872 bits)  
[Frame is marked: False]  
[Frame is ignored: False]  
[Protocols in frame: eth:ethertype:ip:tcp:http]  
[Coloring Rule Name: HTTP]  
[Coloring Rule String: http || tcp.port == 80 || http2]

Ethernet II, Src: Intel\_28:7d:fa (94:b8:6d:28:7d:fa), Dst: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61)  
Destination: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61)  
.... ..0. .... = LG bit: Globally unique address (factory default)  
.... ..0. .... = IG bit: Individual address (unicast)  
Source: Intel\_28:7d:fa (94:b8:6d:28:7d:fa)  
.... ..0. .... = LG bit: Globally unique address (factory default)  
.... ..0. .... = IG bit: Individual address (unicast)  
Type: IPv4(0x0800)

[Stream index: 0]  
Internet Protocol Version 4, Src: 172.30.48.149, Dst: 128.119.245.12  
0100 .... = Version: 4  
.... 0101 = Header Length: 20 bytes (5)  
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)  
Total Length: 470  
Identification: 0x4700 (18176)  
010. .... = Flags: 0x2, Don't fragment  
...0 0000 0000 0000 = Fragment Offset: 0  
Time to Live: 64  
Protocol: TCP (6)  
Header Checksum: 0x9fea [validation disabled]  
[Header checksum status: Unverified]  
Source Address: 172.30.48.149  
Destination Address: 128.119.245.12  
[Stream index: 26]  
Transmission Control Protocol, Src Port: 33872, Dst Port: 80, Seq: 473, Ack: 439, Len: 418  
Hypertext Transfer Protocol  
GET /favicon.ico HTTP/1.1\r\n  
Host: gaia.cs.umass.edu\r\n  
Connection: keep-alive\r\n  
User-Agent: Mozilla/5.0 (X11; Linux x86\_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/140.0.0.0  
Safari/537.36\r\n  
Accept: image/avif,image/webp,image/apng,image/svg+xml,image/\*,\*/\*;q=0.8\r\n  
Referer: http://gaia.cs.umass.edu/wireshark-labs/INTRO-wireshark-file1.html\r\n  
Accept-Encoding: gzip, deflate\r\n  
Accept-Language: en-US,en;q=0.9,ar;q=0.8\r\n  
\r\n  
[Response in frame: 1059]  
[Full request URI: http://gaia.cs.umass.edu/favicon.ico]  

| No.  | Time         | Source         | Destination   | Protocol | Length | Info                               |
|------|--------------|----------------|---------------|----------|--------|------------------------------------|
| 1059 | 52.830688515 | 128.119.245.12 | 172.30.48.149 | HTTP     | 550    | HTTP/1.1 404 Not Found (text/html) |

  
Frame 1059: 550 bytes on wire (4400 bits), 550 bytes captured (4400 bits) on interface wlo1, id 0  
Section number: 1  
Interface id: 0 (wlo1)  
Encapsulation type: Ethernet (1)  
Arrival Time: Oct 12, 2025 18:32:05.524195412 +0330  
UTC Arrival Time: Oct 12, 2025 15:02:05.524195412 UTC  
Epoch Arrival Time: 1760281325.524195412  
[Time shift for this packet: 0.000000000 seconds]  
[Time delta from previous captured frame: 0.208113458 seconds]  
[Time delta from previous displayed frame: 0.240289378 seconds]  
[Time since reference or first frame: 52.830688515 seconds]  
Frame Number: 1059  
Frame Length: 550 bytes (4400 bits)  
Capture Length: 550 bytes (4400 bits)  
[Frame is marked: False]  
[Frame is ignored: False]  
[Protocols in frame: eth:ethertype:ip:tcp:http:data-text-lines]  
[Coloring Rule Name: HTTP]  
[Coloring Rule String: http || tcp.port == 80 || http2]  
Ethernet II, Src: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61), Dst: Intel\_28:7d:fa (94:b8:6d:28:7d:fa)  
Destination: Intel\_28:7d:fa (94:b8:6d:28:7d:fa)  
.... ..0. .... = LG bit: Globally unique address (factory default)  
.... ..0. .... = IG bit: Individual address (unicast)  
Source: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61)  
.... ..0. .... = LG bit: Globally unique address (factory default)  
.... ..0. .... = IG bit: Individual address (unicast)  
Type: IPv4 (0x0800)  
[Stream index: 0]  
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 172.30.48.149  
0100 .... = Version: 4  
.... 0101 = Header Length: 20 bytes (5)  
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)  
Total Length: 536  
Identification: 0xa76c (42860)  
010. .... = Flags: 0x2, Don't fragment  
...0 0000 0000 0000 = Fragment Offset: 0  
Time to Live: 63  
Protocol: TCP (6)  
Header Checksum: 0x403c [validation disabled]  
[Header checksum status: Unverified]  
Source Address: 128.119.245.12  
Destination Address: 172.30.48.149  
[Stream index: 26]

Transmission Control Protocol, Src Port: 80, Dst Port: 33872, Seq: 439, Ack: 891, Len: 484  
Hypertext Transfer Protocol  
HTTP/1.1 404 Not Found\r\n  
Date: Sun, 12 Oct 2025 15:02:05 GMT\r\n  
Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/7.4.33 mod\_perl/2.0.11 Perl/v5.16.3\r\n  
Content-Length: 209\r\n  
Keep-Alive: timeout=5, max=99\r\n  
Connection: Keep-Alive\r\n  
Content-Type: text/html; charset=iso-8859-1\r\n  
\r\n  
[Request in frame: 1048]  
[Time since request: 0.240289378 seconds]  
[Request URI: /favicon.ico]  
[Full request URI: http://gaia.cs.umass.edu/favicon.ico]  
File Data: 209 bytes  
Line-based text data: text/html (7 lines)  
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">\n  
<html><head>\n  
<title>404 Not Found</title>\n  
</head><body>\n  
<h1>Not Found</h1>\n  
<p>The requested URL /favicon.ico was not found on this server.</p>\n  
</body></html>\n

| No.  | Time          | Source        | Destination    | Protocol | Length | Info           |
|------|---------------|---------------|----------------|----------|--------|----------------|
| 1849 | 238.040901049 | 172.30.48.149 | 185.125.190.17 | HTTP     | 154    | GET / HTTP/1.1 |

Frame 1849: 154 bytes on wire (1232 bits), 154 bytes captured (1232 bits) on interface wlo1, id 0  
Section number: 1  
Interface id: 0 (wlo1)  
Encapsulation type: Ethernet (1)  
Arrival Time: Oct 12, 2025 18:35:10.734407946 +0330  
UTC Arrival Time: Oct 12, 2025 15:05:10.734407946 UTC  
Epoch Arrival Time: 1760281510.734407946  
[Time shift for this packet: 0.000000000 seconds]  
[Time delta from previous captured frame: 0.000037025 seconds]  
[Time delta from previous displayed frame: 185.210212534 seconds]  
[Time since reference or first frame: 238.040901049 seconds]  
Frame Number: 1849  
Frame Length: 154 bytes (1232 bits)  
Capture Length: 154 bytes (1232 bits)  
[Frame is marked: False]  
[Frame is ignored: False]  
[Protocols in frame: eth:ethertype:ip:tcp:http]  
[Coloring Rule Name: HTTP]  
[Coloring Rule String: http || tcp.port == 80 || http2]  
Ethernet II, Src: Intel\_28:7d:fa (94:b8:6d:28:7d:fa), Dst: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61)  
Destination: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61)  
    ....0. .... = LG bit: Globally unique address (factory default)  
    ....0. .... = IG bit: Individual address (unicast)  
Source: Intel\_28:7d:fa (94:b8:6d:28:7d:fa)  
    ....0. .... = LG bit: Globally unique address (factory default)  
    ....0. .... = IG bit: Individual address (unicast)  
Type: IPv4 (0x0800)  
[Stream index: 0]  
Internet Protocol Version 4, Src: 172.30.48.149, Dst: 185.125.190.17  
0100 .... = Version: 4  
....0101 = Header Length: 20 bytes (5)  
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)  
Total Length: 140  
Identification: 0xdbf8 (56312)  
010. .... = Flags: 0x2, Don't fragment  
...0 0000 0000 0000 = Fragment Offset: 0  
Time to Live: 64  
Protocol: TCP (6)  
Header Checksum: 0x0a31 [validation disabled]  
[Header checksum status: Unverified]  
Source Address: 172.30.48.149  
Destination Address: 185.125.190.17  
[Stream index: 33]  
Transmission Control Protocol, Src Port: 60826, Dst Port: 80, Seq: 1, Ack: 1, Len: 88  
Hypertext Transfer Protocol  
GET / HTTP/1.1\r\n  
Host: connectivity-check.ubuntu.com.\r\n  
Accept: \*/\*\r\n  
Connection: close\r\n  
\r\n  
[Response in frame: 1851]

[Full request URI: http://connectivity-check.ubuntu.com./]

| No.  | Time          | Source         | Destination   | Protocol | Length | Info                    |
|------|---------------|----------------|---------------|----------|--------|-------------------------|
| 1851 | 238.434100454 | 185.125.190.17 | 172.30.48.149 | HTTP     | 255    | HTTP/1.1 204 No Content |

Frame 1851: 255 bytes on wire (2040 bits), 255 bytes captured (2040 bits) on interface wlo1, id 0

Section number: 1

Interface id: 0 (wlo1)

Encapsulation type: Ethernet (1)

Arrival Time: Oct 12, 2025 18:35:11.127607351 +0330

UTC Arrival Time: Oct 12, 2025 15:05:11.127607351 UTC

Epoch Arrival Time: 1760281511.127607351

[Time shift for this packet: 0.000000000 seconds]

[Time delta from previous captured frame: 0.387070997 seconds]

[Time delta from previous displayed frame: 0.393199405 seconds]

[Time since reference or first frame: 238.434100454 seconds]

Frame Number: 1851

Frame Length: 255 bytes (2040 bits)

Capture Length: 255 bytes (2040 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ip:tcp:http]

[Coloring Rule Name: HTTP]

[Coloring Rule String: http || tcp.port == 80 || http2]

Ethernet II, Src: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61), Dst: Intel\_28:7d:fa (94:b8:6d:28:7d:fa)

Destination: Intel\_28:7d:fa (94:b8:6d:28:7d:fa)

.... 0. .... = LG bit: Globally unique address (factory default)

.... 0 .... = IG bit: Individual address (unicast)

Source: Cisco\_f5:d0:61 (00:45:1d:f5:d0:61)

.... 0. .... = LG bit: Globally unique address (factory default)

.... 0 .... = IG bit: Individual address (unicast)

Type: IPv4 (0x0800)

[Stream index: 0]

Internet Protocol Version 4, Src: 185.125.190.17, Dst: 172.30.48.149

0100 .... = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

Total Length: 241

Identification: 0xb1eb (45547)

010. .... = Flags: 0x2, Don't fragment

...0 0000 0000 0000 = Fragment Offset: 0

Time to Live: 63

Protocol: TCP (6)

Header Checksum: 0x34d9 [validation disabled]

[Header checksum status: Unverified]

Source Address: 185.125.190.17

Destination Address: 172.30.48.149

[Stream index: 33]

Transmission Control Protocol, Src Port: 80, Dst Port: 60826, Seq: 1, Ack: 89, Len: 189

Hypertext Transfer Protocol

HTTP/1.1 204 No Content\r\n

server: nginx/1.14.0 (Ubuntu)\r\n

date: Sun, 12 Oct 2025 15:05:10 GMT\r\n

x-cache-status: from content-cache-il3/0\r\n

x-networkmanager-status: online\r\n

connection: close\r\n

\r\n

[Request in frame: 1849]

[Time since request: 0.393199405 seconds]

[Request URI: /]

[Full request URI: http://connectivity-check.ubuntu.com./]