Role	Type	Log in using X Window System	`su` and `sudo`	Execute in home directory and `/tmp` (default)	Networking
`unconfined_r`	`unconfined_t`	yes	yes	yes	yes
`guest_r`	`guest_t`	no	no	yes	no
`xguest_r`	`xguest_t`	yes	no	yes	web browsers only (Firefox, GNOME Web)
`user_r`	`user_t`	yes	no	yes	yes
`staff_r`	`staff_t`	yes	only `sudo`	yes	yes
`auditadm_r`	`auditadm_t`		yes	yes	yes
`secadm_r`	`secadm_t`		yes	yes	yes
`sysadm_r`	`sysadm_t`	only when the	yes	yes	yes

Role	Type	Log in using X Window System	su and sudo	Execute in home directory and /tmp (default)	Networking
unconfined_r	unconfined_t	yes	yes	yes	yes
guest_r	guest_t	no	no	yes	no
xguest_r	xguest_t	yes	no	yes	web browsers only (Firefox, GNOME Web)
user_r	user_t	yes	no	yes	yes
staff_r	staff_t	yes	only sudo	yes	yes
auditadm_r	auditadm_t		yes	yes	yes
secadm_r	secadm_t		yes	yes	yes
sysadm_r	sysadm_t	only when the	yes	yes	yes

Role	Type	Log in using X Window System	`su` and `sudo`	Execute in home directory and `/tmp` (default)	Networking
`unconfined_r`	`unconfined_t`	yes	yes	yes	yes
`guest_r`	`guest_t`	no	no	yes	no
`xguest_r`	`xguest_t`	yes	no	yes	web browsers only (Firefox, GNOME Web)
`user_r`	`user_t`	yes	no	yes	yes
`staff_r`	`staff_t`	yes	only `sudo`	yes	yes
`auditadm_r`	`auditadm_t`		yes	yes	yes
`secadm_r`	`secadm_t`		yes	yes	yes
`sysadm_r`	`sysadm_t`	only when the	yes	yes	yes

Role	Type	Log in using X Window System	`su` and `sudo`	Execute in home directory and `/tmp` (default)	Networking
`unconfined_r`	`unconfined_t`	yes	yes	yes	yes
`guest_r`	`guest_t`	no	no	yes	no
`xguest_r`	`xguest_t`	yes	no	yes	web browsers only (Firefox, GNOME Web)
`user_r`	`user_t`	yes	no	yes	yes
`staff_r`	`staff_t`	yes	only `sudo`	yes	yes
`auditadm_r`	`auditadm_t`		yes	yes	yes
`secadm_r`	`secadm_t`		yes	yes	yes
`sysadm_r`	`sysadm_t`	only when the	yes	yes	yes

Role	Type	Log in using X Window System	`su` and `sudo`	Execute in home directory and `/tmp` (default)	Networking
`unconfined_r`	`unconfined_t`	yes	yes	yes	yes
`guest_r`	`guest_t`	no	no	yes	no
`xguest_r`	`xguest_t`	yes	no	yes	web browsers only (Firefox, GNOME Web)
`user_r`	`user_t`	yes	no	yes	yes
`staff_r`	`staff_t`	yes	only `sudo`	yes	yes
`auditadm_r`	`auditadm_t`		yes	yes	yes
`secadm_r`	`secadm_t`		yes	yes	yes
`sysadm_r`	`sysadm_t`	only when the	yes	yes	yes

Role	Type	Log in using X Window System	su and sudo	Execute in home directory and /tmp (default)	Networking
unconfined_r	unconfined_t	yes	yes	yes	yes
guest_r	guest_t	no	no	yes	no
xguest_r	xguest_t	yes	no	yes	web browsers only (Firefox, GNOME Web)
user_r	user_t	yes	no	yes	yes
staff_r	staff_t	yes	only sudo	yes	yes
auditadm_r	auditadm_t		yes	yes	yes
secadm_r	secadm_t		yes	yes	yes
sysadm_r	sysadm_t	only when the	yes	yes	yes

Role	Type	Log in using X Window System	`su` and `sudo`	Execute in home directory and `/tmp` (default)	Networking
unconfined_r	unconfined_t	yes	yes	yes	yes
guest_r	guest_t	no	no	yes	no
xguest_r	xguest_t	yes	no	yes	web browsers only (Firefox, GNOME Web)
user_r	user_t	yes	no	yes	yes
staff_r	staff_t	yes	only `sudo`	yes	yes
auditadm_r	auditadm_t		yes	yes	yes
secadm_r	secadm_t		yes	yes	yes
sysadm_r	sysadm_t	only when the	yes	yes	yes

Role	Type	Log in using X Window System	`su` and `sudo`	Execute in home directory and `/tmp` (default)	Networking
`unconfined_r`	`unconfined_t`	yes	yes	yes	yes
`guest_r`	`guest_t`	no	no	yes	no
`xguest_r`	`xguest_t`	yes	no	yes	web browsers only (Firefox, GNOME Web)
`user_r`	`user_t`	yes	no	yes	yes
`staff_r`	`staff_t`	yes	only `sudo`	yes	yes
`auditadm_r`	`auditadm_t`		yes	yes	yes
`secadm_r`	`secadm_t`		yes	yes	yes
sysadm_r	sysadm_t	only when the	yes	yes	yes

Role	Type	Log in using X Window System	`su` and `sudo`	Execute in home directory and `/tmp` (default)	Networking
`unconfined_r`	`unconfined_t`	yes	yes	yes	yes
`guest_r`	`guest_t`	no	no	yes	no
`xguest_r`	`xguest_t`	yes	no	yes	web browsers only (Firefox, GNOME Web)
`user_r`	`user_t`	yes	no	yes	yes
`staff_r`	`staff_t`	yes	only `sudo`	yes	yes
`auditadm_r`	`auditadm_t`		yes	yes	yes
`secadm_r`	`secadm_t`		yes	yes	yes
sysadm_r	sysadm_t	only when the	yes	yes	yes

Role	Type	Log in using X Window System	`su` and `sudo`	Execute in home directory and `/tmp` (default)	Networking
`unconfined_r`	`unconfined_t`	yes	yes	yes	yes
`guest_r`	`guest_t`	no	no	yes	no
`xguest_r`	`xguest_t`	yes	no	yes	web browsers only (Firefox, GNOME Web)
`user_r`	`user_t`	yes	no	yes	yes
`staff_r`	`staff_t`	yes	only `sudo`	yes	yes
`auditadm_r`	`auditadm_t`		yes	yes	yes
`secadm_r`	`secadm_t`		yes	yes	yes
`sysadm_r`	`sysadm_t`	only when the	yes	yes	yes

Role	Type	Log in using X Window System	`su` and `sudo`	Execute in home directory and `/tmp` (default)	Networking
`unconfined_r`	`unconfined_t`	yes	yes	yes	yes
`guest_r`	`guest_t`	no	no	yes	no
`xguest_r`	`xguest_t`	yes	no	yes	web browsers only (Firefox, GNOME Web)
`user_r`	`user_t`	yes	no	yes	yes
`staff_r`	`staff_t`	yes	only `sudo`	yes	yes
`auditadm_r`	`auditadm_t`		yes	yes	yes
`secadm_r`	`secadm_t`		yes	yes	yes
sysadm_r	sysadm_t	only when the	yes	yes	yes

Role	Type	Log in using X Window System	`su` and `sudo`	Execute in home directory and `/tmp` (default)	Networking
unconfined_r	unconfined_t	yes	yes	yes	yes
guest_r	guest_t	no	no	yes	no
xguest_r	xguest_t	yes	no	yes	web browsers only (Firefox, GNOME Web)
user_r	user_t	yes	no	yes	yes
staff_r	staff_t	yes	only `sudo`	yes	yes
auditadm_r	auditadm_t		yes	yes	yes
secadm_r	secadm_t		yes	yes	yes
sysadm_r	sysadm_t	only when the	yes	yes	yes

Role	Type	Log in using X Window System	`su` and `sudo`	Execute in home directory and `/tmp` (default)	Networking
`unconfined_r`	`unconfined_t`	yes	yes	yes	yes
`guest_r`	`guest_t`	no	no	yes	no
`xguest_r`	`xguest_t`	yes	no	yes	web browsers only (Firefox, GNOME Web)
`user_r`	`user_t`	yes	no	yes	yes
`staff_r`	`staff_t`	yes	only `sudo`	yes	yes
`auditadm_r`	`auditadm_t`		yes	yes	yes
`secadm_r`	`secadm_t`		yes	yes	yes
`sysadm_r`	`sysadm_t`	only when the	yes	yes	yes