Computational Electromagnetics

Hw6-Q1

Mohammadreza Arani :::::::::::: 810100511

1401/09/27

```
clear; clc; close all;
```

```
N =1;
[Alpha_N1 , G_N1 , L_N1 ]=SubSectional_Meth_Mine(N);
N=2;
[Alpha_N2 , G_N2 , L_N2 ] = SubSectional_Meth_Mine(N);

N=3;
[Alpha_N3 , G_N3 , L_N3 ] = SubSectional_Meth_Mine(N);

N=4;
[Alpha_N4 , G_N4 , L_N4 ] = SubSectional_Meth_Mine(N);

N=5;
[Alpha_N5 , G_N5 , L_N5 ] = SubSectional_Meth_Mine(N);

N=20;
[Alpha_N20 , G_N20 , L_N20 ] = SubSectional_Meth_Mine(N);
```

```
Alpha = {Alpha_N1 ; Alpha_N2 ; Alpha_N3;  Alpha_N4 };
```

```
syms x
f_exact(x)  = -1/10* x *(-17 + 5*x + 2*x^4);
X = 0.001: 0.01 : 1;

Answers = zeros(length(Alpha),length(X));

for i=1:length(Alpha)
    Coeff = Alpha(i);
    Coeff = Coeff{1};
    Answers(i,:) = X;
    for j=1:length(Coeff)

    Answers(i,:)  =  Answers(i,:) + Coeff(j)*(X  - X.^(j+1)   );
    end
end
```

```
close all;
figure(1)
plot(X, Answers)
hold on
Legend = cell(1,length(Alpha)+1);
for i=1:length(Alpha)
    Legend(i) =  {"N = "+ num2str(length(Alpha{i}))} ;
end
plot(X,double(f_exact(X) ) , 'r--' )
Legend(i+1) =  { "Exact Solution" }  ;
legend(Legend,"Location",'northwest');

title(" Subsectional Solution for various N  ")
xlabel(" X  ")
grid on
ylabel("Magnitude")
```




```
% Calculate the L2 Error:
```

```
Error  = sum( ( repmat( double(f_exact(X)) , length(Alpha)  ,1   )   - Answers ).^2 , 2 ) ;
format long
disp(Error)
```

```
   1.625425981665114
   0.561914624584234
   0.024804233053209
   0.253630252738634
```

```
function [Alpha , G , L ]=SubSectional_Meth_Mine(N)
L = zeros(N,N);
G = zeros(N,1);


syms m n
gm(m) = 1/(N+1) * ( 1 + (4*m^3+m)/(N+1)^3  ) ;

lmn(m,n) =  piecewise(m-n == 0 ,  2*(N+1) , (-1 <= m-n) & ( m-n <= 1 ), -1*(N+1) , 0)  ;

for i=1:N
    for j=1:N

        L(i,j) = double(lmn(i,j))  ;

    end

    G(i)  = double(gm(i));

end


Alpha = L\G;

end
```