

In-Class Activity: Build a Responsive Webpage with HTML, Bootstrap & JS

Time: 60 minutes **Format:** Individual or pairs **Goal:** Apply what you've learned about hosting by building the site you'll deploy next class

Learning Objectives

By the end of this activity, you will be able to:

- Structure a webpage with semantic HTML
 - Use Bootstrap components/grid to make it responsive without writing custom CSS
 - Add basic interactivity with vanilla JavaScript
 - Produce a project folder that's ready to push to GitHub / deploy on Heroku
-

The Brief

Build a **one-page "Profile / Portfolio Card"** site with:

#	Requirement	Details
1	Navbar	Bootstrap navbar with your site name + 3 nav links (Home, About, Contact)
2	Hero section	Heading, short tagline, and a button
3	Cards section	3 Bootstrap cards in a responsive grid (<code>row + col</code>), each with an image placeholder, title, and short text
4	Contact form	Name, email, message fields using Bootstrap form styling
5	JS interactivity	The button from the hero section should trigger a JS action (see options below)
6	Responsive check	Resize the browser / use dev tools device toolbar — layout must not break

JS interactivity — pick ONE:

- Clicking the hero button shows a Bootstrap alert ("Thanks for visiting!")
 - Clicking the hero button smooth-scrolls to the Cards section
 - A simple dark/light mode toggle button that swaps a CSS class on `<body>`
-

Starter Code

Save this as `index.html` and build from here:

Or clone then copy the pages to your repository:

<https://github.com/navin-alche/RenderTest.git>

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Navin's HomePage</title>

  <!-- Bootstrap CSS -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>
<body>

  <div class="container">
    <div class="row">
      <!-- first article -->
      <article class="col-sm-12 col-md-6 col-lg-4">
        <h1>My Article</h1> <br/>
        <p>
          Hello. My name is navin.
          Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed do
          eiusmod tempor incididunt ut labore et dolore magna aliqua.
          Ut enim ad minim veniam, quis nostrud exercitation ullamco
          laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in
          reprehenderit
          in voluptate velit esse cillum dolore eu fugiat nulla pariatur.
          Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia
          deserunt mollit anim id est laborum.
        </p>
      </article>

      <!-- second article -->
      <article class="col-sm-12 col-md-6 col-lg-4">
        <h1>My Article</h1> <br/>
        <p>
          Hello. My name is navin.
          Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed do
          eiusmod tempor incididunt ut labore et dolore magna aliqua.
          Ut enim ad minim veniam, quis nostrud exercitation ullamco
          laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in
          reprehenderit
          in voluptate velit esse cillum dolore eu fugiat nulla pariatur.
          Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia
          deserunt mollit anim id est laborum.
        </p>
      </article>
```

```

<!-- third article -->
<article class="col-sm-12 col-md-6 col-lg-4">
  <h1>My Article</h1> <br/>
  <p>
    Hello. My name is navin.
    Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed do
    eiusmod tempor incididunt ut labore et dolore magna aliqua.
    Ut enim ad minim veniam, quis nostrud exercitation ullamco
    laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in
    reprehenderit
    in voluptate velit esse cillum dolore eu fugiat nulla pariatur.
    Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia
    deserunt mollit anim id est laborum.
  </p>
</article>
</div>
</div>

<!-- <div class="col-sm-12 col-md-6 col-lg-4">

</div> -->

<!-- Bootstrap JavaScript -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.7/dist/js/bootstrap.bundle.min
.js"></script>

</body>
</html>

<!-- always remember that Bootstrap's grid works like this:

- Container
- then Row
- then Columns

-->

```

Reference: getbootstrap.com/docs/5.3 — use the Navbar, Card, Grid, and Forms pages.

Timeline (suggested pacing)

Time	Task
0:00 – 0:05	Read the brief, open starter code, ask questions
0:05 – 0:15	Build the navbar + hero section

Time	Task
0:15 – 0:30	Build the 3-card responsive grid
0:30 – 0:40	Build the contact form
0:40 – 0:50	Add your JS interactivity
0:50 – 0:58	Resize browser to test responsiveness, fix any breakage
0:58 – 1:00	Save files, be ready to show your screen

Stretch Goals (if you finish early)

- Add a Bootstrap footer with social icons
 - Make the navbar collapse into a hamburger menu on small screens (Bootstrap does this automatically — check it works!)
 - Add form validation using Bootstrap's built-in validation classes
 - Add a second JS interaction (e.g. a live character counter on the message field)
-

Submission / Wrap-Up

1. Open `index.html` in the browser and confirm everything works
2. Keep this folder — **next class we'll push it to GitHub and deploy it live on GitHub Pages**