Use Cases: Central Server

Vertex: Filter options: Start & End Dates.

- **Case 1: RTE File Download Status Check**
  - Task Scheduler triggers the RTE file download process
  - System attempts to download the RTE file.
  - Log entry is created with the status — Success or Failure.
  - UI displays the download status.
  - In case failures like
    - Network time out - Log the error details
    - Not downloaded - Log the error details
- **Case 2: Mapper Extract & Blob Copy Status**
  - Mapper reads and extracts tax data from the downloaded RTE file.
  - Mapper copies the relevant tax blob files to each store location.
  - Log or UI status is updated with "Success" or "Failure".
  - In case failures like,
    - Extraction error (invalid or corrupt file) - Log the error details
    - Blob copy failure for one or more stores - Log the error details
- **Case 3: Tax Data Validation Across Stores**
  - System queries the Generic Import Tax Table.
  - Compare store list from master data with available store tax data.
  - Identify and list stores missing tax data.
  - Display report (e.g., "Store 0123 – Missing tax data").
    - No Missing Data: All stores found with tax data → Status "Complete"
    - Missing Data Found: List of store IDs and missing data details displayed/logged.
- **Case 4: Overview**
  - RTE File Download → Success/Failure
  - Mapper → Success/Failure
  - Tax Data Validation → Complete / Missing Stores Found

UKG Employee: Filter options: Start & End Dates

- **Case 1: Send Employee Data Request to UKG and Record Response Status**
  - Scheduler triggers the "Employee Data Request" API call to UKG for every 4 hours.
  - UKG system receives and processes the request.
  - System receives response from UKG (Success or Failure).
  - Response status is logged and displayed on the monitoring dashboard.
  - If successful, proceed to blob generation.
  - In case of failures like below, please log exception messages.
    - Network time out
    - API error
- **Case 2: UKG Employee Data Blob generation status**
  - Blob generated and uploaded to Azure
- **Case 3: Overview**
  - Last request timestamp

    - API Response Status (Success / Failure)
    - Blob Generation Status (Success / Failure)
    - Error Message (if any)

UKG (Sales Data Generation): Filter options: Start & End Dates

- **Case 1: Generate Daily Sales Data File for UKG**
    - Scheduler initiates the Sales Data Generation process.
    - The system generates the Sales Data file.
    - UI/Dashboard should show the status (success/failure)

Backend Services:

- Backend services are running or not.
- We can show whether services running or not in Alert.

Exceptions: Filter options: Start, End Dates & File Type

- Need to show all exceptions from all logs
    - Data Sync logs
    - Mapper logs
    - Import logs
    - MRF logs
    - Client logs
    - Trace logs
    - Back Office logs
    - Powershell install logs

File Processing: Filter options: Start, End Date & File Type

- Case 1: Need to see list of files processed for a day/week. Also, how many of them processed & how many successful/Failures.
    - Categorize files by **type**:
        - Price Change file
        - Promo
        - Discount Reason Code
        - MD Files (daily)
    - For each file type:
      a. Retrieve total number of files processed.
      b. Count how many were **successful** and how many **failed**
    - Display aggregated statistics per file type:
        - Total Files
        - Success Count
        - Failure Count
        - Success %

Sample:

File Type	Total Files	Success	Failure	Success %	Last Processed On
Price Change	10	9	1	90%	2025-11-12 06:00

File Type	Total Files	Success	Failure	Success %	Last Processed On
Promo	8	8	0	100%	2025-11-12 06:10
Discount Reason Code	3	2	1	66%	2025-11-12 06:20
MD Files (Daily)	7	7	0	100%	2025-11-12 06:30

Daily Sync issues: Filter options: Start & End Dates

- System checks last successful sync timestamp for each store and device.
- Compare with expected sync frequency (e.g., every 15 mins / hourly).
- Identify:
  - Transactional Sync Failures (sales, returns, tenders).
  - Non-Transactional Sync Failures (master data, configuration, promotions).
- Display summary on the monitoring dashboard:
  - Store ID / Register ID
  - Sync Type (Transactional / Non-Transactional)
  - Last Sync Time
  - Status (Success / Failure / Delayed)
- In case of failures (like below), please show exception messages.
  - Network Issue

New Store: Filter options: Start & End Dates

- System queries store master data based on setup date.
- Count number of stores created during the selected time range.
- Generate summary:
  - Store ID
  - Store Name
  - Number of Registers
  - Type of registers
  - Setup Date
  - Region / Zone (optional)
- Display total new stores for the selected period on dashboard or in report

Transaction Count: Filter options: Start, End Dates & Store

- Fetch total transaction count for each register and store from store-level DB.
- Fetch same counts from CS consolidated tables.
- Compare both sets of data for matching counts.
- Generate a validation summary:
  - Register ID
  - Store ID
  - Store Count
  - CS Count
  - Status → “Matched” / “Mismatched”
- Highlight mismatched stores/registers on dashboard.

Use Cases: Stores

Vertex: Filter options: Start & End Dates & Store

- **Case 1: Register-wise Vertex File Processing Status Tracking**
  - For each register:
    a. Start processing the Vertex RTE file data/Blob
    b. Log the register ID, start time, and result of processing.

  - Once completed, system records the outcome for each register:
    - Success – File processed without error.
    - Failure – Processing failed due to error (file missing, mapping issue, validation failure, etc.).
  - System consolidates all register-level statuses into a summary report or dashboard view.
  - Display results in UI / dashboard with key details:
    - Store ID
    - Register ID
    - Processing Date & Time
    - Status (Success / Failure)
    - Error Message (if failed)
  - Alert notifications if any failed.

Sample:

Store ID	Register ID	File Name	Process Date	Status	Remarks
101	POS01	Vertex_RTE_1112.xml	2025-11-12	Success	—
101	POS02	Vertex_RTE_1112.xml	2025-11-12	Failure	File not found
102	POS01	Vertex_RTE_1112.xml	2025-11-12	Success	—

UKG (Employee): Filter options: Start & End Dates & Store

- **Case 1: UKG Employee Blob Download & Processing (Register-wise)**
  - For each register:
    a. Attempt to download the UKG Employee blob from CS.
    b. Validate whether the blob file has been received successfully.
    c. Process the blob (load employee details into local database).
    d. Log the status of both steps (Download + Process).
  - Once all registers are processed, system compiles a register-wise status summary showing:
    - Store ID
    - Register ID
    - Download Status (Success / Failure)
    - Processing Status (Success / Failure)
    - Timestamp and any error message if applicable.
  - Display this summary on the integration dashboard or monitoring UI.

Sample:

Store ID	Register ID	Blob File	Download Status	Process Status	Last Updated	Remarks
201	POS01	UKG_Emp_1112.blob	Success	Success	2025-11-12 09:00	—
201	POS02	UKG_Emp_1112.blob	Success	Failure	2025-11-12 09:00	Schema mismatch
202	POS01	UKG_Emp_1112.blob	Failure	—	2025-11-12 09:05	Network issue

Exceptions: Filter options: Start, End Dates & File Type & Store

- Need to show all exceptions from all logs
  - Data Sync logs
  - Mapper logs
  - Import logs
  - MRF logs
  - Client logs
  - Trace logs
  - Back Office logs
  - Powershell install logs

Services (MRF/Backend/DeviceManager): Filter options: Register & Service Type/Name (drop down) & Store

- Register wise, we need show whether services running or not.

File Processing: Filter options: Start, End Date & File Name & Store

- Case 1: Need to see list of files processed for a day/week. Also, how many of them processed & how many successful/Failures.
  - Categorize files by **type**:
    - Price Change file
    - Promo
    - Discount Reason Code
    - MD Files (daily)
    - XML
    - DO IT
  - For each file type:
    a. Retrieve total number of files processed.
    b. Count how many were **successful** and how many **failed**
  - Display aggregated statistics per file type:
    - Total Files
    - Success Count
    - Failure Count
    - Success %

Sample:

File Type	Total Files	Success	Failure	Success %	Last Processed On
Price Change	10	9	1	90%	2025-11-12 06:00
Promo	8	8	0	100%	2025-11-12 06:10
Discount Reason Code	3	2	1	66%	2025-11-12 06:20
MD Files (Daily)	7	7	0	100%	2025-11-12 06:30
XML	4	3	1	75%	2025-11-12 06:45
DO IT	5	4	1	80%	2025-11-12 07:00

Transaction Count: Filter options: Start, End Dates & Store

- Fetch total transaction count for each register and store from store-level DB.
- Fetch same counts from CS consolidated tables.
- Compare both sets of data for matching counts.
- Generate a validation summary:
  - Register ID
  - Store ID
  - Store Count
  - CS Count
  - Status → "Matched" / "Mismatched"
- Highlight mismatched stores/registers on dashboard.

Sales Data File: Filter options: Start & End Dates & Store

- **Case 1: Generate Daily Sales Data File**
  - Scheduler triggers the Sales Data file generation process.
  - The system generates the Sales Data file.
  - UI/Dashboard should show the status (success/failure)
  - Status is displayed in the dashboard with:
    - File Name
    - Generation Timestamp
    - Status (Success/Failure/Success Retry)
    - Error message (if any)
  - If File not found for the selected date range, then should display "File Not generated".

Register Type: Filter options: Store

- System retrieves the list of all active registers from the database.
- For each register, system identifies its type based on configuration (Kiosk or Normal).
- System displays the information in the monitoring dashboard as a part of Register Summary view.
- Register details displayed include**:**
  - Store ID / Name
  - Register ID / Name
  - Register Type (Kiosk / Normal)

        - Status (Online / Offline)

Store Status: Store

- Need to show Store Status (Open/Close)

Build Version: Store

- For each register, it fetches current build version details
- The data is displayed register-wise within each store.
- Dashboard shows:
    - Store ID / Name
    - Register ID / Type (Normal / Kiosk)
    - Current Build Version
    - Version Installation Date

Hardware exceptions: Filter options: Start Date & End Dates & Store

- For each register, system validates connectivity and operational status of:
    - Scanner (connected, not responding, or failed)
    - Printer (paper out, offline, jammed, or error)
    - Cash Drawer (communication error or not responding)
    - Customer Display / Pin Pad (optional)
- Any hardware issue or disconnection is flagged as an exception event

Bank Deposit: Filter options: Start Date & End Dates and Store

- If Bank Deposit completed for selected date range, then → mark status as "Deposit Done"
- If Bank Deposit NOT completed for selected date range, then → mark status as "Not Done" or "Pending"

Till Reconcile: Filter options: Start Date & End Dates and Store

- For each register:
    - Check if the Till Reconciliation process has been completed.
    - Verify that reconciliation data (till close amount, variance, user ID, timestamp) is received.
- Dashboard displays till-level reconciliation details, including:
    - Store ID / Name
    - Register / Till ID
    - Reconciled Amount
    - Variance Amount (if any)
    - Reconciliation Time
- Dashboard displays if there are any pending tills to reconcile.

Register Status: Filter options: Start Date & End Dates and Store

- Should show whether devices are online or offline.

File Upload: Filter options: Start Date & End Dates and Store

- Display data in dashboard, showing:
  - File Type (EJ/ Tlog/ Promo / Price / Discount / etc.)
  - File Name
  - Upload Date & Time
  - Upload Status
  - Error Message (if any)

API Status: Filter options: Start Date & End Dates and Store

- For each endpoint, Captures HTTP response code, response time, and status message
- System evaluates results:
  - Success (200 OK) → Mark status as ✅ Active
  - Failure (4xx/5xx or timeout) → Mark status as ❌ Down
- Logs each result with timestamp, latency, and error details if any.
- Display results in a centralized dashboard with:
  - API Name
  - Response Time (ms)
  - Last Checked Time
  - Current Status (Active / Down / Degraded)
  - Error Message (if applicable)

DB Size: Filter options: Start Date & End Dates and Store

- For each register:
  a. Query the local DB engine to get the database file size.
  b. Capture details like database name, size (in MB), last updated timestamp, and register ID
- Display results in a dashboard or report format with the following details:
  - Store ID / Store Name
  - Register ID
  - Database Name / Path
  - Database Size (MB)
  - Last Updated Time
  - Status Indicator (e.g., ✅ Normal / ⚠️ Warning / 🔴 Exceeded Threshold)