SENTINEL AI — Master Document

AI Builder Cup 2026 · BFSI: Intelligent Risk, Fraud & Financial Experiences

Mohammed Ilyas · first issued 20 Sep 2026 · updated 24 Sep 2026 (post-review) v1.2

> *Detect. Explain. Intervene. Investigate.* **Rules decide. AI explains. Humans authorize.**

---

1. Executive summary

SENTINEL AI is a real-time fraud operations control tower for retail banking. It is not a dashboard that reports fraud after the fact — it is the working surface a fraud analyst sits in front of while money is moving.

The product runs one continuous loop over a live transaction stream:

Stage	What happens	Who decides
Detect	Deterministic rules and behavioural features score every transaction in flight	Rule engine
Explain	The score is decomposed into named, weighted contributors in plain English	Feature attribution, then Gemini
Intervene	Transactions crossing a rapid-drain threshold enter HOLD pending customer verification	Policy engine, analyst authorises
Investigate	Evidence is correlated across accounts, devices, payees and institutions into a case	Gemini investigation agent
Report	A structured case report is generated for escalation	Gemini drafts, analyst signs off

The governing design principle, and the line we lead the pitch with: **Rules decide. AI explains. Humans authorize.**

No language model sits in the path of a financial decision. The rule engine produces the verdict. Gemini makes that verdict legible and does the correlation work that otherwise costs an analyst forty minutes per case. The human holds the authority over everything the policy does not fix: verification, escalation, exceptions and the case outcome. "Humans authorize" never means an analyst overturning a published safeguard. That separation is what makes the system defensible to a bank's second line of defence, and it is a far stronger story for judges than "our AI predicts fraud."

Product direction (v1.1, 24 Sep). The prototype is the core of a multi-tenant financial-crime platform, not a one-bank dashboard. Each institution connects its own systems through a connector, gets its own control tower, and — where permitted — contributes tokenised events to a shared network graph. The submission demonstrates that direction on synthetic data; it does not claim a production deployment. Section 13 sets out the production architecture and exactly which parts the prototype proves.

Revision v1.2 (24 Sep, after architecture review). The architecture is frozen. This revision tightens seams rather than adding scope: payment lifecycle events are counted once, account security events get their own contract, every decision is versioned and reproducible, weak graph links no longer add risk points, the intervention panel shows a decision trace instead of a confidence figure, and the regulatory wording now matches the ABS scope (seven D-SIBs, personal accounts, bank-specific implementation).

Stack: Angular 20, Node.js on Cloud Run, MongoDB Atlas on Google Cloud, Gemini on Vertex AI. The Technical Document covers how it is built; the Toolchain & Competition Compliance document covers what it is built with and how each competition requirement is satisfied.

Tagline: *Detect. Explain. Intervene. Investigate.*

---

2. The problem

The fraud that hurts retail banking customers most is no longer card skimming. It is **authorised push payment fraud**: a customer is socially engineered into moving their own money, or an attacker takes over the session and moves it for them. The bank's controls see a legitimate, authenticated user sending a legitimate payment. By the time a human looks at it, the account is empty and the funds are three hops away.

Three things make this hard, and each maps to a module we build:

1. **Speed.** An account-drain event completes in seconds. A control that reviews transactions in a nightly batch, or even in a five-minute queue, is a reporting tool, not a control.
2. **Opacity.** Most fraud scores are a single number from a model nobody in the room can interpret. An analyst who cannot say *why* a payment was stopped cannot defend the hold to the customer, to the complaints team, or to the regulator.
3. **Fragmentation.** Mule networks are deliberately spread across institutions. Any one bank sees a fraction of the picture, so the same mule account absorbs funds from four banks before anyone connects the dots.

What the analyst actually needs, and almost never has in one place: the live stream, the reason, the ability to stop the payment, and the connected picture around the destination account. SENTINEL AI is that one place.

The failure mode we are deliberately avoiding is the standard hackathon submission: a chart-heavy banking dashboard with a chatbot bolted onto the corner. Our AI is load-bearing inside the workflow, not adjacent to it.

---

3. Regulatory grounding

This is the section that separates us from a generic fraud demo. Our detection logic implements a **real, named, published control**, and we describe it precisely.

The rapid account draining safeguard

Singapore's enhanced safeguards against rapid account draining apply to personal banking accounts at the retail business of the seven domestic systemically important banks (DBS, OCBC, UOB, Citibank, HSBC, Maybank, Standard Chartered). Implementation varies by bank; every D-SIB must still meet section 4.2.5 of the Shared Responsibility Framework guidelines. The published mechanics, which we implement literally as one configurable policy:

Parameter	Value
Protected account balance	At least S$50,000
Trigger	A transaction that, combined with outflows over the previous 24 hours, moves more than 50% of the account balance
Bank action	Hold the transaction and subsequent outflows for 24 hours, or reject them

Parameter	Value
Customer notification	Immediate alert via mobile or internet banking, with instructions
Release	Legitimate transactions auto-release after the cooling period; the customer can cancel, or request expedited release with verification
Exclusions	Recurring standing instructions, recurring GIRO/eGIRO, bill payments to designated billing organisations
Scope	Digital banking transactions on current and savings accounts, including joint accounts
Industry launch	15 October 2025

See the Shared Responsibility Framework guidelines and the industry launch note.

The correction to our original framing

Our first draft treated "12-hour cooling-off" and "rapid-drain freeze" as one control. They are two different mechanisms and conflating them would be spotted immediately by any BFSI judge:

- The **12-hour cooling-off period** attaches to high-risk account events, such as a digital token activated on a new device and certain account changes. It is a friction control on *capability*.
- The **rapid-drain surveillance duty** attaches to *transaction flow* and produces a 24-hour hold or a rejection.

SENTINEL AI models both as separate signals feeding one intervention decision. The cooling-off state is a feature in the risk score. The rapid-drain threshold is a hard policy gate.

COSMIC, stated honestly

COSMIC is MAS's centralised platform for participating financial institutions to share customer information on financial crime risk, launched 1 April 2024 with six initial banks and a scoped set of risk areas and red-flag indicators. It is not an open cross-bank transaction database, and we have no access to it.

So we never claim integration. In every artefact, the wording is fixed:

> **COSMIC-inspired cross-institutional risk intelligence, demonstrated on synthetic, privacy-safe data.**

This is both technically honest and strategically stronger. It shows we understand the regulatory direction of travel without pretending to a connection we do not have.

---

4. Competition fit

Theme: BFSI — Intelligent Risk, Fraud & Financial Experiences. A direct hit, not a stretch.

Milestones

Phase	Dates
Registration and team formation	1 Sep – 11 Oct 2026
Prototype building and submission	7 Sep – 18 Oct 2026

Phase	Dates
Submission deadline	18 Oct 2026
Evaluation	19 Oct – 6 Nov 2026
Finalists announced	7 Nov 2026
Grand Finale, Singapore	4 Dec 2026 (2 travelling members per team)

Confirmed on the official site on 20 September 2026. The build window opened on 7 September, so all SENTINEL work falls inside the eligible period. Plan to be finished by **15 October** regardless — see the freeze rule in section 9.

All submission materials — code, documentation and presentations — must be in English. Team training material in any other language is fine and is covered in the Toolchain document; none of it is uploaded.

Scoring, and the build decision each weight drives

Weight	Criterion	What we do because of it
40%	Technical Merit & GenAI Implementation	Streaming architecture on Pub/Sub and Cloud Run, Web Worker risk processing, structured-output Gemini calls with schema-validated JSON, two-tier model routing. AI does real work inside the workflow.
25%	Problem Alignment & Impact	We implement a named, published regulatory control with its actual thresholds, not an invented fraud rule.
25%	Innovation & Creativity	The score-attribution panel, the cross-institution entity graph, and attack simulation mode. Three things judges will not have seen twice that day.
10%	User Experience & Solution Design	One operator surface, no mode-switching, sub-second perceived latency on the stream, readable in a dark demo room.

The 40% weight on technical merit is the reason we do not spend the last week on visual polish. It is also why the architecture must be *explainable in sixty seconds* — an architecture a judge cannot follow scores as if it were not there.

Entry requirements to confirm before committing

- Functional prototype, not a pitch-only concept.
- Meaningful use of Google AI.
- Deployed on Google Cloud.
- Working professionals, 21+, teams of 2–4.

---

5. Product walkthrough

Written as what the analyst sees. Six surfaces, one continuous session.

5.1 Live Operations Command Center

The landing surface. A transaction tape streams in real time down the left. Across the top, four counters: transactions per second, open alerts, transactions on hold, value protected today. To the right, the active alert queue sorted by risk, newest critical first.

When an account starts behaving badly, its rows in the tape change colour and the account is promoted into the alert queue. Nothing needs clicking for the analyst to notice.

5.2 Account risk panel

Selecting an alert opens the account in the right rail. It shows the numbers that drive the policy gate, not a generic profile:

- Balance at start of window, total transferred in the last 24 hours, and the drain percentage against the 50% line
- Behavioural risk score out of 100, with its band
- The binary signals: new device, new payee, velocity anomaly, cooling-off period active, destination previously flagged

5.3 Intervention

When the rapid-drain gate fires, the transaction moves to HOLD automatically. The panel shows a **decision trace**, not a confidence figure: the rule (`SG-RD-50`), the evidence ("65.4% of the opening balance moved in 24h"), the decision source (deterministic policy engine) and the ruleset and policy versions. A policy outcome is a fact, not a probability, and it is never shown as one.

The system applies the configured policy automatically; the analyst does not approve or overturn it. The analyst works the exceptions around it: **Contact customer**, **Release after customer verification** (the published expedited-release route, only once the customer has verified with the bank), and a **Kill switch** that holds all outflows on the account pending verification. Anything not released or cancelled auto-releases when the 24-hour cooling period ends.

This is the moment the demo earns its credibility. The system has already acted within policy; the human is confirming, not discovering.

5.4 Investigation workspace

"Investigate alert" hands the structured evidence bundle to the Gemini investigation agent: account profile, transaction history, device history, payee history, velocity pattern, prior alerts, entity relationships, intervention events. It returns a case summary with a hypothesis, numbered evidence tied to real values from the bundle, and recommended analyst actions.

Every claim in the summary is traceable to a field in the bundle. Nothing is free-form assertion.

5.5 Network analysis

The destination account opens as a node in an interactive graph spanning accounts, payees, devices and institutions. Clicking any node shows its connected accounts, the institutions involved, transaction count, and its risk indicators. This is where the COSMIC-inspired layer lives, and it is the most visually memorable screen in the product.

5.6 Case report

One button. Gemini assembles the timeline, evidence, intervention log and recommendation into a structured report the analyst reviews, edits and signs off. Exportable. This is the artefact a real fraud team would actually file.

6. Demo narrative

The three-minute video and the finale pitch run the same ten scenes. Every scene has a fixed time budget, and the whole thing is scripted and rehearsed against a seeded scenario so it behaves identically every run.

#	Scene	What the judge sees	Seconds
1	Normal operations	Steady stream, everything green, counters ticking	10
2	Attack begins	Login from unseen device, new payee created, tape accelerates	15
3	Detection	Risk score climbs live from 21 to 95, signals light up one by one	20
4	Threshold approach	Drain percentage crosses 50%, account promoted to critical	15
5	Intervention	Transaction auto-enters HOLD, customer notification fires	20
6	Investigation opens	Evidence bundle assembles on screen	10
7	Gemini explains	Case summary with hypothesis and numbered evidence	30
8	Network expands	Graph unfolds across three institutions; trace stops at the observed boundary	25
9	Analyst acts	Confirm fraud, escalate case	15
10	Report generated	One click, structured case report	20

Total narrative: **3:00**, leaving no room for a walkthrough of the tech stack. The architecture is covered in the written submission and in Q&A, not in the video.

Rule for the demo: it runs against a pre-seeded, deterministic scenario with a recorded fallback video on standby. We do not improvise live against a random data generator in front of judges.

The opening line of the pitch:

> A Singapore bank has to hold or reject a transfer that drains more than half of a S$50,000 account within 24 hours. Here is what it looks like when that control actually works, and when the analyst can see why.

7. Scope

MVP — the eight modules

Nothing ships to submission without all eight. Nothing else ships until all eight are stable.

#	Module	Done means
1	Transaction simulator	Emits realistic streams as canonical events (tokenised IDs, `eventId`, sequence, idempotency key) and can be driven into a named fraud scenario on command
2	Real-time risk engine	Scores every transaction with a named, weighted, reproducible feature set, and answers `POST /v1/decision/transactions` with ALLOW / HOLD before the transfer commits
3	Rapid-drain detection	Implements the S$50k / >50% / 24h gate including the three exclusions

#	Module	Done means
4	Intervention workflow	Automatic hold with decision trace; contact, release after customer verification, kill switch; 24h auto-release; full audit trail
5	Investigation workspace	Assembles and displays the evidence bundle
6	Gemini explanation	Schema-validated case summary grounded in the bundle
7	Entity graph	Interactive, multi-institution, clickable nodes; every edge carries provenance; fund trace stops at the observed boundary
8	Case report	One-click structured report, editable, exportable

Stretch, only after the MVP is frozen

- **Attack simulation mode.** One button seeds a phishing-driven takeover and the whole chain plays out live: new device, new payee, rapid transfers, score climb, drain threshold, hold, alert. This is the single highest-value stretch item for the finale and should be built first if there is time.
- **Tenant lens.** A "view as Bank A / Bank B" switch that re-renders the same synthetic incident with each bank's branding and field-level masking. UI and API projection only — no real tenant isolation. Second priority, and the first to drop if 7 October slips.
- **Voice investigation assistant.** "Show me all critical alerts from the last ten minutes." "Why is account 7821 risky?" Retrieval over the structured evidence, spoken answer.

Explicitly not building

Writing this down is what protects the timeline. If a conversation starts drifting toward any of these, it stops.

- A banking core, or anything resembling one
- A full AML platform or case management system
- Any real COSMIC connection
- Any real bank integration or real customer identity data
- An ML training pipeline; the risk engine is deterministic by design
- Microservices beyond the single Cloud Run backend
- Microfrontends, real tenant isolation, per-tenant identity providers, role hierarchies, or an admin console (the tenant lens is a view, not tenancy)
- Authentication beyond a single demo login

---

8. Differentiators

Five things carry the 25% innovation weight. Each is cheap to build and expensive to forget.

8.1 "Why did you stop this transaction?"

The score is never a bare number. Clicking it opens an attribution panel:

```
Risk score: 95/100

+30  Rapid account depletion
+21  New device
+16  New beneficiary
+12  Abnormal transaction velocity
+09  Suspicious entity relationship
+07  Historical behavioural deviation
```

Below it, a one-paragraph plain-English primary reason and the recommended action. The contributions are real arithmetic from the rule engine, not narrative invented after the fact, and they sum to the displayed score. This is the feature that makes "AI explains" true rather than a slogan.

8.2 Cross-institution entity graph


A mule network rendered across three institutions, with a network-authorised device relationship (a shared network device token, never a raw fingerprint) and repeated beneficiary relationships visible as edges. Clicking a node shows connected accounts, institutions, transaction count and risk indicators. It is the picture no single bank can draw today, and it is what the COSMIC-inspired framing exists to justify.

8.3 Attack simulation mode

A button that makes the judges watch the system work rather than listen to us describe it. It also doubles as our regression test: the same seeded scenario, the same expected outcome, every run.

8.4 Deterministic rules with an AI explanation layer

The architectural choice itself is a differentiator, because most submissions will pipe the transaction straight into a model and ask it whether this is fraud.



The policy gate and the AI path are parallel, never in series. Gemini can be slow, or down, and the control still works — the analyst just loses the narrative, not the protection. That is a property a bank would actually require, and saying so out loud in the pitch is worth more than another feature.

8.5 A trace that admits where it stops

Click any edge and SENTINEL shows why it exists: which bank reported it, which network reference links it, when it was observed. Run "Trace funds" and the path ends at a dashed **unobserved downstream** node rather than a guess. Most fraud demos imply omniscience; a bank's second line of defence will trust the one that shows its evidence boundary.

9. Timeline

Four weeks from today to the deadline. The plan is built backwards from a **freeze on 15 October**, three days before submission.

Window	Phase	Exit condition
20–23 Sep	Foundation	Registered, team locked, repo and GCP project live, architecture agreed, problem statement written
24–30 Sep	Skeleton to first stream	Angular shell deployed, Cloud Run backend up, Pub/Sub wired, simulator emitting **canonical events** (tokenised IDs, `eventId`, sequence, idempotency key) through `POST /v1/decision/transactions`, transactions visible in the UI end to end
1–7 Oct	AI and investigation	Risk engine complete with the drain gate, Gemini explanation and case summary returning valid schema, entity graph rendering **with edge provenance and the observed boundary**, intervention workflow working
8–12 Oct	Polish	Performance, visual design, edge cases, Gemini-outage toggle, seeded demo locked and rehearsed. Tenant lens only if the 7 Oct checkpoint passed clean
13–15 Oct	Submission package	Proposal PDF with the four-plane production diagram, public repo, architecture diagram, three-minute video, screenshots, README
16–18 Oct	Buffer	Bug fixes only. No architectural change, no new features, no refactors

The hard rules

- **First deployable slice by 30 September.** A transaction visible in a deployed UI, travelling through the real cloud path, by end of week two. If we are still developing locally on 1 October, the project is behind and scope has to come out.
- **The demo scenario is locked on 12 October** and rehearsed daily after that.
- **After 15 October, the only permitted commits are bug fixes.** This rule exists because it is the one every team breaks, and it is the one that costs them the submission.

Checkpoints

Date	Review
23 Sep	Architecture and scope sign-off
30 Sep	Deployed end-to-end stream demo
7 Oct	Full MVP feature walkthrough
12 Oct	Demo dry run one
15 Oct	Freeze, submission package complete

10. Team

Four people

Role	Owner	Scope
Frontend, architecture, real-time UX	Mohammed	Angular 20, RxJS stream layer, Web Worker, NgRx and Signals, visualisation, overall technical direction
Backend and Google Cloud	Member 2	Node.js on Cloud Run, Pub/Sub, MongoDB Atlas, WebSocket gateway, Cloud Build, deployment
AI and agent	Member 3	Gemini integration, prompt contracts and schemas, evidence correlation, investigation and report generation
Data, scenarios, submission	Member 4	Synthetic transaction data, fraud scenarios, entity network seeding, documentation, video, pitch

Two people

Still viable, with the stretch features dropped from the plan on day one rather than abandoned in week four.

- **Person 1:** Angular, UX, real-time layer, visualisation
- **Person 2:** Backend, Google Cloud, Gemini integration, data

Documentation and the video are shared, and both are scheduled as work, not assumed to happen at the end.

Singapore

Only two members travel to the Grand Finale. Agree who before the finalist announcement on 7 November, not after — this is a predictable source of friction and it costs nothing to settle now. The obvious pairing is whoever can demo the product live and whoever can answer architecture questions under pressure.

Working agreement

- Single repo, trunk-based, everything deployed from main
- Daily fifteen-minute sync during the build weeks
- Every module has one named owner; no shared ownership of a module
- A feature not in section 7 needs explicit agreement from the whole team before anyone writes code for it

11. Risks

Risk	Likelihood	Impact	Mitigation
Scope creep past the eight modules	High	Fatal	Section 7's not-building list is binding; new features need whole-team agreement
Live demo fails in front of judges	Medium	Severe	Seeded deterministic scenario, rehearsed daily from 12 Oct, recorded fallback video on the laptop
Gemini latency breaks the real-time feel	Medium	Moderate	AI path is parallel to the policy gate, never blocking; streaming responses; pre-warmed cached explanation for the demo account

Risk	Likelihood	Impact	Mitigation
Over-claiming on COSMIC or SRF	Medium	Severe	Fixed wording in section 3 used verbatim in every artefact; one team member owns compliance review of all copy
GCP or Vertex AI quota, or billing limits, hit mid-build	Medium	Moderate	Project, billing and competition credits claimed in week one; Vertex AI quota requested 22 Sep; cost monitored weekly — see the Toolchain document
Model or API version changes before the finale	Medium	Moderate	Model identifiers in config, not code; re-verify available models on 5 Oct and again on 1 Dec
Submission material shipped in a language other than English	Low	Fatal	One named person checks the proposal, README, code comments, deck and video captions before upload
Team member unavailable in the final week	Medium	Severe	Every module documented well enough to be picked up; no unmerged local work overnight
Platform vision pulls build time away from the eight modules	High	Severe	Only three platform seams are built (decision API, event envelope, edge provenance), all folded into existing modules. Everything else in section 13 is described, not built

The single biggest risk

It is not technical. It is building all eight modules to 80% and none to 100%. A demo where the graph renders but does not respond to clicks is worse than a demo with no graph at all. **Finish modules in order, and treat a module as unstarted until it is done.**

---

12. Submission checklist

Every item verified by a second person, not just its owner.

- ☐ Team registered and locked (registration closes 11 Oct)
- ☐ Deployed, publicly reachable URL on Google Cloud
- ☐ Public repository with a README a stranger can follow to a running instance
- ☐ Architecture diagram, one page, readable when printed
- ☐ Proposal document: problem, regulatory grounding, solution, architecture, impact
- ☐ Three-minute demo video, the ten scenes, captioned
- ☐ Screenshots of all six surfaces
- ☐ Google AI usage documented explicitly — which models, which calls, what they do; every artefact in English
- ☐ Synthetic data provenance stated; no real or scraped personal data anywhere
- ☐ COSMIC and SRF wording checked against section 3
- ☐ Demo scenario reproducible from a clean deploy
- ☐ Fallback video on the presenting laptop, offline
- ☐ Every multi-tenant or production claim uses the section 13 wording; the proposal separates "demonstrated" from "designed"

Definition of done


A stranger clones the repo, follows the README, gets a running system, presses one button, and watches an account get drained, held, explained and investigated — without asking us anything.

If that is true on 15 October, we have a strong submission. Everything in this document exists to make that sentence true.

---

13. Production architecture — what the prototype proves

The production product is one platform serving many banks. The prototype keeps its core (Pub/Sub → risk engine → MongoDB → WebSocket → Angular, Gemini on a separate path) and wraps it in four planes. Nothing in the core is thrown away.



The Edge sits next to each bank, normalises and tokenises events, and returns decisions. The control plane is what we are building now. The network plane only ever receives tokenised, permitted fields.

Where transactions come from

Four integration modes, one canonical event contract. Only the first one prevents loss; the others detect, track and reconcile.

Mode	What it does	Stops the payment?
Pre-transaction decision API	Bank calls `POST /v1/decision/transactions` before executing; gets ALLOW / HOLD / REJECT	Yes
Transaction event stream	Bank pushes every event (Kafka, MQ, Pub/Sub)	No — detection and investigation
Webhook / callback	Intervention status flows both ways	Lifecycle only
Batch / SFTP / reconciliation	Backfill and daily reconciliation	No

The prototype implements mode 1 as a real contract: the simulator plays the bank's payment orchestrator and asks for a decision before each transfer commits. That turns "monitoring" into "transaction-time control", which is the answer to a bank CTO's first question.

Tracing Bank A → Bank B → Bank C

No single bank can see the full chain. Bank A reports A→B, Bank B reports B→C, and SENTINEL joins the legs. Legs are joined only on a real linkage: a shared payment network reference, a network-issued pseudonymous account token, or beneficiary correlation. Where no valid linkage exists, the trace stops and says so — **"Observed 3 hops. Downstream activity unavailable beyond Bank C."** We never invent a hop.

Every graph edge carries its provenance: source institution, evidence type, network reference, observed time, tenant scope and linkage status. An analyst who asks "why are these connected?" gets evidence from the record, not from Gemini.

One product, many tenants

Each bank is a tenant with its own branding, policies, thresholds, identity provider, retention and connectors. Cross-bank visibility is field-level: a Bank A analyst sees a Bank B node as `Bank B ••••4921 · risk HIGH · 2`

`hops`, never the customer's name or history. Bank B's own analyst sees the full record. Identity data lives in a separate vault that neither the graph nor analytics can read; the graph holds tokens only.

Failure is defined by the bank, not by us

If SENTINEL is unreachable, the bank's own fallback policy applies (allow, queue, or local rule). If Gemini is unreachable, nothing about the payment decision changes. **AI failure never equals payment-control failure.**

What the prototype proves versus what it describes

Capability	In the submission	Production only
Pre-transaction decision API	Real endpoint, called by the simulator	mTLS, private connectivity, bank SLAs
Canonical event contract	Tokenised IDs, `eventId`, sequence, idempotency key	Connector SDK for bank formats
Edge provenance and observed boundary	Every edge carries evidence; trace ends at the boundary	Network-issued tokens across banks
Tenant lens (stretch)	Switch Bank A / Bank B view over synthetic data; masked fields	Real tenant isolation, per-tenant IdP
Intelligence independence	Gemini-outage toggle; holds continue	—
Graph store	MongoDB `$graphLookup`	Dedicated graph projection, e.g. Spanner Graph

The fixed wording for every artefact: **"Designed as a multi-tenant platform; demonstrated as a single deployment on synthetic data."** Same discipline as the COSMIC wording in section 3. Asked "can this integrate with multiple banks?", the answer is: "The prototype simulates three participating institutions using the same canonical event contract the production connector layer is designed to consume." Never "we integrated three banks".

Sources

- MAS Guidelines on Shared Responsibility Framework
- Launch of Enhanced Fraud Surveillance Safeguards Against Rapid Account Draining — Rajah & Tann Asia
- ABS FAQs on Banks' Enhanced Fraud Surveillance Safeguards
- Singapore banks to hold or block transfers over 50% of account balance — Fintech Singapore
- Spanner Graph overview — Google Cloud
- Managing Identity Platform tenants — Google Cloud
- AI Builder Cup 2026 — timeline and themes
- AI Builder Cup 2026 — FAQ

Competition dates, deliverables, the English-only requirement and the judging weights were confirmed on the official site on 20 September 2026.