STUDENT REPORT DETAILS MOHAMMED SAHIL FUBJ Roll Number 🧷 KUB23CSE089 **EXPERIMENT** Title CANDIES **Description** Let's consider a scenario where there are K candies to be distributed among N children, each uniquely numbered from 1 to N. The distribution commences with Child A, followed by a sequential allocation to the subsequent children in the order: A, A+1, A+2,..., N. The query at hand is to identify which child will be the last recipient of a candy. In more explicit terms, after Child x (where 1 <= x < N) receives a candy, the subsequent candy is granted to Child x+1. Upon Child N receiving a candy, the distribution cycle restarts. and Child 1 becomes the next recipient. The primary objective is to ascertain the identity of the child who will receive the last candy in this cyclic distribution. Note: Each child receives only 1 candy. **Input Format:** The first line of input contains 3 space seperated integers N, K and A. **Output Format:** Print the friend who will be the final recipient of the candy. **Constraints:** 1<=N<=K<=10^8 Sample Input: 5 2 1 Sample Output: Source Code:

def last_candy_recipient(N, K, A):
 last_child = (A - 1 + K - 1) % N + 1
 return last_child

Example usage:
N, K, A = map(int, input().strip().split())
print(last_candy_recipient(N, K, A))

RESULT

5 5 EO.

CSLADA

1829