




FortiSOAR Administrator

Introduction to FortiSOAR

Lesson Overview



What Is SOAR ?


Objectives

- Review the basics of SOAR technology
- Review SOC maturity concepts

What Is SOAR?

SOAR

Security Orchestration Automation Response



SOA

(**S**ecurity **O**rchestration **A**utomation)

+

TIP

(**T**hreat **I**ntelligence **P**latform)

+

IRP

(**I**ncident **R**esponse **P**latforms)

Why Is SOAR important?



**Too Many
Vendors**



**Too Many
Alerts**




**Manual &
Slow Response**



**Lack of
Trained People**

The Attack Surface—Introduction



- The attack surface encompasses all potential attack vectors that unauthorized users can exploit within an organization
- It is split into the digital and physical surfaces

Digital and Physical Attack Surfaces

Digital	Physical
Definition: Encompasses all the hardware and software that connect to an organization's network	Definition: Encompasses all devices that an attacker can gain physical access to
 Applications and code	 Desktop computers
 IP addresses and ports	 Laptops
 Servers (such as web, database, email)	 Hard drives
 Websites	 Mobile phones
 Shadow IT	 USB drives
 VPN endpoints	 Discarded hardware

List of Common Attack Vectors

- The attack surface encompasses all vulnerabilities, while attack vectors are specific methods used to exploit those vulnerabilities

Attack Vector	Description
 Social Engineering	A range of attacks that manipulate users into performing harmful actions, such as baiting, pretexting, tailgating
 Phishing	A type of social engineering attack that masquerades as real communications to fool users into downloading malware or revealing information
 Malware	Malicious software that infects systems for nefarious purposes
 Credential Attacks	Attackers can brute force credentials, exploit vulnerabilities, use data from breaches, and so on
 Reconnaissance	Passive or active information gathering that can aid attackers in planning an attack
 Insider Threats	Employees maliciously or carelessly exposing the organization by leaking data, leaving the system vulnerable, or sabotaging infrastructure

What Is a SOC?

Security Operations Center

Threat Monitoring	Continuous monitoring for security events and compromise indicators
Threat Detection	Analyzing data for patterns and anomalies, and identifying malicious activities
Incident Response	Swiftly responding, investigating, containing, and restoring from security incidents
Threat Hunting	Proactively searching for hidden threats using advanced techniques
Vulnerability Management	Identifying and prioritizing vulnerabilities, patching, and configuration
Threat Intelligence	Gathering, analyzing, and sharing emerging threat information
Reporting and Documentation	Documenting incidents, preparing reports, and tracking metrics
Compliance and Regulations	Ensuring adherence to industry-specific regulations




SOC Roles



SOC Managers

- Assign resources
- Create guidelines and policies



Security Engineers

- Design, configure, and maintain security infrastructure



Threat Hunters

- Actively seek out threats or signs of threats in the network



Incidents Response & Forensic Analysts

- Create, manage, and update incidents and events
- Collect and analyze evidence to determine impact




SOC Analysts

- Analyze data and identify deviations from normal behavior



Vulnerability Management Specialists

- Assess risk levels and identify vulnerabilities



Threat Intelligence Analysts


- Identify and analyze cyberthreats
- Recommend mitigations



SOC Architect

- Design and optimize SOC infrastructure, such as a SIEM and SOAR
- Create processes and team structure

Teams Within a SOC



Red team *simulates* adversaries

- Attempts to exploit vulnerabilities
- Conducts penetration tests and vulnerability assessments
- Performs security research

Blue team *defends* against adversaries

- Identifies, responds to, and mitigates security incidents
- Performs security monitoring, threat hunting, and forensics
- Detects, responds to and recovers from incidents


Purple team *orchestrates* knowledge sharing

- Bridges the gap between red and blue teams
- Facilitates knowledge transfer
- Designs exercises
- Improves organizational security posture
- Creates TTP mapping



Reasons That SOC's Succeed or Fail

	Scope	Technology	Implementation
Success	• Focused requirements and use cases • Realistic expectations • Appropriate application (current and future) • Compliant with regulations	• Strong understanding of the market and technology • Meets current and future requirements, and in-scope processes • High-fidelity outputs	• Resources allocated • Required skills identified and planned for • Impact on SOC playbooks understood
Failure	• Shallow and narrow coverage • Unrealistic expectations • Wrong focus (threat vector) • Noncompliance with regulations	• Lack of understanding of how tools work • Too many events (poor sources or poor tech) • Solution didn't deliver	• Too small—no team • Lacking key skills • No playbook—no process • Inconsistent responses

SOC Maturity



SOC Maturity (Contd)





Attack Frameworks Overview



Objectives

- Describe the MITRE ATT&CK Matrix for Enterprise
- Describe the Cyber Kill Chain



MITRE ATT&CK Overview


ATT&CK = Adversarial Tactics, Techniques, and Common Knowledge

- Detailed mapping of adversary behavior framework
- Threat intelligence and adversary emulation use cases
- Guidelines for classifying and describing cyberattacks and intrusions
- 14 tactics categories consisting of "technical objectives" of an adversary
- Categories broken down further into specific techniques and subtechniques
- Created by the [MITRE Corporation](https://mitre.org/) in 2013

Reconnaissance 10 techniques	Resource Development 8 techniques	Initial Access 10 techniques	Execution 14 techniques	Persistence 20 techniques	Privilege Escalation 14 techniques
Active Scanning (0/3)	Acquire Access	Content Injection	Cloud Administration Command	Account Manipulation (0/6)	Abuse Elevation Control Mechanism (0/5)
Gather Victim Host Information (0/4)	Acquire Infrastructure (0/8)	Drive-by Compromise	Command and Scripting Interpreter (0/9)	BITS Jobs	Access Token Manipulation (0/5)
Gather Victim Identity Information (0/3)	Compromise Accounts (0/3)	Exploit Public-Facing Application	Container Administration Command	Boot or Logon Autostart Execution (0/14)	Account Manipulation (0/6)
Gather Victim Network Information (0/6)	Compromise Infrastructure (0/7)	External Remote Services	Deploy Container	Boot or Logon Initialization Scripts (0/5)	Boot or Logon Autostart Execution (0/14)
Gather Victim Org Information (0/4)	Develop Capabilities (0/4)	Hardware Additions	Exploitation for Client Execution	Browser Extensions	Boot or Logon Initialization
Phishing for Information (0/4)	Establish Accounts (0/3)	Phishing (0/4)	Inter-Process Communication (0/3)	Compromise Client Software Binary	
Search Closed Sources (0/0)	Obtain Capabilities	Replication Through			

Note: Not all tactics and techniques are shown

MITRE ATT&CK Overview (Contd)



Note: To see all 14 tactics, access the ATT&CK Navigator:
<https://mitre-attack.github.io/attack-navigator/>

MITRE ATT&CK Procedure, Mitigation, and Detection

- Procedure examples include information about known bad actors who use a technique
- Mitigations represent security concepts and classes of technology that may prevent the successful execution of a technique or subtechnique
- Detection covers high-level security concepts and classes of technology that can detect the execution of a technique or subtechnique

Procedure Examples

ID	Name	Description
G0007	APT28	APT28 has performed large-scale scans in an attempt to find vulnerable servers. ^[2]
G0016	APT29	APT29 has conducted widespread scanning of target environments to identify vulnerabilities for exploit. ^[3]

Mitigations

ID	Mitigation	Description
M1056	Pre-compromise	This technique cannot be easily mitigated with preventive controls since it is based on behaviors performed outside of the scope of enterprise defenses and controls. Efforts should focus on minimizing the amount and sensitivity of data available to external parties.

Detection


ID	Data Source	Data Component	Detects
DS0029	Network Traffic	Network Traffic Content	Monitor and analyze traffic patterns and packet inspection associated to protocol(s) that do not follow the expected protocol standards and traffic flows (e.g extraneous packets that do not belong to established flows, gratuitous or anomalous traffic patterns, anomalous syntax, or structure). Consider correlation with process monitoring and command line to detect anomalous processes execution and command line arguments associated to traffic patterns (e.g. monitor anomalies in use of files that do not normally initiate connections for respective protocol(s)).
		Network Traffic Flow	Monitor network data for uncommon data flows. Processes utilizing the network that do not normally have network communication or have never been seen before are suspicious.

Note: Procedure, mitigation, and detection examples can be found at: <https://attack.mitre.org/>



Cyber Kill Chain Overview

- Framework developed by Lockheed Martin
- Identifies what adversaries have to complete in order to achieve their objectives on a target
- Derived from a military concept called kill chain
- Provide visibility and understanding of sophisticated attacks and attacker's tactics, techniques, and procedures
- Consists of seven steps that represent stages of advanced persistent threats (APT)



Adversary Behavior—MITRE ATT&CK vs. Cyber Kill Chain

Scenario: Group ABC initially *probes* the potential target's email systems in search of valid email accounts.

MITRE ATT&CK

Tactic

Technique

Reconnaissance		Resource Development	Initial Access	Execution
10 techniques		6 techniques	9 techniques	10 techniques
Active Scanning (2)	Credentials	Acquire Infrastructure (6)	Drive-by Compromise	Command and Scripting Interpreter (8)
Gather Victim Host Information (4)		Compromise Accounts (2)	Exploit Public-Facing Application	Exploitation for Client Execution
Gather Victim Identity Information (3)		Compromise Infrastructure (6)	External Remote Services	Inter-Process Communication (2)
	Email Addresses	Develop Capabilities (4)	Hardware Additions	Native API
	Employee Names	Develop Capabilities (6)	Phishing (3)	Scheduled Task/Job (6)
Gather Victim Network Information (6)			Replication Through Removable Media	Shared Modules
Gather Victim Org Information (4)			Supply Chain Compromise (3)	Software Deployment Tools
Phishing for Information (3)			Trusted Relationship	System Services (2)
Search Closed Sources (2)			Valid Accounts (4)	User Execution (2)
Search Open Technical Databases (5)				Windows Management Instrumentation
Search Open Websites/Domains (2)				
Search Victim-Owned Websites				

Subtechnique

Cyber Kill Chain

Reconnaissance

Gather information about the target

Weaponization

Use the gathered information to embed malware

Delivery

Transmission of the malware

Exploitation

Target system vulnerability

Installation

Malware is installed

Command & Control

Connection to an outside server is established

Actions on Objective

Attack on the network commences





Incident Handling



Objectives

- Analyze *NIST SP 800-61 Computer Security Incident Handling Guide*



NIST SP 800-61 Incident Handling—Overview

- Defines incident handling as a lifecycle with four phases
- Assists in
 - Establishing computer security incident response capabilities
 - Handling incidents efficiently and effectively
- Focuses on
 - Analyzing incident-related data
 - Determining appropriate response
- Agnostic and broad approach
 - Can be followed independently of particular hardware, OS, protocols, or applications
 - Recommended practices for handling any type of incident




The content of this slide is based on copyright material from the National Institute of Standards and Technology (NIST) available online at <https://csrc.nist.gov/publications/detail/sp/800-61/rev-2/final>.



NIST SP 800-61 Incident Handling—Detection and Analysis

- Prepare to handle any incident but focus on those that use common attack vectors, such as external and removable media, web, and email
- Signs of an incident
 - Precursors (relatively rare)—indicate an incident may occur in the future
 - Indicators (common)—indicate an incident may have occurred or may be occurring now
- Common sources of precursors and indicators
 - Intrusion detection and prevention systems (IDPSs)
 - Security information and event management (SIEM)
 - Antimalware and antispam
 - OS-level monitoring (file integrity, processes, and so on)
 - Logs (OS, services, applications, and network devices)
 - Network flows



The content of this slide is based on copyright material from NIST available online at <https://csrc.nist.gov/publications/detail/sp/800-61/rev-2/final>.




NIST SP 800-61 Computer Security Incident Handling— Containment, Eradication, and Recovery

- Containment
 - Often required and should be considered early
 - Decision-making is an essential part
 - Strategies vary per incident
- Eradication and Recovery
 - Identify affected resources, attacking resources, and communication channels
 - Eliminate components of the incident (delete malware, disable compromised accounts, remove persistence, and so on)
 - Restore systems to normal operations
 - Confirm systems are working normally
 - Remediate vulnerabilities (if applicable)

Recovery may involve actions, such as:

- Restore systems from clean backups and snapshots
- Rebuild systems from scratch
- Replace compromised files with clean and reliable versions
- Install patches
- Change passwords




The content of this slide is based on copyright material from NIST available online at <https://csrc.nist.gov/publications/detail/sp/800-61/rev-2/final>.



Knowledge Check

1. An SOC is a specialized organizational resource consisting of a specialized set of what three components?
 - ✓ A. People, processes, and technologies
 - B. Teams, incidents, and alerts
 - C. Members, assets, and applications

Lesson Progress



SOC Alert Handling and Triage


Objectives

- Review the SOC automation model
- Review alert handling procedures

Quickly Scope, Contain & Respond

The key to countering targeted attacks is consolidated technologies that unify people, process, and automation

Does Your Organization have a Crisis Response Strategy?



■ Not at All ■ Barely / I Don't Know ■ Yes

Communication

Can the team rapidly provide shared situational awareness across the entire organization?

Rapid Scoping

Coordination

How quickly can the team fluidly coordinate with each other once a crisis scenario has developed?

Cross-Collaboration

Escalation

How fast can the team adapt from typical day-to-day SOC activity to the escalation of a full-blown crisis scenario?


Automated Processes

Investigation

Do teams have the capability to centralize their investigation within a singular console for complete insight and control?

Unified Incident Management






Detection



SIEM / Alert Source

Alert Processing




Incident Response

6 Crisis Management




SOC Alert Handling—L1 Analyst

Procedure for L3 SOC Model




SOC Incident Handling—L2 Analyst

Procedure for L3 SOC Model




SOC Escalated Incident Handling—L3 Analyst

Procedure for L3 SOC Model



Note: The remediation could involve follow-up work, to update FortiSIEM rules, update firewall policies, patch all endpoints, and so on.

New Technique or Procedure



Knowledge Check


1. Which product is essential to level 3 of the SOC automation model?

A. FortiAnalyzer

B. FortiSIEM


✓ C. FortiSOAR

Lesson Progress



FortiSOAR Architecture

Typical Enterprise Architecture




FortiSOAR Agent Node


Shared Tenant with Remote Site Playbook Execution



Shared Tenant Architecture with Agent Node



Distributed Model (Master and Remote Tenants)



Benefits of Distributed Tenancy

- Autonomous tenant nodes with central management
 - Distributed nodes installed on customer site, centrally managed via manager node
 - Playbook sharing and remote execution
 - Local autonomous SOAR instance with local dashboards, SLA and playbook action execution
- Advanced network features
 - Secure, reliable connectivity via FortiSOAR secure message exchange without VPN overlay
 - Resilience against network outage
- Data Privacy
 - Configurable data sharing policies between remote tenant and central manager node
- Greater scalability
 - Less overhead on MSSP manager SOC node

Distributed Architecture Node Types

1

Manager Node

- Installed in MSSP SOC
- Receives selected data from tenants
- Provides central interface for MSSP SOC
- Executes playbooks from central location

2

Tenant Node


- Installed at customer site
- Fully functional standalone instance
- Replicates selected data to manager node
- Types of tenant node
 - Regional / Dedicated

3

Secure Message Exchange

- Connectivity between manager and tenants
- Secure TLS encryption without requiring separate VPN overlay
- Unique per-tenant credentials and queue
- Reliable delivery of actions

Distributed Tenancy Flow



Hybrid Environments



FortiSOAR Master Instance

- Synchronized copy of alerts sits on Master Instance
- Unified Actions Routes to Tenant Specific Playbooks
- Connector Configurations Sits on Tenant Node for remote tenants
- Connector Configuration sits on Master for local tenants



VPN Tunnel

FortiSOAR Secure Message Exchange

- Routes the request to appropriate tenant
- Guarantees Delivery (whenever tenant is alive)



Outbound Connection (no VPN)

Outbound Connection (no VPN)

Customer A



FortiSIEM



Customer B



FortiSIEM



FortiSOAR Tenant Node

- FortiSOAR within each customer's environment
- See alerts, incidents of their environment
- Firewall, SIEM and other tools are connected to local FortiSOAR instances
- Playbooks and Configuration are on local tenant
- Data (Alert, incident etc) is synched up with Master



When to Use the Agent Node vs. Distributed Tenant

Agent Node


- Shared tenant model
- Provides local on-site playbook action execution from MSSP Manager node
- Benefits from Secure Message Exchange
- No additional license purchase required
- Light weight application consumes fewer resources

Distributed Tenant Architecture

- Local autonomous SOAR node
- Fully functional GUI and customer analyst logon
- Local data with controllable data sharing to MSSP Manager node
- Benefits from Secure Message Exchange
- Greater scalability for the MSSP, as the local node is autonomous
- Separately licensed node

FortiSOAR High Availability and Clustering

High Availability and Clustering for Resilience and Scalability



- Active – Passive for resilience
- Active – Active for resilience and scalability
 - Load balancer used for active-active
- Supported with internal and external database
- Multiple Secondary Nodes supported
 - HA license required

Supported Installation Platforms

Self-Installation

- Install application on dedicated Rocky Linux/RHEL server
- Allows installation on other hypervisors
 - KVM, Hyper-V, and so on
- Allows installation on bare metal
- Rocky Linux 8.6/RHEL 8.6
- Recommended node resources:
 - 8 CPUs
 - 32 GB RAM
 - 1 TB SSD HDD
 - 1 vNIC

Virtual Instance



- Virtual instance images offered for
 - VMWare ESXi
 - AWS
- FortiSOAR Cloud
- Docker



Resource Requirements for a FortiSOAR Virtual Instance

- Minimum hardware requirements for a FortiSOAR virtual instance:

CPU	RAM	Local Disk
8 vCPU	20 GB	500 GB available disk space: recommended to have high-performance storage, preferably SSDs

- Recommended hardware requirements for a FortiSOAR virtual instance:



CPU	RAM	Local Disk
8 vCPU	32 GB	1 TB available disk space: recommended to have high-performance storage, preferably SSDs

- Note that these are only the recommended requirements. Performance may improve if you increase vCPUs and RAM in certain situations
- In case of an MSSP setup, contact FortiSOAR support for sizing requirements



FortiSOAR Cloud

- A subscription service aimed to ease FortiSOAR deployment, management, and scaling
- Requires both a FortiCloud Premium subscription and a FortiSOAR Cloud Entitlement license
 - If either license expires, there is a 30-day grace period
 - Primary account holder can create secondary account holders
- FortiCloud creates an instance with an embedded secure message exchange
- Choose a region to deploy your instance
- Only one instance per FortiCloud account




Knowledge Check

1. What is the recommended CPU requirement for installing a single instance of FortiSOAR?

A. 4 vCPU

✓ B. 8 vCPU

Lesson Progress



Initial Configurations

Objectives

- Identify the minimum resource requirement for deployment
- Review the installation steps for FortiSOAR
- Plan a FortiSOAR deployment
- Configure initial settings

Initial Deployment of the Virtual Instance



Plan

- Complete site preparation, including hardware and resources for the VM
- Download the FortiSOAR VM



Deploy

- Import the FortiSOAR VM into the ESXi server using the vSphere Web Client or upload the FortiSOAR VM to AWS
- Run the FortiSOAR configuration wizard
- License the FortiSOAR using the License Manager
- Configure optional settings, such as editing the VM resource configuration and changing the default database password for FortiSOAR

Configure

- Log on to FortiSOAR for the first time
- Configure SMTP using the SMTP connector
- Point the ntpd service to a valid ntp server
- Set up a proxy server to serve all requests for FortiSOAR
- Configure data encryption keys
- Create users, teams, and roles



Plan the Installation

Plan



Recommended Requirements

- 8 vCPUs
- 32 GB RAM
- 1 TB disk
- 1 vNIC




VM Inbound Networking

- Port 22
- Port 443



Select Hypervisors

- VMware ESXi 5.5 or higher
- Amazon Web Services
- Redhat KVM
- Docker
- Fortinet-FortiCloud





VM Outbound Networking

- Port 22
- Port 25
- Port 53
- Port 443



FortiSOAR Cloud

- A subscription service aimed to ease FortiSOAR deployment, management, and scaling
- Requires both a FortiCloud Premium subscription and a FortiSOAR Cloud Entitlement license
 - If either license expires, there is a 30-day grace period
 - Primary account holder can create secondary account holders
- FortiCloud creates an instance with an embedded secure message exchange
- Choose a region to deploy your instance
- Only one instance per FortiCloud account



Lesson Progress





-  What Is SOAR?
-  SOC Alert Handling and Triage
-  FortiSOAR Architecture
-  FortiSOAR Initial Configuration
-  FortiSOAR Overview

FortiSOAR Overview

Objectives


- Identify the role of FortiSOAR in a SOC environment
- Manage incidents and alerts in a SOC environment

Selected SOC Management Features




Content Hub

- Content types:
 - Connectors
 - Solution packs
 - Widgets
- Hosts solution packs, use cases, integrations, playbooks, widgets, dashboards, reports, how-to-videos, and more
- Available as a public-facing page on <https://fortisoar.contenthub.fortinet.com>
- Also embedded within FortiSOAR itself, where you can discover, install, and create your own content




SOAR Framework Solution Pack

- Recommended that this solution pack be installed after upgrading FortiSOAR
- It is included with fresh installs, but can be skipped during the process
- Installs several important modules such as alerts, incidents, and indicators along with corresponding playbooks, dashboards, reports, and widgets to make it a comprehensive solution and provide a fully functional incident response platform augmented by automation and threat intelligence
- Provides organizations a good starting point to utilize FortiSOAR



FortiSOAR Ticketing and Incident Process



Ticketing—Example Incident Ticket

Incident: Outbound Unencrypted PII Detected

Medium Incident-23 Outbound Unencrypted PII Detected

Last Modified 08/11/2020 04:54 PM by Playbook

+ Add Tags

Incidents Details

Playbooks

Audit Log

Phase Infographics

Detection

Identification

Confirmation

Containment

Eradication

Recovery

Aftermath

Description

An outbound email containing PII type: [redacted]

Incident Lead

CS Admin

Status

Open

Source

FortiClient DLP

Phase

Detection

Type Details

Type Malware Outbreak

Graph Elements

Indicators

Alerts

Incidents

taxes@irs.taxes.net

W-2_records_extract...

CORP\BobTheAccountan...

bobtheaccountant@com...

Symantec DLP- Outbou...

6b311b2ac37d3bf5eag2...

acct-station-1

Outbound Unencrypted...

Incident Response > Incidents

Created On

09/01/2022 02:47 PM

Assigned Date

09/05/2022 12:00 AM

Resolved Date

09/08/2022 12:00 AM

Acknowledge SLA

Ack Due Date

-NA-

Ack Date

-NA-

Ack SLA

Awaiting Action

Response SLA

Response Due Date

-NA-

Response Date

09/07/2022 12:00 AM

Response SLA

Awaiting Action

Phase Times

Response phase

SLA

Graphical representation of indicators, alerts, and incident

Associated indicators

Associated tasks

Indicators

Correlations

Tasks

Attachments

Source Data

Access Control

0 Items

+ Add

Link

Execute

Last Seen

Value

File

Sources

No Results

Queue and Shift Management

- Intelligent, automated assignment solution based on queues and shift spreads
- Assign alerts and incidents to a queue automatically based on criteria

Queue & Shift Management > Queue Management

Queue & Shift Management

Queue Management

Shift Management

Queues

1 Items

+ Create New Queue

ID	Name	Description	Leader	Members	Active	Actions
1	Critical alerts	Send all critical alerts to this queue	CS Admin	0 users	Active	

Queue Detail: Critical alerts

Queue Records

Queue Members

Alerts (1)

1 Items

ID	Name	Status	Assigned To	Created On
34	FortiGate DLP- Outbound ...	Open	CS Admin	09/01/2022 02:26 PM

Queue & Shift Management > Shift Management

Queue & Shift Management

Queue Management

Shift Management

+ Generate Shifts

Delete Shifts

Initiate Shift Handover


View Shifts From 09/07/2022

Shift Name	Shift Timing	Shift Lead	Shift Members
Wednesday, September 07 2022			
Weekday 9 to 5	9:00 AM - 5:00 PM	CS Admin	CS Admin, fortinet trainer
Thursday, September 08 2022			
Weekday 9 to 5	9:00 AM - 5:00 PM	CS Admin	CS Admin, fortinet trainer

Dashboard

Custom dashboard support

Dashboard



Reporting

Reports

Reporting

Library Schedules History

Search by Report Name

10 items

- High Impact Incidents
Assigned to Roles: Security Administrator, Full App Permissions, Playbook Administrator, T2 Analyst, Application Administrator
- Incident Summary Report**
Assigned to Roles: Security Administrator, Full App Permissions, T1 Analyst, Playbook Administrator, Application Administrator
- Overdue Alerts Activities
Assigned to Roles: Security Administrator, Full App Permissions, Playbook Administrator, T2 Analyst, Application Administrator
- Overdue Incidents Activities
Assigned to Roles: Security Administrator, Full App Permissions, Playbook Administrator, T2 Analyst, Application Administrator
- Unhandled Activities
Assigned to Roles: Security Administrator, Full App Permissions, Playbook Administrator, T2 Analyst, Application Administrator
- War Room Summary
Assigned to Roles: Security Administrator, Full App Permissions, Playbook Administrator, T2 Analyst, Application Administrator
- War Room Summary Report
Assigned to Roles: Security Administrator, Full App Permissions, Playbook Administrator, T2 Analyst, Application Administrator

Actions: Schedule Report, Assign to Role, Edit Template, Clone Template, Export Template, Remove Template

Reporting

Template Title* Incident Summary Report

Configure Inputs Assign to roles

Define a new structure

Richtext Content

+ Add Widget

Define a new structure

Richtext Content

Summary

Summary

Summary

Single Line Item: Latest 5 Comments

Choose Widget

Structure

Rows - Insert row/column structure to create custom layout.

Charts and Metrics

Chart - Choose from multiple chart widgets like Bar, Pie, Donut etc.

Relationship Count - Insert a chart to show related data source count.

System Monitoring - Insert a System Monitoring Widget.

Connector Health - Insert a Connector Health Status Widget.

Performance Metrics - Build metrics like ROI, MTTR,MTTD etc.

Record - Card View

Card List - Show record list in a card view.

Card Count - Show count of records based on a condition.

Record - Listing


Single Line Item - List record fields in a vertically stacked format.

Simple Grid - Light-weight, export & print-friendly grid widget for listing records.


Role-Based Access Control and Teams

- Teams and roles work together for flexible RBAC
- Teams
 - Define which records a user can access
 - Flexible hierarchy supports parent, sibling, and child team relationships
- Roles
 - Define which fields in a record a user can access
 - Granularly **Create, Read, Update, Delete** permissions

Settings > Security Management > Team Hierarchy




Playbook Designer



Drag-and-Drop Graphical Workflow

- Drag and drop to modify or build a playbook
- Select steps from graphical menus
 - Update records
 - Logical decisions, approvals, and tasks
 - Connectors and utilities
 - Nested playbooks

Automation > Playbooks



Playbook Steps

CORE

 Create Record

 Update Record

 Find Records

 Set Variable

Create, find, or modify an alert, incident, task, or other item in the FortiSOAR database

EVALUATE

 Decision

 Wait

 Approval

 Manual Task

 Manual Input

Make a logical decision, get approval, take manual input from the user, or otherwise affect the logical flow of the playbook

EXECUTE

 Connector

 Utilities

 Code Snippet

Take an action, for example, run connector function, or execute dozens of built-in utilities

REFERENCE

 Reference a Playbook

Run another playbook (nested playbooks)

OTHER

 Send Email


 Set API Keys

Send an email

Set API Keys


Connectors

- Connectors integrate many third-party systems
- 400+ connectors available
- Connectivity for
 - Data ingestion (alerts)
 - Playbook actions
 - Get objects
 - Disable accounts
 - Get data for enrichment
 - And more
- Custom connector support
 - Create your own connector or edit an existing connector as per requirements, using the **Connector Wizard**





Other Features

- FAQ/Knowledge Center module
- Additional modules to hold data for
 - Physical security events
 - Compliance
 - Fraud
 - Threat intelligence



User Community



Knowledge Check

1. What is the role of a connector on a FortiSOAR instance?

- ✓ A. Connectors send and retrieve data from various third-party sources.
- B. Connectors are individual sequences of steps designed to accomplish a specific purpose.

Lesson Progress

- ✓ What is a SOAR?
- ✓ SOC Alert Handling and Triage
- ✓ FortiSOAR Architecture
- ✓ FortiSOAR Initial Configuration
- ✓ FortiSOAR Overview

Review

- ✓ Describe the basics of SOAR technology
- ✓ Describe the alert handling procedure performed by SOC analysts
- ✓ Describe the various FortiSOAR architectures
- ✓ Describe FortiSOAR HA capability
- ✓ Identify the resource requirement for deployment
- ✓ Plan a FortiSOAR deployment
- ✓ Configure initial settings
- ✓ Manage incidents and alerts in a SOC environment