

## Problem C. Registration System

**Time limit** 5000 ms

**Mem limit** 65536 kB

A new e-mail service "Berlandesk" is going to be opened in Berland in the near future. The site administration wants to launch their project as soon as possible, that's why they ask you to help. You're suggested to implement the prototype of site registration system. The system should work on the following principle.

Each time a new user wants to register, he sends to the system a request with his `name`. If such a `name` does not exist in the system database, it is inserted into the database, and the user gets the response `OK`, confirming the successful registration. If the `name` already exists in the system database, the system makes up a new user name, sends it to the user as a prompt and *also inserts the prompt into the database*. The new name is formed by the following rule. Numbers, starting with 1, are appended one after another to `name` (`name1`, `name2`, ...), among these numbers the least  $i$  is found so that `namei` does not yet exist in the database.

### Input

The first line contains number  $n$  ( $1 \leq n \leq 10^5$ ). The following  $n$  lines contain the requests to the system. Each request is a non-empty line, and consists of not more than 32 characters, which are all lowercase Latin letters.

### Output

Print  $n$  lines, which are system responses to the requests: `OK` in case of successful registration, or a prompt with a new name, if the requested name is already taken.

### Sample 1

Input	Output
4 abacaba acaba abacaba acab	OK OK abacaba1 OK

### Sample 2

Input	Output
-------	--------

Input	Output
6 first first second second third third	OK first1 OK second1 OK third1