NETWORKWALKS CYBERSECURITY INTERNSHIP

WEEK 2
Footprinting & Network Scanning Report

Prepared by	Mohammed Khasro
Instructor	Waqas Karim (CCIE)
Organization	Networkwalks IT Solutions & Training
Report date	10 November 2026
Completed modules	W2-PM4: theHarvester; W2-PM5: Zenmap; final report
Additional practice	WHOIS domain lookup

Overview

For my Week 2 internship task, I collected publicly available information about networkwalks.com using theHarvester and WHOIS. Then I scanned my own Windows 10 virtual machine using Zenmap from Kali Linux. I documented the commands I used, the results I saw, and what I learned. This report is based on the four screenshots I submitted.

Testing scope

Passive OSINT: networkwalks.com, which I reported as approved by my instructor for this exercise.
Active scanning: my own Windows virtual machine at 10.0.0.11 on the VirtualBox NAT Network. I did not actively scan Networkwalks public infrastructure or attempt exploitation.

Assignment alignment

The Networkwalks Week 2 project document asks for at least one elective and both essential modules. This report documents the **W2-PM4 theHarvester** elective, the mandatory **W2-PM5 Zenmap** module, and the final written report. WHOIS is extra practice, not a claim that I completed the separate six-tool W2-PM1 elective.

01 Passive footprinting - theHarvester


Objective

My goal was to find publicly indexed information linked to the Networkwalks domain. I used theHarvester 4.10.1 with the HackerTarget source. I had also tried CRT.sh earlier, but it returned no hosts in that attempt.

```
theHarvester -d networkwalks.com -b hackertarget -l 100
```

Results returned

Finding	Observed result
Hosts	2
Host 1	autodiscover.networkwalks.com -> 192.232.216.135
Host 2	mail.networkwalks.com -> 192.232.216.135
Other result categories	No direct IP entries, emails, or people reported



Evidence 1 - theHarvester output showing two returned hostnames.

What this means

The tool returned two hostnames that are commonly associated with email configuration and mail services. Both pointed to the same IP address in this particular lookup. The result gives me starting information for understanding the domain, but it does not confirm that those services are currently active or vulnerable.


02 Additional passive OSINT - WHOIS

I also wanted to understand what kind of domain details I could get without scanning a server. I used the WHOIS command from Kali Linux.

```
whois networkwalks.com
```

Details visible in my screenshot

Field	Value shown
Registrar	GoDaddy.com, LLC
Creation date	2019-11-06
Registry expiry date	2027-11-06
Nameservers	NS6135.HOSTGATOR.COM; NS6136.HOSTGATOR.COM
DNSSEC	unsigned



Evidence 2 - WHOIS query and registration details.

What I learned

WHOIS records can show registrar details, dates, nameservers and domain status codes. They help with passive reconnaissance. The records are a snapshot of what was returned when I ran the command and may change later.


03 Preparing my local Windows lab target

Before scanning anything with Zenmap, I checked my own Windows 10 virtual machine to confirm its network address. Kali Linux and Windows were connected through my VirtualBox NAT Network.

`ipconfig`

Windows network settings

Network property	Value
IPv4 address	10.0.0.11
Subnet mask	255.255.255.0
Default gateway	10.0.0.1
Virtual network	10.0.0.0/24



Evidence 3 - Windows Command Prompt displaying the local IP configuration.

Why this mattered

By checking ipconfig, I made sure that 10.0.0.11 was the correct IP address for the Windows virtual machine. This prevented me from accidentally scanning a different host. All active scanning in this report stayed inside my own lab.


04 Network scanning - Zenmap

For the required Zenmap module, I opened Zenmap on Kali Linux and selected my local Windows 10 virtual machine as the target. I used the Intense scan profile.

```
nmap -T4 -A -v 10.0.0.11
```

Results shown in Zenmap

Item	Observed result
Target	10.0.0.11 (Windows VM)
Host discovery	Host is up
TCP ports scanned	1,000
TCP port state	1,000 filtered (no-response)
OS identification	No specific OS matched reliably
Network distance	1 hop
Virtual NIC	Oracle VirtualBox virtual NIC
Scan duration	28.22 seconds



Evidence 4 - completed Zenmap Intense scan output.

05 Interpretation & lessons learned

Understanding the Zenmap result

Zenmap detected that my Windows VM was reachable, but it reported all 1,000 scanned TCP ports as filtered. **Filtered** means that Nmap did not receive enough responses to say whether those ports were open or closed. A firewall is one possible explanation, but this scan alone does not prove the cause. It also does not prove that the system has no services or vulnerabilities.

Skills I practiced

Area	What I practiced
Passive footprinting	Using theHarvester and WHOIS to understand public domain information
Lab networking	Confirming the Windows IPv4 address before scanning
Network scanning	Running Zenmap with the Intense scan profile
Reading results	Separating host availability from filtered TCP port states
Scope awareness	Keeping the active scan on my own lab machine

Limitations

TheHarvester and WHOIS results describe information returned by their sources at the time of testing. I did not independently validate the current availability of the identified public services. Zenmap scanned only the standard 1,000 TCP ports against my local Windows VM; it did not perform a full port inventory, validate vulnerabilities, or confirm a specific Windows version through OS fingerprinting.

Final result

I completed a theHarvester footprinting exercise against the approved domain, added a WHOIS lookup for extra learning, and finished a Zenmap Intense scan against my own Windows VM. I documented both the findings and the limits of what each tool can tell me. The project helped me understand how footprinting and network scanning are different stages in cybersecurity work.

Acknowledgment

Thanks to Networkwalks IT Solutions & Training and our instructor Waqas Karim (CCIE) for the guidance and opportunity to practice these tools.

Evidence and source note

This report uses exactly four student-supplied Week 2 screenshots, reproduced on pages 2-5. Assignment structure follows the provided "WK2 - Week2 Projects" document, especially page 2 (module requirements) and page 6 (submission deadline: Friday, 13 November 2026, 23:00; time zone not stated). No findings have been invented.