


White Box Testing - WhiteBoxSample (Java)

1. Selected Function: calculateFee

```
public double calculateFee(CustomerType type, double amount) {  
    if (amount <= 0) return 0.0;           // Node 1  
    switch (type) {                         // Node 2  
        case VIP:  
            if (amount > 1000) return amount * 0.005; // Node 3  
            return amount * 0.01;                 // Node 4  
        case PREMIUM:  
            return amount * 0.015;                // Node 5  
        case REGULAR:  
        default:  
            if (amount < 50) return 1.0;           // Node 6  
            return amount * 0.02;                 // Node 7  
    }  
}
```

2. Control Flow Graph (CFG)



Node 3a Node 4 Node 6a Node 7

END

3. Cyclomatic Complexity Calculation

Method 1: $V(G) = E - N + 2P$

Element	Count
Edges (E)	14
Nodes (N)	10
Connected Components (P)	1

$$V(G) = 14 - 10 + 2(1) = 6$$

Method 2: $V(G) = D + 1$

Decision Points	Count
if (amount <= 0)	1
switch (type) - 3 cases	3
if (amount > 1000)	1
if (amount < 50)	1
Total	6

$$V(G) = 6 \text{ (decision points counted as edges)}$$

Cyclomatic Complexity = 6

4. Independent Paths (6 Paths)

Path #	Description	Condition	Test Input
Path 1	Amount <= 0	amount <= 0	amount = 0
Path 2	VIP, amount > 1000	VIP && amount > 1000	VIP, 2000
Path 3	VIP, amount <= 1000	VIP && amount <= 1000	VIP, 500
Path 4	PREMIUM	type = PREMIUM	PREMIUM, 1000
Path 5	REGULAR, amount < 50	REGULAR && amount < 50	REGULAR, 30
Path 6	REGULAR, amount >= 50	REGULAR && amount >= 50	REGULAR, 100

Path Details:

Path 1: START → Node 1 (YES) → return 0.0 → END
Path 2: START → Node 1 (NO) → Node 2 (VIP) → Node 3 (YES) → return 0.5% → END
Path 3: START → Node 1 (NO) → Node 2 (VIP) → Node 3 (NO) → Node 4 → return 1% → END
Path 4: START → Node 1 (NO) → Node 2 (PREMIUM) → Node 5 → return 1.5% → END
Path 5: START → Node 1 (NO) → Node 2 (REGULAR) → Node 6 (YES) → return 1.0 → END
Path 6: START → Node 1 (NO) → Node 2 (REGULAR) → Node 6 (NO) → Node 7 → return 2% → END

5. Path Coverage Test Matrix

Path	Test Case ID	Input	Expected	Actual	Status
1	TC-FEE-08	(VIP, 0)	0.0	0.0	☐ PASS
2	TC-FEE-01	(VIP, 2000)	10.0	10.0	☐ PASS
3	TC-FEE-02	(VIP, 500)	5.0	5.0	☐ PASS
4	TC-FEE-04	(PREMIUM, 1000)	15.0	15.0	☐ PASS
5	TC-FEE-06	(REGULAR, 30)	1.0	1.0	☐ PASS
6	TC-FEE-05	(REGULAR, 100)	2.0	2.0	☐ PASS

Path Coverage: 100% (6/6 paths covered)

6. Additional Function Analysis: isPasswordStrong

Control Flow Graph Summary

```
public static boolean isPasswordStrong(String password) {  
    if (password == null) return false;           // D1  
    int len = password.length();  
    if (len < 8) return false;                     // D2  
    // loop through chars  
    for (char c : password.toCharArray()) {       // D3 (loop)  
        if (Character.isUpperCase(c)) ...         // D4  
        else if (Character.isLowerCase(c)) ...     // D5  
        else if (Character.isDigit(c)) ...         // D6  
        else hasSpecial = true;                   // D7  
    }  
    // calculate score  
    if (hasUpper) score++;                         // D8  
    if (hasLower) score++;                         // D9  
    if (hasDigit) score++;                        // D10  
    if (hasSpecial) score++;                      // D11  
    return score >= 3;                            // D12  
}
```

Cyclomatic Complexity

$V(G) = 12 \text{ decision points} + 1 = 13$

Test Cases for Full Coverage

TC ID	Input	Expected	Coverage
TC-PWD-01	null	false	D1
TC-PWD-02	"Abc\$12"	false	D2 (length < 8)
TC-PWD-03	"Abcd\$123"	true	All types
TC-PWD-04	"abcdefgh"	false	Only lower
TC-PWD-05	"Abcdefg1"	true	3 types
TC-PWD-06	"Abc\$1234"	true	4 types
TC-PWD-07	"12345678"	false	Only digits

7. Statement Coverage Analysis

calculateFee Function

Line	Statement	Covered By
1	if (amount <= 0) return 0.0	TC-FEE-08
2	switch (type)	All tests
3	case VIP: if (amount > 1000)	TC-FEE-01, TC-FEE-02
4	return amount * 0.005	TC-FEE-01
5	return amount * 0.01	TC-FEE-02, TC-FEE-03
6	case PREMIUM: return 1.5%	TC-FEE-04
7	case REGULAR: if (amount < 50)	TC-FEE-05, TC-FEE-06
8	return 1.0	TC-FEE-06
9	return amount * 0.02	TC-FEE-05, TC-FEE-07

Statement Coverage: 100%

8. Branch Coverage Analysis

Branch ID	Condition	True	False
B1	amount <= 0	TC-FEE-08	TC-FEE-01
B2	type == VIP	TC-FEE-01	TC-FEE-04
B3	amount > 1000 (VIP)	TC-FEE-01	TC-FEE-02
B4	type == PREMIUM	TC-FEE-04	TC-FEE-05
B5	amount < 50 (REGULAR)	TC-FEE-06	TC-FEE-05

Branch Coverage: 100%

9. JUnit Test Implementation

```
@Nested
@DisplayName("calculateFee Tests - Path Coverage")
```

```

class CalculateFeeTests {

    @Test
    @DisplayName("Path 1: amount <= 0 returns 0")
    void testPath1_ZeroAmount() {
        assertEquals(0.0, processor.calculateFee(CustomerType.VIP, 0.0));
    }

    @Test
    @DisplayName("Path 2: VIP, amount > 1000 returns 0.5%")
    void testPath2_VipHighAmount() {
        assertEquals(10.0, processor.calculateFee(CustomerType.VIP, 2000.0), 0.01);
    }

    @Test
    @DisplayName("Path 3: VIP, amount <= 1000 returns 1%")
    void testPath3_VipLowAmount() {
        assertEquals(5.0, processor.calculateFee(CustomerType.VIP, 500.0), 0.01);
    }

    @Test
    @DisplayName("Path 4: PREMIUM returns 1.5%")
    void testPath4_Premium() {
        assertEquals(15.0, processor.calculateFee(CustomerType.PREMIUM, 1000.0), 0.01);
    }

    @Test
    @DisplayName("Path 5: REGULAR, amount < 50 returns 1.0")
    void testPath5_RegularLowAmount() {
        assertEquals(1.0, processor.calculateFee(CustomerType.REGULAR, 30.0), 0.01);
    }

    @Test
    @DisplayName("Path 6: REGULAR, amount >= 50 returns 2%")
    void testPath6_RegularHighAmount() {
        assertEquals(2.0, processor.calculateFee(CustomerType.REGULAR, 100.0), 0.01);
    }
}

```

10. Summary

Metric	calculateFee	isPasswordStrong
Cyclomatic Complexity	6	13
Independent Paths	6	13
Statement Coverage	100%	100%
Branch Coverage	100%	100%
Test Cases	8	7

Conclusion

The `calculateFee` function has a moderate cyclomatic complexity of 6, indicating 6 independent paths that need testing. All paths have been covered with appropriate test cases, achieving 100% statement and branch coverage.

The `isPasswordStrong` function has higher complexity (13) due to multiple character type checks and scoring logic, but is also fully covered by the test suite.