كي وان
KEY ONE
QUALITY MAKES THE DIFFERENCE



VINEXA

Luxury Vinyl Tile

MA 2012000586E
CE EN14041:2004
SGS
Bfl-S1
DS
E1 HCHO



VINEXA

Luxury Vinyl Tile

LV-01

Thickness: 3.0mm (0.30mm) SIZE: 609.60*609.60mm
Packing: 12 pcs / ctn Surface: Matte Embossed: Carol

Note: the above images are for reference only. The actual product color and effect shall prevail.



VINEXA

Luxury Vinyl Tile

LV-02

Thickness: 3.0mm (0.30mm) SIZE: 609.60*609.60mm
Packing: 12 pcs / ctn Surface: Matte Embossed: Leather

Note: the above images are for reference only. The actual product color and effect shall prevail.



LV-03

Thickness: 3.0mm (0.30mm) SIZE: 609.60*609.60mm
Packing: 12 pcs / ctn Surface: Matte Embossed: Leather

Note: the above images are for reference only. The actual product color and effect shall prevail.



LV-04

Thickness: 3.0mm (0.30mm) SIZE: 609.60*609.60mm
Packing: 12 pcs / ctn Surface: Matte Embossed: Marble

Note: the above images are for reference only. The actual product color and effect shall prevail.



LV-05

Thickness: 3.0mm (0.30mm) SIZE: 609.60*609.60mm
Packing: 12 pcs / ctn Surface: Matte Embossed: Leater

Note: the above images are for reference only. The actual product color and effect shall prevail.

VINEXA

Luxury Vinyl Tile

LVT DRYBACK



LV-01 LV-02 LV-03 LV-04 LV-05

SPECIICATION.

Abrasion Resistance	Group T
Fire Classification	Bfl-S1 (EN 13501-1)
Squareness Tolerance and Straightness of Edges	Pass (GB/T4085-2015)
Dimensional Stability	⩽0.20% (GB/T4085-2015)
Heat Wrapping	⩽0.05mm（GB/T4085-2015）
Color Fastness	Class 7 (GB/T8427-2008)
Slip Resistance	DS (EN 13893)
Residual Indentation	Pass (EN 433)
Recyclability	100% recyclable
Formaldehyde	E1 (EN 14041:2004)

PERFORMANCE.

Thickness	3.0mm
Wear Layer Thickness	0.30mm
Length and Width	609.60*609.60mm
Production Technique	Hot Pressing
Surface	Matte Surface and Embossed
Weight	Around 6kgs per sqm
Use Classification	21 / 22 / 23 / 31 / 32, EN ISO 10874