

# STUDENT REPORT

## **DETAILS**

#### Name

Aayyon Khan

#### **Roll Number**

3BR23ME011

## **EXPERIMENT**

#### Title

**CANDIES** 

#### **Description**

Let's consider a scenario where there are K candies to be distributed among N children, each uniquely numbered from 1 to N. The distribution commences with Child A, followed by a sequential allocation to the subsequent children in the order: A, A+1, A+2,..., N. The query at hand is to identify which child will be the last recipient of a candy.

In more explicit terms, after Child x (where  $1 \le x \le N$ ) receives a candy, the subsequent candy is granted to Child x+1. Upon Child N receiving a candy, the distribution cycle restarts. and Child 1 becomes the next recipient.

The primary objective is to ascertain the identity of the child who will receive the last candy in this cyclic distribution.

**Note:** Each child receives only 1 candy.

## **Input Format:**

The first line of input contains 3 space seperated integers N, K and A.

## **Output Format:**

Print the friend who will be the final recipient of the candy.

#### **Constraints:**

1<=N<=K<=10^8

Sample Input:

5 2 1

Sample Output:

2

### Source Code:

```
n,k,a=list(map(int,input().split()))
ans=(a+k-1)%n

if ans==0:
    print(n)
else:
    print(ans)
```

## **RESULT**

9/27/24, 3:13 PM 3BR23ME011-Candies

0 / 6 Test Cases Passed | 0 %