

PCN24/CP09A: NDT AQB AUDIT CHECKLIST

ISSUE 2 (December 2025)

Compatible with PCN24/CP09 issue 02

Auditee Organisation:	Altair – Singapore Inspection PTE Ltd
Location:	05-109, Tradehub 21, 18 Boon Lay Way, #05-109, Tradehub 21, Singapore 609966
Type of Assessment	☐ Initial Stage 1 ☐ Initial Stage 2 ☐ 1 st Surveillance ☒ 2 nd Surveillance ☐ Reassessment ☐ Other (Please State):
Date of Assessment:	10 th June 2026
Lead Assessor:	Jason Scott
Support Assessor(s):	None
Observer(s)/Witness(es):	None

Foreword

This document is based upon ISO9712:2022 and PCN24/GEN, which is implemented within the British Institute of Non-Destructive Testing Approval Scheme for Authorised Qualifying Bodies (AQB) wishing to provide industry with an assured quality of PCN Examinations in the main NDT methods.

Scope

This checklist replicates BINDT's Minimum Requirements for the Examination of NDT Practitioners and provides auditors of Authorised Qualifying Bodies (AQB) with a mechanism for recording observations during audits. It also provides a useful checklist for Authorised Qualifying Bodies (AQB) preparing for audit by BINDT, as well as for internal auditing purposes.

Process

On Initial audit and every 3rd year re-assessment audit the AQB will be assessed against the full checklist. On surveillance audits selective key items only, within the checklist, may be addressed.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

Documents provided in advance of the audit

(MANUAL / PROCEDURE / WORK INSTRUCTION)

Updated on: 15/04/2026.


Sl. No.	Document No.	Description	Rev. No.	Issue Date	Revised Date	Custodian (Designation)
QUALITY MANUAL & ANNEXURE FORMS						
1	AEI-QM-T-01	Quality manual	23	07-12-2009	10-04-2025	QC
A	AEI-QM-T-01A	Approved Examiner	1	02-03-2017	11-04-2025	QC
B	AEI-QM-T-01B	Approved Invigilator List	1	11-04-2025	27-06-2025	QC
C	AEI-QM-T-01C	List of Exam Personnel & Position	1	11-04-2025	20-06-2025	QC
D	AEI-QM-T-01D	Risk Identification Opportunities	0	11-04-2025	NA	QC
E	AEI-QM-T-01E	Action Plans to Achieve Quality Objectives	0	11-04-2025	NA	QC
QUALITY PROCEDURES & ANNEXURE FORMS						
1	AEI-QP-T-01	Document control	11	07-12-2009	11-04-2025	QC
A	AEI-QP-T-01A	Circular	01	15-01-2014	10-12-2019	QC
B	AEI-QP-T-01B	List of QMS Documents	02	15-01-2014	08-05-2020	QC
C	AEI-QP-T-01C	Control List for Internally Generated Documents	01	15-01-2014	10-12-2019	QC
D	AEI-QP-T-01D	List for Codes, Standards & Specifications	03	15-01-2014	10-12-2019	QC
E	AEI-QP-T-01E	List for Library Books, Equipment Manuals	01	15-01-2014	10-12-2019	QC
2	AEI-QP-T-02	Control of quality records	08	07-12-2009	11-04-2025	QC
A	AEI-QP-T-02A	List of Files	01	15-01-2014	10-12-2019	QC
B	AEI-QP-T-02B	List of Forms	01	15-01-2014	10-12-2019	QC
3	AEI-QP-T-03	Internal audit & External audit	08	07-12-2009	11-04-2025	QC
A	AEI-QP-T-03A	Audit Finding Report Form	01	15-01-2014	10-12-2019	QC
B	AEI-QP-T-03B	Audit Checklist (AQB & AEC)	04	15-01-2014	15-04-2025	QC
C	AEI-QP-T-03C	List of Audit Findings	01	15-01-2014	10-12-2019	QC
D	AEI-QP-T-03D	Audit Schedule	01	15-01-2014	10-12-2019	QC
E	AEI-QP-T-03E	Internal Audit Report	01	02-12-2015	10-12-2019	QC
F	AEI-QP-T-03F	Quality Audit Plan AEC, REC & RTC	01	24-02-2016	10-12-2019	QC
4	AEI-QP-T-04	Control of non-conforming product	06	07-12-2009	09-04-2025	QC
5	AEI-QP-T-05	Corrective action	08	07-12-2009	09-04-2025	QC
A	AEI-QP-T-05A	Corrective Action Form	01	15-01-2014	10-12-2019	QC
B	AEI-QP-T-05B	Complaint Log Form	01	06-01-2017	10-12-2019	QC
6	AEI-QP-T-06	Preventive action	08	07-12-2009	09-04-2025	QC
A	AEI-QP-T-06A	Preventive Action Form	01	15-01-2014	10-12-2019	QC
7	AEI-QP-T-07	Conduct of PCN Qualification examinations	0	11-04-2025	NA	QC
8	AEI-QP-T-08	Health & Safety in the workplace	0	11-04-2025	NA	QC
9	AEI-QP-T-09	Staff qualifications & training	0	11-04-2025	NA	QC
A	AEI-QP-T-09A	Staff Induction Record	0	11-04-2025	NA	QC
B	AEI-QP-T-09B	Instructor Evaluation Form	0	11-04-2025	NA	QC

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

Documents provided in advance of the audit

Sl. No.	Document No.	Description	Rev. No.	Issue Date	Revised Date	Custodian (Designation)
QUALITY MANUAL & ANNEXURE FORMS						
C	AEI-QP-T-09C	External Trainer, Examiner Qualification	0	11-04-2025	NA	QC
D	AEI-QP-T-09D	Quality Evaluation Plan of Trainers & Examiners	0	11-04-2025	NA	QC
E	AEI-QP-T-09E	Minimum Competency Requirement (Staff)	0	11-04-2025	NA	QC
10	AEI-QP-T-10	Security	0	11-04-2025	NA	QC
A	AEI-QP-T-10A	Advance Security Threats	0	11-04-2025	NA	QC
11	AEI-QP-T-11	Supervised Testing Of Samples Under PCN CP16 Requirements	0	11-04-2025	NA	QC
WORK INSTRUCTION & ANNEXURE FORMS						
1	AEI-WI-T-01	Conduct of examination centre	11	07-12-2009	22-01-2026	QC
A	AEI-WI-T-01A	Remote Examination Centre Form	1	15-01-2014	10-12-2019	QC
B	AEI-WI-T-01B	Procedure for PCN L3 Exam	1	03-04-2019	10-12-2019	QC
2	AEI-WI-T-02	Locally constructed exam papers for PCN exam	5	07-12-2009	10-12-2019	QC
A	AEI-WI-T-02A	Evaluation of Local PCN Exam Paper	1	15-01-2014	10-12-2019	QC
3	AEI-WI-T-03	Review of in-use PCN examination papers	6	15-01-2014	15-04-2025	QC
A	AEI-WI-T-03A	PCN Exam Paper Review by Examiner	1	07-12-2009	10-12-2019	QC
B	AEI-WI-T-03B	PCN Exam Paper Response Review	2	07-12-2009	10-12-2019	QC
4	AEI-WI-T-04	Control of training and examination specimen	8	07-12-2009	15-04-2025	QC
5	AEI-WI-T-05	Control of NDT equipment	9	07-12-2009	12-05-2020	QC
A	AEI-WI-T-05A	NDT Equipment Check (In-House)	1	15-01-2014	10-12-2019	QC

The below is taken from Annex A of the AEI-QM-T-01 Quality Manual



PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

Documents provided in advance of the audit

The below is taken from Annex D of AEI-QM-T-01 (Quality Manual)

Sl. No.	Name	Method	Scope
1	Sirajul H M	UT* (3.2) L2 & L3, ToFD L2 & L3, *PAUT L2 & L3, MT L2 & L3, PT L2 & L3, RI L2	Chief Examiner
2	S Khaja M	UT* (3.1 & 3.2) (L2 & L3), ToFD* L2 & L3, PAUT* L2 & L3, MT L2, PT (L2 & L3)	Deputy Examiner
3	Jiyavudeen M	RI L2	Examiner

Sl. No.	POSITION	NAME (Local-/Invigilators/Examiners)	NON-LOCAL (Invigilators/Examiners)
1	PCN Co-Ordinator	Sirajul Hameed Masroor	-
2	Deputy PCN Co-Ordinator	Shaik Khaja M	-
3	Chief Examiner	Sirajul Hameed Masroor	-
4	Deputy Chief Examiner	Shaik Khaja M	-
5	Examiner	Siraj HM, Shaik Khaja	Jiyavudeen M
6	Invigilator	Ganesh M, Siraj HM, Shaik Khaja, Martin Nexo.	Teerapong. S, Wan Ahmad Kamil, Rebecca Wright, Adam Schoderboeck, Christopher Doherty, Dean Mallaburn
7	Quality Coordinator	-	Amir Hamzah
8	Deputy Quality Coordinator	-	-
9	Admin Coordinator	Kanageswari Sakthivel	-
10	Deputy Admin Coordinator	Akhila Shaheen	-
11	Admin Manager	Akhila Shaheen	-
12	Internal Auditor	-	Amir Hamzah

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

Documents provided in advance of the audit

Sl. No.	Name	Method	Scope
1	K. Ganesh Moorthy	Basic – L3 UT - L1, L2 & L3, TOFD - L1, L2 & L3 PAUT - L1, L2 & L3 MT - L1 & L2 PT – L1 & L2 RI – L1 & L2	Invigilator – Theory & Practical
2	Teerapong Sriburin	Basic – L3 UT - L1, L2 & L3, PAUT - L1, L2 & L3 MT - L1 & L2 PT – L1 & L2 RI – L1 & L2	Invigilator – Theory & Practical
3	Sirajul Hameed Masroor	Basic – L3 UT - L1, L2 & L3, TOFD - L1, L2 & L3 PAUT - L1, L2 & L3 MT - L1 & L2 PT – L1 & L2 RI – L1 & L2	Invigilator – Theory & Practical
4	Shaik Khaja Mohiuddin	Basic – L3 UT - L1, L2 & L3, TOFD - L1, L2 & L3 PAUT - L1, L2 & L3 MT - L1 & L2 PT – L1 & L2 RI – L1 & L2	Invigilator – Theory & Practical
5	Martin R	Basic – L3 UT - L1, L2 & L3, TOFD - L1, L2 & L3 PAUT - L1, L2 & L3 MT - L1 & L2 PT – L1 & L2 RI – L1 & L2	Invigilator – Theory & Practical
7	Wan Ahmad Kamil	Basic – L3 UT - L1, L2 & L3, TOFD - L1, L2 & L3 PAUT - L1, L2 & L3	Invigilator – Theory & Practical
8	Rebecca Wright	Basic – L3 UTT – L1 & L2 UTW - L1, L2 & L3, TOFD - L1, L2 & L3 PAUT - L1, L2 & L3 MT - L1 & L2 PT – L1 & L2 RI – L1 & L2	Invigilator – Theory Only
9	Adam Schoderboeck	Basic – L3 UTT – L1 & L2 UTW - L1, L2 & L3, TOFD - L1, L2 & L3 PAUT - L1, L2 & L3	Invigilator – Theory & Practical

Sl. No.	Name	Method	Scope
		MT - L1 & L2 PT – L1 & L2 RI – L1 & L2	
10	Christopher Doherty	Basic – L3 UTT – L1 & L2 UTW - L1, L2 & L3, TOFD - L3 PAUT - L3 MT - L1 & L2 PT – L1 & L2 RI – L1 & L2	Invigilator – Theory & Practical
11	Dean William Mallaburn	Basic – L3 UTW - L3, TOFD - L3 PAUT - L3 MT - L1 & L2 PT – L1 & L2	Invigilator – Theory & Practical

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

4.2 Quality Management System

4.2.1 QMS - General

4.2.1.1	The organisation shall implement and maintain a fully documented quality management system which is certified and fully conforms to ISO 9001 and/or AS 9100; this certification must be issued by a body holding ISO 17021 approval granted by a national accreditation body affiliated with International Accreditation Forum (IAF).	Altair Singapore is accredited to ISO 9001:2015 by DAS with the following details. Certification provided by ECAAS Certification Certified Facility: 18 Boon Lay way, #05 -109-Tradehub 21 Singapore 609966 Certification Scope: 1) Provision of NDT (Non-destructive Testing) Inspection and Consultancy Services 2) Supply of Inspection Accessories related with NDT (Non-destructive Testing) 3) Provision of Technical Training Services in Conventional and Advanced NDT (Non-destructive Testing) 4) Provision of Examination Services in Conventional and Advanced NDT (Non-destructive Testing) Initial Certification Date: 13th May 2013 Current Issue: 17th March 2025 Expiry Date: 12th May 2028 Certificate #: 65-230589-Q The organisation presented the audit report for ISO 9001:2015 audit conducted on 02nd April 2026. No nonconformity or Opportunity for improvement raised during this audit -Update
4.2.1.2	The purpose of the QMS section within this document is to detail the how Organisation's QMS is implemented and applied specifically to the PCN Examination process and to allow for BINDT to confirm, during scheduled assessments, that the Organisation's training process maintains compliance with BINDT requirements as related to ISO9001 (current version).	This is a statement from BINDT and does not require an entry or response from the ATO under assessment.
4.2.1.3	The QMS shall comprise of a Quality Manual and Quality Procedures (and Work Instructions where necessary) that is compliant with the latest edition of ISO 9001. Documented procedures shall cover quality management and product realisation processes. The management system shall be controlled and periodically reviewed according to the stipulations in the Training Organisation's quality manual. <i>NOTE 1: Although the 2015 version of ISO9001 has removed the requirement for some mandatory documents (including a quality manual) BINDT still expects Training Organisations to have suitable documented systems, processes, and records to enable the BINDT assessment program to be able to confirm compliance with the requirements of this document.</i>	The Altair Quality Policy is included in the Quality Manual (AEI-QM-T-01 Page 7). The Quality Policy includes a commitment to <i>"periodically review the system and policies to ensure they work effectively in achieving the company goals"</i> AEI-QM_T-01 clause 4.4 states: "Quality management system and its processes" <i>The Quality Management System comprises this Quality Manual and Quality Procedures, which are expanded upon in Work Instructions.</i> <i>The principles processes of the AEI are described in section 2 above are the provision for the administration of Qualification Examinations.</i> <i>The PCN examination qualification services are for the personnel engaged in the fields of engineering inspection, non-destructive testing and condition monitoring. Quality Procedure AEI-QP-T-07 is structured to address the criteria to comply with PCN24 CP9.</i> <i>These references mandate the provision of adequate resources and information for the processes involved and requires both internal and external monitoring and analysis to enable achievement of planned results and continual improvement of performance against measurable criteria."</i> Section 8 of the Quality Manual defines the Design and Development of products and services. A list of the operational and management procedures that supports the quality manual is pasted at the top of this checklist.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
	NOTE 2: An exclusion for design and development can no longer be claimed as Training Organisations design and develop training materials	
4.2.1.4	The AQB shall establish and maintain a procedure to control all documents essential to the provision of an AQB service, e.g., PCN documents, quality management system, applicable standards and specifications.	AEI-QP-T-01 is the organisations dedicated procedure for the control of documents. Section 5 defines the responsibilities and states: "5 Responsibilities PCN/Quality Coordinator: Document approval, version control, external document review, and issue control. Quality Manager: Ensures implementation of document control process; audits and monitoring. All Staff: Use only the current issue of documents and report outdated or damaged copies. Admin Personnel: Maintain distribution lists and update SharePoint/physical records. Section 6 addresses the identification of current and obsolete documents and states: "6.1 Document Approval and Issue • New or revised documents are prepared and submitted to the PCN Coordinator for approval. • Once approved, documents are assigned a revision number and issued with an effective date. • A Master List of Documents (AEI-QP-T-01B) is maintained. 6.2 Document Format and Identification Each document includes: • Title and Document Number • Revision Number and Date • Page Numbering • Approver's Signature - physical or digital 6.3 Document Distribution and Access • Controlled documents are stored electronically in SharePoint and accessible only to authorised personnel. • Distribution is tracked using the Controlled Document Issue Record (AEI-QP-T-01A). • Updates are communicated via email or internal briefings. 6.4 Document Review and Update All documents are reviewed at least annually or as needed based on: • Changes in PCN/BINDT requirements • Internal audit findings • Management review decisions Revised documents undergo re-approval before release. 6.5 Control of Obsolete Documents • Obsolete documents are removed from point-of-use locations. • Retained copies are stamped "OBSOLETE – FOR REFERENCE ONLY" and filed in a read-only archive folder. • Obsolete document retention is managed per AEI-QP-T-02. 6.6 External Documents (e.g., PCN Standards, ISO References) • External documents (e.g., PCN CP09, PCN Gen) are reviewed quarterly by the PCN Coordinator. • Status is verified against PCN24/PSL8A. • Latest versions are downloaded from www.bindt.org and saved in the controlled document directory. • Obsolete versions are withdrawn.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

		The codes and standards meet the requirements of the relevant PCN Gen documents for the methods approved for. Clause 6.6 is referring to the PCN legacy documents.															
4.2.1.5	AQB management shall ensure that affected personnel are aware when change has occurred within the QMS and shall also ensure that all necessary technical and procedural data is available to enable staff to comply with requirements.	The quality manual clause 7.2 states: "7.2 Competence, training and awareness" <i>AEI ensures that personnel performing tasks affecting examination quality and impartiality are competent based on education, training, qualification, and experience.</i> • <i>Staff are recruited as per job descriptions which define qualification and experience requirements.</i> • <i>A Minimum Competency Matrix (AEI-QP-T-09E) defines the baseline criteria for appointment.</i> • <i>All new staff undergo documented induction training (AEI-QP-T-09A), covering: o Quality Management System awareness o Examination procedures o AEI-BINDT responsibilities</i> Clause 7.3 of the quality manual addresses awareness and states: 7.3 Awareness AEI ensures that all personnel involved in examination activities are aware of: • The Quality Policy, relevant quality objectives, and their role in maintaining QMS effectiveness • The BINDT PCN requirements, including any changes to: - o Examination procedures - o Grading or moderation rules - o Forms, marking schemes, and documentation • Reporting of non-compliance with QMS and BINDT requirements. • Industry updates, new technologies, and changes in international standards relevant to their role. Awareness is maintained through the following mechanisms: <table border="1"> <thead> <tr> <th>Method</th><th>Frequency</th><th>Responsibility</th></tr> </thead> <tbody> <tr> <td>Induction and refresher sessions</td><td>On appointment</td><td>PCN Coordinator/Training Manager</td></tr> <tr> <td>Distribution of updates (PCN/ISO)</td><td>As and when released</td><td>Quality Coordinator</td></tr> <tr> <td>Staff briefings & memos</td><td>Quarterly or as needed</td><td>Training Manager</td></tr> <tr> <td>Management Review dissemination</td><td>Following MRM meetings</td><td>Training Manager</td></tr> </tbody> </table> <i>Records of induction (e.g., AEI-QP-T-09A) are maintained and reviewed during internal audits to ensure effectiveness.</i> Since the last audit in 2025, the AQB has only added additional invigilators who are based at the QMTS facility in Perth, Australia. The auditor was physically present at the Perth facility when training to local invigilators was provided by Mr. Siraj of Altair. Records of training were presented to BINDT as part of the approval process and they now appear on the list of approved examination staff. Mr. Amir Hamzah who has taken the position of Quality Coordinator. He started employment with Altair (Group) on 07th April 2025. He was formally inducted into the company on 07th April 2025 and this was recorded on form AEI-QP-T-09A Several certificates of training were presented and one for ISO 9001 2015 Internal Auditor and Auditing Workshop was recorded as: Course Dates; 27th & 28th May 2024 with Certificate Number: CESA/SMEA/IA9100D/24/2075-P. This was issued by CAAT Engineering Solutions.	Method	Frequency	Responsibility	Induction and refresher sessions	On appointment	PCN Coordinator/Training Manager	Distribution of updates (PCN/ISO)	As and when released	Quality Coordinator	Staff briefings & memos	Quarterly or as needed	Training Manager	Management Review dissemination	Following MRM meetings	Training Manager
Method	Frequency	Responsibility															
Induction and refresher sessions	On appointment	PCN Coordinator/Training Manager															
Distribution of updates (PCN/ISO)	As and when released	Quality Coordinator															
Staff briefings & memos	Quarterly or as needed	Training Manager															
Management Review dissemination	Following MRM meetings	Training Manager															

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

		Section 7,4 states: “7.4 Communication AEI has established processes to ensure timely, controlled, and effective communication of information relevant to the QMS, PCN examination services, and regulatory requirements. AEI determines and controls: <table><tr><th>Aspect</th><th>Details</th></tr><tr><td>What</td><td>Quality policy and objectives, PCN/BINDT updates, examination requirements, audit results, QMS changes, safety notices, candidate instructions</td></tr><tr><td>When</td><td>On recruitment, revision of documents, before exams, during audits, quarterly reviews, or when urgent changes occur</td></tr><tr><td>With Whom</td><td>AEI staff, examiners, AECs/RECs, candidates, BINDT</td></tr><tr><td>How</td><td>Email, briefings, internal meetings, AEI-controlled documents</td></tr><tr><td>By Whom</td><td>PCN Coordinator, Quality Coordinator</td></tr></table> Internal Communication • Communication ensures all AEI personnel are informed of: - o QMS requirements, changes, and performance - o Examination processes and responsibilities - o PCN/BINDT updates or bulletins • Management Review Meetings (MRM) serve as a formal platform for strategic and quality-related communications. • Records of communication are maintained through briefing notes, meeting minutes, AEI-FORM-10, and distribution logs A review of AEI-QP-T-1A named document control listed 9 staff members which had received the circulation of the updated QMS with a list of changes that had been made including PCN24 documents. This was recorded on 21st July 2025 No signature was required but also no acknowledgment email return? This was discussed and the AQB stated the reason no acknowledgment was requested was due to Altair having a plan to arrange face to face meeting with Malaysia staff joining by Zoom. This awareness session will update staff on the new PCN24 scheme requirements and how this has affected the QMS. There have not been any formal awareness sessions since July 2025 despite there being several changes to the PCN24 scheme documents and advisories DR# 01 - Same as 5.1.1.10	Aspect	Details	What	Quality policy and objectives, PCN/BINDT updates, examination requirements, audit results, QMS changes, safety notices, candidate instructions	When	On recruitment, revision of documents, before exams, during audits, quarterly reviews, or when urgent changes occur	With Whom	AEI staff, examiners, AECs/RECs, candidates, BINDT	How	Email, briefings, internal meetings, AEI-controlled documents	By Whom	PCN Coordinator, Quality Coordinator
Aspect	Details													
What	Quality policy and objectives, PCN/BINDT updates, examination requirements, audit results, QMS changes, safety notices, candidate instructions													
When	On recruitment, revision of documents, before exams, during audits, quarterly reviews, or when urgent changes occur													
With Whom	AEI staff, examiners, AECs/RECs, candidates, BINDT													
How	Email, briefings, internal meetings, AEI-controlled documents													
By Whom	PCN Coordinator, Quality Coordinator													
4.2.1.6	The AQB shall devise all necessary procedures for the adequate control of PCN examinations for which it is authorised and shall ensure that such procedures are implemented by all appropriate staff.	Yes. The following suite of procedures are in use to control the processes QM AEI-QM-T-01A – Approved Examiners AEI-QM-T-01B – Approved invigilators AEI-QM-T-01C – List of exam staff positions QP’s AEI-QP-T-01D – List of codes and standards AEI-QP-T-07 – Conduct of PCN qualification exams AEI-QP-T-08 – HSE AEI-QP-T- – 09 Staff qualification and training AEI-QP-T-10 – Security												

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
		WI's AEI-WI-T-01 – Conduct of examination entre AEI-WI-T-02 – Locally constructed exam papers for PCN AEI-WI-T-03 – Review of in use PCN exam papers AEI-WI-T-04 – Control of specimens AEI-WI-T-05 – Control of equipment AEI-WI-T-06 – Control of NDT processes and consumables AEI-WI-T-10 – Exam invigilation AEI-WI-T-11 –Preparation of examinations AEI-WI-T-14 – Waste disposal procedure
4.2.1.7	The QMS shall available be in the English language. Current up-to-date versions of QMS documents shall be provided to BINDT, or its agents, upon request. This is normally to BINDT Lead Assessors during the audit preparation process. Failure to supply QMS documents to BINDT Lead Assessors, in good time, could lead to cancellation of scheduled assessments with the training Organisation being liable for any costs already incurred	The AQB's QMS is in English language and made available upon request to BINDT or the auditors.
4.2.1.8	Should major changes occur in Approved Training Organisation policy, personnel, documentation, facilities, or operating procedure, which may affect the validity of approval, the British Institute of Non-Destructive Testing shall be informed, immediately. Failure to do so may result in suspension or withdrawal of approval, or a refusal to renew approval.	AEI-QP-T-07 addresses this and clause 11.2 states: "The PCN Coordinator shall notify BINDT of: • Any confirmed non-compliance • Abuse of the PCN scheme • Changes to infrastructure, staffing, or resources that may affect compliance • Staff resignation." To date this contingency has not needed to be enacted
4.2.2 QMS – Management Review		
4.2.2.1	Authorised Qualifying Bodies (AQB) shall conduct a management review related to its training (and examination, where applicable) processes on a minimum of an annual basis. The management review shall be documented and available for review during BINDT assessments	AEI-QP-T-07 clause 5.2 addresses management review and states: <i>"AEI conducts a formal Management Review of its Quality Management System at least once every 12 months to ensure continued compliance with PCN24-CP09, ISO 9001:2015, and internal quality objectives. This requirement is in accordance with PCN24-CP09 Clause 4.2.2 and ISO 9001 Clause 9.3.</i> <i>The review is:</i> • Coordinated by the PCN Coordinator and Quality Manager • Attended by Top Management and relevant process owners • Based on a structured agenda aligned to ISO 9001:2015 Clause 9.3.2 and CP09 Clause 4.2.2.4. 5.2.1 Review Inputs <i>The minimum agenda items shall include:</i> • Status of actions from previous management reviews • Changes to internal/external issues relevant to the QMS • Review of process performance and conformity of services • Customer satisfaction and candidate feedback • Nonconformities and status of corrective actions • Internal audit results and trend analysis • Monitoring and measurement results (including grading statistics) • Performance of AECs/RECs and external providers • Resources, staffing, and infrastructure adequacy • Effectiveness of actions to address risks and opportunities • Opportunities for improvement

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

		5.2.2 Review Outputs <i>Outputs from the meeting shall include documented decisions and actions relating to:</i> • Opportunities for improvement • Adjustments to QMS processes or documentation • Resource allocation or enhancement • Follow-up timelines and responsibilities <i>All minutes, action logs, and supporting data from the Management Review are maintained by the PCN Coordinator and Quality Manager. Records are stored securely in accordance with AEI-QP-T-02 and are available for review during BINDT assessments.</i> <i>AEI may conduct additional interim management reviews in response to significant process changes, audit outcomes, or external stakeholder feedback.</i> A copy of the most recent management review was presented with the following details: Meeting Date: 05th June 2026 Location: Covers both Altair Academy Malaysia & Singapore (Joint Review) Attendees: • Amir Hamzah – Quality Coordinator • Abdul Aziz – Deputy Coordinator • Khaja M. – CEO • Siraj – COO Management Review Inputs (at a minimum): • Status of actions from previous management reviews (2024/26) • Changes in internal and external issues relevant to the QMS • Internal/External Audit Results 2025/2026 • Performance and effectiveness of the QMS, including trends in: • Candidate/student satisfaction and feedback • Adequacy of resources • Document update • Supplier evaluation • Staff training record • Remote Training centre & Remote exam centre • Continuous improvement • 2026 Target review • Risk management • Opportunities for Improvement • Management review conclusions The Management Review Meeting held on 05th June 2025 is compliant with requirements. It covered a full agenda of key areas including: • Past action review • Revenue forecast v Actual • Competition watch • Other factors affecting cost and performance • Resignations of staff and affect on service offering • Internal/external audit outcomes (with target closure dates for NCs/Obs) • Exam performance trends and theory failure root cause (language barriers) • Customer satisfaction analysis (94.7%) • Continuous improvement and QMS updates aligned with PCN 24 CP09 The attendance included key decision-makers and staff across operational, administrative, and quality functions. Improvement actions were clearly documented, including updates to documents, additional resource procurement, and trainer recruitment. Trends were identified and acted upon effectively
--	--	--

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
4.2.2.2	Where the Authorised Qualifying Body is part of a larger parent Organisation then any top-tier management review must include reference to the review of the examination processes. Alternatively, a separate management review just for the AQB section of the parent Company is advised	The documented MRM is specific to the ATO Malaysia and AQB Singapore activities, with comprehensive coverage of NDT & examination processes. There is no ambiguity that the review pertains specifically to the training school's quality, and AQB and operational processes. See clause 4.2.2.1 above The MR inputs and outputs meet the requirements of ISO 9001
4.2.2.3	The management review agenda shall follow, as a minimum, the inputs and outputs as detailed in ISO9001:2015 section 9.3.	
4.2.2.4	Management review inputs a) The status of actions from previous management reviews. b) Changes in external and internal issues that are relevant to the quality management system. c) Information on <u>THE PERFORMANCE AND EFFECTIVENESS</u> of the quality management system, including trends in: • Customer satisfaction and feedback from relevant interested parties. • The extent to which quality objectives have been met. • Process performance and conformity of products and services. Related to the outcome of Measurement, Analysis, and Improvement processes. • Nonconformities and corrective actions. • Monitoring and measurement results. • Audit results. • The performance of external providers. d) The adequacy of resources. e) The effectiveness of actions taken to address risks and opportunities. f) Opportunities for improvement.	
4.2.2.5	Management review outputs a) The outputs of the management review shall include decisions and actions related to:	

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

	• Opportunities for improvement. • Any need for changes to the quality management system. • Resource needs.	
--	---	--

4.2.3 QMS – Internal Audit

4.2.3.1	The AQB quality management system shall include a documented schedule for internal audit which will cover the whole of the quality management system and examination processes (including AECs and RECs where applicable) at least once in each calendar year. The internal audit program may consist of a series of audits addressing individual aspects of the QMS and examination process or may consist of a single audit that encompasses all aspects of the QMS and examination process.	AEI-QM-T-01 section 9.2 addresses internal audit. “9.2 Internal Audit <i>AEI conducts internal audits to ensure that its Quality Management System for PCN examination services is implemented effectively and conforms to:</i> • <i>ISO 9001:2015 requirements</i> • <i>PCN24-CP09 criteria</i> • <i>AEI's own documented procedures</i> <i>Audits are scheduled annually and planned based on process criticality and results of previous audits. The internal audit procedure and schedule are defined in AEI-QP-T-03</i> <i>Audits are performed by competent personnel independent of the activities being audited. Nonconformities are recorded, subjected to root cause analysis, and followed up to verify the effectiveness of corrective actions.</i> <i>Audit findings are communicated to relevant personnel and top management and are used as inputs for continual improvement and Management Review.</i> <i>Records of all audits and follow-up actions are maintained by the Quality.</i>										
4.2.3.2	The AQB shall have a procedure/process for the conduct of internal audit. The AQB shall retain documented internal audit records which shall include, as a minimum, an audit report and reference to the objective evidence reviewed during the audit. Any nonconformances and/or observations (Opportunities for improvement) shall also be clearly documented.	AEI-QP-T-03 is the dedicated procedure for Internal Audits. Section 5 address responsibilities <table><tr><th>Role</th><th>Responsibility</th></tr><tr><td>PCN Coordinator</td><td>Final approval of this procedure and permission for record disposal</td></tr><tr><td>Quality Coordinator</td><td>Day-to-day control, storage, and review of examination records</td></tr><tr><td>Chief Examiner/Examiner</td><td>Secures and accesses grading records, monitors retention compliance</td></tr><tr><td>Admin Staff</td><td>Supports record filing, digital storage, and backup log maintenance</td></tr></table> Section 6 addresses audit procedure Section 7 addresses records and retention Section 9 refers to the forms and documents A copy of the most recent Internal audit report was presented: Audit Date: 22nd May 2026 Auditor: Amir Hamzah Audit Results: 07 Entries - 03 Observations & 04 Findings The findings were related to • No documented procedure for scanning remote exams and shredding • Question paper review change in requirements • Late results notices • Incorrect specimens for UTPA Welds exam A copy of the audit report was presented dated 22nd May 2025 As the internal audit was only conducted just 2 weeks prior to this assessment, the findings and observations that were raised remain open.	Role	Responsibility	PCN Coordinator	Final approval of this procedure and permission for record disposal	Quality Coordinator	Day-to-day control, storage, and review of examination records	Chief Examiner/Examiner	Secures and accesses grading records, monitors retention compliance	Admin Staff	Supports record filing, digital storage, and backup log maintenance
Role	Responsibility											
PCN Coordinator	Final approval of this procedure and permission for record disposal											
Quality Coordinator	Day-to-day control, storage, and review of examination records											
Chief Examiner/Examiner	Secures and accesses grading records, monitors retention compliance											
Admin Staff	Supports record filing, digital storage, and backup log maintenance											

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

4.2.4 QMS – Complaints & Appeals

4.2.4.1	BINDT implements a process to deal with complaints from examination candidates and/or employers of examination candidates, and AQB status may be suspended or withdrawn at any time if, upon investigation, non-conformances are judged by the Certification Panel to warrant it	This is a statement from BINDT and does not require an entry or response from the AQB under assessment. AEI-QM-T-01 section 8.2.1 places the responsibility for customer complaints on the Quality / CEO / COO
4.2.4.2	A system to record and resolve any complaints received shall be operated by the AQB and complaint records shall be available for review during BINDT audit(s).	AEI-QP-T-07 addresses this and clause 7 states: “Complaints and Appeals <i>AEI operates a documented complaints and appeals system in accordance with PCN24-CP09 Clause 4.2.4, PCN24-GEN Clause 15, and ISO 9001:2015 Clause 10.2.1. All complaints received from candidates, employers, BINDT, or internal personnel are logged using AEI-QP-T-05B and investigated by the Quality Manager or PCN Coordinator.</i> <i>Valid complaints are processed through AEI’s corrective action procedure (AEI-QP-T-05), and all records are retained for a minimum of 11 years in accordance with AEI-QP-T-02. Where a complaint relates to the impartiality, ethics, or certification integrity of AEI’s examination activities, the issue shall be escalated to BINDT for further investigation.</i> <i>AEI shall cooperate fully with BINDT’s complaint resolution process and acknowledges that substantiated complaints may result in suspension or withdrawal of AQB status by the BINDT certification panel action.”</i> AEI-QP-T-05 section 6.5 also addresses customer complaints and states: “6.5 Complaint Handling <i>All PCN-related complaints (e.g., candidate dissatisfaction, administrative errors) must be:</i> • <i>Logged in the Complaint Log (AEI-QP-T-05B)</i> • <i>Assessed to determine if corrective action is required</i> • <i>Investigated and resolved in accordance with this procedure</i> <i>AEI will cooperate fully with any BINDT investigation related to PCN complaints, as per PCN24-GEN Clause 5.2.9.</i> The customer complaint log form is AEI-QP-T-05B The AQB’s log listed 3 complaints all related to TCS students. All had been closed at the time of this assessment

4.2.5 QMS – Corrective Action

4.2.5.1	The AQB shall have a procedure/process for corrective action. The corrective action process may be applied to resolve audit findings/observations, complaints received and any other issue that the AQB deems the process to be appropriate.	Annex B of the Quality Manual lists the requirement of this clause as the responsibility of the PCN Coordinator Corrective actions through internal audits is addressed in AEA-QP-T-03 AEI-QP-T-04 also addresses corrective action through non-conforming product AEI-QP-T-05 is the dedicated procedure for Corrective action
4.2.5.2	All instances where the corrective action process is implemented shall be documented and shall be available for review during BINDT audit(s).	Section 6 addresses the procedure from initiating to closure of same Section 7 addresses records and retention. List of corrective actions for internal audit all remain open

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

4.2.6 QMS – Measurement, Analysis, and Improvement

4.2.6.1	In addition to the requirements of ISO 9001, AQB management shall: - Evaluate processes associated with the administering of examinations, ensuring that they are delivered in an effective manner which meets the customer's requirements. - Monitor and measure customer and/or candidate satisfaction. - Collect and analyse any relevant data related to determining the overall quality of the training process	AEI-QP-T-07 section 9 addresses this and states: "Measurement, Analysis and Improvement <i>AEI monitors, evaluates, and improves the effectiveness of its examination-related processes in accordance with PCN24-CP09 Clause 4.2.6 and ISO 9001:2015 Clauses 9.1 and 10.3.</i> <i>Data relating to examination delivery, candidate satisfaction, audit findings, complaints, corrective actions, and examination outcomes is collected and analysed by the PCN Coordinator and Quality Manager to identify trends, weaknesses, and opportunities for improvement. Evaluation includes process performance metrics, candidate feedback summaries, and statistical review of examination pass/fail rates.</i> <i>Resulting improvement actions are reviewed in management review meetings and documented in accordance with AEI-QP-T-05 and AEI-QP-T-06.</i> The organisation does a thorough job of collecting, analysing and identifying areas for improvement. This is evident in the management review process. See cell below
---------	---	--

Status of 2024/25 Management Review Actions

No.	Target Description	Target Date	Status
1	Target revenue of SGD 300K & MYR 1.5 Mil	Dec 2025	Singapore – SGD 222k MYR – RM 760k
2	Add new method: Eddy Current and WI	Dec 2025	Not Achieved – No trainers could be found.
3	Two sets of Film viewers and Densitometers required in training	Dec 2025	Not purchased – Demands are low
4	Two sets of UT equipment required in training	Dec 2025	Not purchased – Demands are low
5	2 new tutors will be added	Dec 2025	Jilani has attended the training in UT, PAUT and TOFD. He will deliver the training in the near future. Faizul has attended MT L2 but he has resigned.
6	1 new invigilators will be added.	Dec 2025	Faizul was added as invigilator for MT, PT, UT, PAUT and RI.
7	2 new examiners will be added, and they are in preparation of becoming one.	Dec 2025	Not achieved. Ganesh is still in the process of preparing for examiner application.

Internal/External Audit Results 2025/2026

AUDITS	DATE	AUDITOR	AUDIT AREA	RESULTS	FINDINGS CLOSURE
Internal (2026)	22 May 2026	Amir Hamzah	AQB	4 NCs & 3 OBS	In progress – due date of corrective action is on 20 th August 2026
	21 May 2026		AEC	0	
	20 May 2026		ATO	2 NCs & 1 OBS	
External (2026)	April 2026	Ramadhan	ISO 9001 (Singapore)	0	-
	5 th Feb 2026	Firdaus	ISO 9001 (Malaysia)	4 NCs	Yes
External (2025)	19 th May 2025	Jason	BINDT – AQB	1 NC & 3 OBS	Yes
	16 th May 2025	Jason	BINDT – AEC	1 OBS	Yes
	15 th May 2025	Jason & Ravi	BINDT – ATO	2 NCs & 6 OBS	Yes

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

Noncompliance / Observations & Corrective Actions (AQB)

NO.	FINDING	NC/ OBS	TARGET CLOSURE
1.	Audit plan is missing for year 2025 and year 2026	OBS	22/08/2026
2.	There is no documented process for scanning exam records for remote examination centres and the process of shredding exam records.	NC	22/08/2026
3.	The requirement for theory paper review has changed to only need to be done during 10 usages which makes 12-month review no longer needed. AEI internal procedure AEI-QP-T-07 is not updated as per latest issue of PCN24-CP09.	NC	22/08/2026
4.	PCN24/CP09 states: "The moderation process shall only apply to the following examination elements: • Practical examinations, • Written instructions (Level 2) • Written Procedures (Level 3) The rationale is that these are the examination elements that require an examiner to exercise discretion and competence in the awarding or deduction of marks. This same rationale does not apply to multiple-choice theory examination elements where a fixed marking arrangement applies." This new requirement is not reflected in AEI internal procedure.	OBS	22/08/2026
5.	The difference value for significant change in marking as change to 8% as per issue 2 of PCN24/CP09. However, AEI still have not reflected this change in the internal procedure.	OBS	22/08/2026
6.	Result notices are released more than 28 days after examination days.	NC	22/08/2026
7.	Result Notice OIOI289 references PCN/AQB/REQ/UT at an unspecified issue, with specimen allocation for PAUT (Weld) Level 2 reflecting three weld plates as per the superseded requirement. BINDT reference document in result notice is not being specified its issue.	NC	22/08/2026

Noncompliance / Observations & Corrective Actions (ATO)

NO.	FINDING	NC/ OBS	TARGET CLOSURE
1.	Suffian name is not being requested to be removed in the ATO schedule 0430 despite him already left the company.	NC	Closed
2.	TTT certificate for the chief trainer, Mr. Siraj has expired and requires him to undergoes an external training of the course	NC	20/08/2026
3.	PSL57B is no longer valid. However, it is still mentioned in ATO procedure.	NC	20/08/2026

Overall Training and Exam Statistics

Key points:

JUNE 2025 – JUNE 2026	No. of Exams	% Theory Failed	% Practical Failed	% Fail Both	% Pass Rate
UT	92	10%	2%	6%	80%
TOFD	12	16%	8%	-	75%
PA	30	20%	3%	6%	70%
MT	52	27%	2%	4%	65%
PT	20	-	-	-	100%
RI	22	-	4%	9%	86%

- Theory still proves to be challenging across all method especially MT with 27% of the candidates fails on the theory element.
- There has been a batch of student who previously did initial MT at Ruanne Tatti in 2025 and failed, They did their retest on the theory here at Altair in 2026 and still fails.
- We had information that these students received sponsorship from the Terengganu states to sit for the MT course. Sponsorship course may be one of the factor they did not study properly compared to the self-sponsored students especially for initial examination.
- Apart from that majority of the failed student are the ones taking at KPG.
- English literacy are still a factor for the high failure rate in theory paper.

Overall Training and Exam Statistics

Recommendation:

- Since TCS has closed and most of the asset has been transferred to QMTS which is now an AEC to Altair, all student report template and most of the master reports of the specimen has been converted to Altair template to increase the consistency of the examination.
- Altair currently in the middle of transporting a newly made UTT specimen and MT/PT specimen (from Flawtech) to ensure the specimens will no longer be a major factor in the low pass rate of examination held in QMTS.
- As for the problem with the below average English literacy among Malaysia candidate, it has been mentioned in the previous management review that a bilingual instructor is recommended to be hired, and this remains the strongest option to counter the issue.


PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

2025/26 PCN Exams Overview

- A total of 228 (compared to 297 last year) examinations were conducted, including initial and recertification exams across all methods.
- The majority were recertification exams


Performance Summary:

- Average pass rate: 60% (compared to 80% in the previous year). The decline is largely due to theory exam failures, particularly in General and Specific papers.
- Specimens of failed candidates were reviewed, and corrective action has been initiated.



2025/26 Customer Satisfaction Index on Altair - Exam

- The average customer satisfaction index on the organization is 95.6%



2025/26 Customer Satisfaction Index - Training

- The average customer satisfaction index on the tutor is 94.7%

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

2025/2026 Target

No.	Target Description	Target Date	Owner
1	SG revenue of 2024: SGD 300K MY revenue of 2024: MYR 1.5M	Dec 2026	Siraj & Amir
2	Addition of 1 theory tutor	Dec 2026	Siraj & Amir
3	Addition of 2 Malaysia Invigilator	Dec 2026	Siraj & Amir
4	Addition of 1 examiner	Dec 2026	Siraj & Amir
5	Train quality coordinator on the technical part of the NDT: MT, PT, UT, PAUT, TOFD RI	Dec 2026	Siraj
6	Average customer satisfactory index $\geq 95\%$	Dec 2026	Siraj & Amir


4.2.6.2	The above activities will provide data which shall be collated and analysed in order to identify trends and/or improvements to management systems and processes	All of the above data was fed into the management review in order for decisions to be made
4.2.6.3	AQB management shall implement and monitor improvements, reporting the status of improvement strategies at Management Review	

4.2.7 QMS – Resource Management

4.2.7.1	AQB management shall: - Ensure that there is adequate staff provision available in all areas of the Examination process. - Determine the necessary competence for personnel performing work affecting the quality of NDT Examinations. - Ensure the adequacy of equipment and facilities needed by the business to administer NDT Examinations in the inspection methods for which it is approved or seeking approval. - Ensure that the working and Examination environment meets Statutory, Regulatory, BINDT and Customer requirements. - Take all adequate safety precautions to protect staff and candidates. If in the opinion of the appointed lead assessor the organisation has failed to take adequate precautions, BINDT reserves the right to withhold or suspend AQB status until it is satisfied that the unsafe situation has been redressed.	AEI-QM-T-01 section 7.1.5.1 refers to AEI-QP-T-07 for resource management AEI-QP-T-07 section 5.1 (General) states: <i>“AEI provides BINDT with controlled access to its QMS documentation in electronic format, including the Quality Manual (AEI-QM-T-01), quality procedures, and supporting documents. These demonstrate conformity with the approval criteria and cover:</i> • <i>AEI organisational chart and terms of reference for key staff (AEI-QM-T-01 Annex A–B)</i> • <i>PCN Coordinator responsibilities</i> • <i>Chief Examiner, Examiner, and Invigilator duties</i> • <i>Staff training, qualification, and competence records (AEI-QP-T-09)</i> • <i>Examination facilities, premises, specimens (AEI-WI-T-04), and equipment (AEI-WI-T-05)</i> • <i>Examination procedures and control processes (this document, AEI-QP-T-07)</i> • <i>Grading of examinations and use of BINDT-approved marking forms (ref: PCN24 CP22)</i> • <i>Maintenance and protection of examination records (AEI-QP-T-02)</i> • <i>Consistency monitoring of examinations (see AEI-WI-T-06)</i> • <i>Security of exam materials, results, and specimen integrity</i> • <i>Provision of office and site access for BINDT auditors or representatives</i> <i>The QMS is maintained under document control (AEI-QP-T-01), subject to internal audits (AEI-QP-T-03), and reviewed at planned intervals via Management Review (AEI-QM-T-01, Clause 9.3). Records are retained for a minimum of 11 years (AEI-QP-T-02).</i> Section 11 specifically addresses Resource Management: 11.1 General 11.2 Management 11.3 Examination Personnel 11.4 Examiner and Invigilator Requirements Section 12 addresses the exam facilities and control – with reference to AEI-WI-T-01 for the guidelines on facility requirements.
---------	---	---

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
		Section 13 addresses examination question – with reference to AEI-WI-T-02 for development, formatting and approval. Reference is also made to AEI-WI-T-03 for analysis of candidates answers. Section 14 addresses Examination Specimens – with reference to AEI-WI-T-04 and 15. Master reports are covered in AEI-WI-T-04 Section 15 addresses Test Equipment with reference to AEI-WI-T-05 for maintenance of equipment and AEI-QP-T-02 for maintaining records Section 16 addresses consumables including reference to AEI-WI-T-19 which covers local environment and safety regulations in relation to disposal of chemicals Section 17 addresses security and confidentiality The organisation has suitably addressed this requirement in the QMS and job descriptions
4.2.8 QMS – Service Realisation		
4.2.8.1	AQB management shall plan service realisation from the point where the customer applies for examination through to the issue of examination results notices Management shall identify key processes and how these processes interact with one another.	The AQB is no longer an ATO. Their sister company however, in Malaysia is an ATO. The AQB may take bookings directly for exam only (especially recerts) but in most cases of initial exams, the training and exams are conducted at the Malaysia facility with the exams being controlled by the AQB. The Malaysia facility is also an AEC which has dedicated procedures on they interact with the AQB. AEA-WI-T-07 is the student induction procedure AEA-WI-T-01 section 1 states: <i>“This Work Instruction describes the measures implemented by Altair Engineering Inspections Pte Ltd (AEI) to ensure compliance with PCN examination requirements at Authorised Qualifying Bodies (AQB’s), Authorised Examination Centres (AEC’s) and Remote Examination Centres (REC’s) as defined in PCN24-CP09 and PCN24-GEN.”</i> The AQB and ATO/AEC in Malaysia have suitable systems in place to meet the requirements of this clause. The AQB has suitable procedures and process in place to manage the remote exams being conducted at QMTS in Perth, Australia

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------



4.2.9 QMS – Control of Records

4.2.9.1	The AQB shall maintain for at least 11 years comprehensive records as evidence of compliance with these requirements. Such records shall include, but not be limited to, results of: • Continuous monitoring and internal audit. • Staff re-appraisal. • Equipment maintenance reviews and recalibration.	AEI-QP-T-02 is the dedicated procedure for the control of records A table in section 7 states:
---------	--	--

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence												
	Periodic reviews of marking schemes, procedures and documentation.	Record Retention <table> <tr> <th>Record Type</th><th>Retention Period</th><th>Notes</th></tr> <tr> <td>All PCN Exam Records</td><td rowspan="4">11 Years</td><td>As per PCN24-Gen Clause 18.2 & PCN24-CP09 Clause 6.5.1</td></tr> <tr> <td>Examiner/Invigilator Records</td><td>Including assignment and approval records</td></tr> <tr> <td>Audit Reports & Corrective Actions</td><td>Internal and External QMS audits</td></tr> <tr> <td>Internal Forms & Reports</td><td>E.g., QMS records</td></tr> </table> Section 8 states: "Disposal of Records - Records are not to be disposed of without written authorisation from the PCN Coordinator. PCN examination records may only be disposed of with prior written agreement from BINDT. - Physical records are shredded; electronic files are deleted using secure methods." Records of Internal audits / staff appraisals / equipment are all on file. The new PCN24/CP09 requirement mandates the use of BINDT produced marking schemes	Record Type	Retention Period	Notes	All PCN Exam Records	11 Years	As per PCN24-Gen Clause 18.2 & PCN24-CP09 Clause 6.5.1	Examiner/Invigilator Records	Including assignment and approval records	Audit Reports & Corrective Actions	Internal and External QMS audits	Internal Forms & Reports	E.g., QMS records
Record Type	Retention Period	Notes												
All PCN Exam Records	11 Years	As per PCN24-Gen Clause 18.2 & PCN24-CP09 Clause 6.5.1												
Examiner/Invigilator Records		Including assignment and approval records												
Audit Reports & Corrective Actions		Internal and External QMS audits												
Internal Forms & Reports		E.g., QMS records												
4.2.9.2	The AQB shall also maintain comprehensive examination records (including precise details of which questions each candidate was set for each initial examination and re-examination) in secure lockable storage. Examination records shall normally be retained for a period of 11 years but, in any case, shall not be disposed of without prior consultation with BINDT.	AEI-QP-T-10 Table A (see cell below this clause) for how the records are maintained												

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

Table A: Altair Engineering Inspection (AQB) - Singapore

#	Items	Location	Access	Format	Control
1	Exam Papers	Secured Storage Drive	Examiners, QC & Deputy QC	Digital	Chief Examiner
2	Exam Answers	Secured Storage Drive	All Examiners	Digital	Chief Examiner
3	Specimen Reports	Secured Cabinet under PCN Coordinator Control	All Examiners, QC & Deputy QC	Hardcopy	Examiner/Chief Examiner
4	Specimens	Secured Storage Room	Examiner & Invigilator	-	Chief Examiner
5	Data Files	Secured Storage Drive	Examiner & Invigilator	Digital	Examiner/Chief Examiner
6	Radiographs For RI Exam	Secured Storage Room	Examiner & Invigilator	Films	Examiner/Chief Examiner
7	Exam Records	Secured Storage Room	Examiner, Invigilator, QC & Deputy QC	Hardcopy	Examiner/Chief Examiner
Back Up System					
1	Exam Papers	Secured Storage Drive	PCN Coordinator/Chief Examiner, QC & Deputy QC	Digital	PCN Coordinator/Chief Examiner
2	Answers	Secured Storage Drive	PCN Coordinator/Chief Examiner	Digital	PCN Coordinator/Chief Examiner
3	Exam Files	Secured Storage Room	PCN Coordinator/Chief Examiner, QC & Deputy QC	Digital	PCN Coordinator/Chief Examiner
4	Data Files	Secured Storage Drive/Room	PCN Coordinator/Chief Examiner	Digital	PCN Coordinator/Chief Examiner

Table B: QMTS (AEC) – Perth, Australia

#	Items	Location	Access	Format	Control
1	Exam Papers	Secured Storage Drive	Altair will provide the access to Admin Coordinator & an Invigilator (Adam S) to print the Exam papers and the access will be removed once the printing is completed	Digital	Chief Examiner

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

	2	Specimens	Secured Storage Room	Invigilators	-	Chief Examiner
	3	Data Files	Secured Storage Drive	Invigilators	Digital	Examiner/Chief Examiner
	4	Radiographs For RI Exam	Secured Storage Room	Invigilators	Films	Examiner/Chief Examiner
	5	Exam Records	Secured Storage Room	Admin Coordinator & Invigilators	Hardcopy	Examiner/Chief Examiner
	Back Up System – Altair Singapore					
	1	Exam Papers	Secured Storage Drive	PCN Coordinator/Chief Examiner, QA & Deputy QA	Digital	PCN Coordinator/Chief Examiner
	2	Exam Files	Secured Storage Room	PCN Coordinator/Chief Examiner, QA & Deputy QA	Digital	PCN Coordinator/Chief Examiner
	3	Data Files	Secured Storage Drive/Room	PCN Coordinator/Chief Examiner	Digital	PCN Coordinator/Chief Examiner
	4	Exam Records	Secured Storage Drive	Examiner & Admin Coordinator	Digital	PCN Coordinator/Chief Examiner
	Note: 1. PCN Coordinator and deputy (Mr Khaja and Mr Siraj) and/or appointed Auditors (by PCN Coordinator) can access any part of the facility for surveillance/audit purpose. 2. Items mentioned in the above table shall not be moved from the designated/storage area without permission of Chief Examiner. 3. Specimens stored in the secured area shall only be used for examinations and shall not be moved for any other reasons unless a written confirmation is received from the Chief Examiner/PCN Coordinator. 4. In absence of the Chief Examiner and PCN Coordinator, the responsibilities of the Exam Documents, Specimens and Records shall be designated to a senior examination staff in writing by the Chief Examiner.					

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

	Table A:					
	#	Items	Location	Access	Format	Control
	1	Exam Papers	Secured Storage Drive	Examiners, QA & Deputy QA	Digital	Chief Examiner
	2	Exam Answers	Secured Storage Drive	All Examiners	Digital	Chief Examiner
	3	Specimen Reports	Secured Cabinet under PCN Coordinator Control	All Examiners, QA & Deputy QA	Hardcopy	Examiner/Chief Examiner
	4	Specimens	Secured Storage Room	Examiner & Invigilator	-	Chief Examiner
	5	Data Files	Secured Storage Drive	Examiner & Invigilator	Digital	Examiner/Chief Examiner
	6	Radiographs For RI Exam	Secured Storage Room	Examiner & Invigilator	Films	Examiner/Chief Examiner
	7	Exam Records	Secured Storage Room	Examiner, Invigilator, QA & Deputy QA	Hardcopy	Examiner/Chief Examiner
	Back Up System					
	1	Exam Papers	Secured Storage Drive	PCN Coordinator/Chief Examiner, QA & Deputy QA	Digital	PCN Coordinator/Chief Examiner
	2	Answers	Secured Storage Drive	PCN Coordinator/Chief Examiner	Digital	PCN Coordinator/Chief Examiner
	3	Exam Files	Secured Storage Room	PCN Coordinator/Chief Examiner, QA & Deputy QA	Digital	PCN Coordinator/Chief Examiner
	4	Data Files	Secured Storage Drive/Room	PCN Coordinator/Chief Examiner	Digital	PCN Coordinator/Chief Examiner
	Note:					
	1. PCN Coordinator and deputy (Mr Khaja and Mr Siraj) and/or appointed Auditors (by PCN Coordinator) can access any part of the facility for surveillance/audit purpose.					
	2. Items mentioned in the above table shall not be moved from the designated/storage area without permission of Chief Examiner.					
	3. Specimens stored in the secured area shall only be used for examinations and shall not be moved for any other reasons unless a written confirmation is received from the Chief Examiner/PCN Coordinator.					
	4. For Grading of PCN Exams refer AEI-QP-T-08 (6.8.8).					
	5. In absence of the Chief Examiner and PCN Coordinator, the responsibilities of the Exam Documents, Specimens and Records shall be designated to a senior examination staff in writing by the Chief Examiner.					
4.2.9.3	All records shall be available for scrutiny by authorised BINDT representatives		All examination records are available at the AQB and were made available to the auditor			

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
4.2.9.4	In the event that an AQB ceases trading, or where authority to conduct PCN examinations is relinquished or withdrawn, all PCN examination records shall become the property of BINDT and shall be conveyed promptly and securely to a location specified by BINDT at the expense of the AQB concerned.	AEI-QP-T-07 section 10 – Control of records addresses this and states: “Control of Records <i>AEI complies with PCN24-CP09 Clause 4.2.9 and ISO 9001:2015 Clause 7.5 in the control and retention of records related to PCN examination services. The following requirements apply:</i> <i>Records shall include, but are not limited to:</i> • Results of continuous monitoring and internal audits • Staff re-appraisal and qualification reviews • Equipment maintenance, service, and calibration logs • Periodic reviews of marking schemes, procedures, and documentation • Examination records including candidate-specific questions and re-examination history
4.2.9.5	Records may be in the form of any type of media, such as hard copy or electronic media. Where the AQB implements a process of retaining scanned examination records, there shall be a process for ensuring that the scanning process is conducted in a controlled and systematic manner in order to provide a consistency within the examination records. This is deemed to be key in ensuring traceability and in facilitating the conduct of BINDT assessments at the AQB.	- All records shall be retained for a minimum of 11 years and shall not be disposed of without prior written consent from BINDT. - Records shall be made available for scrutiny by authorised BINDT representatives upon request. - All examination records are stored securely using AEI's controlled SharePoint system, with access limited to authorised personnel only. - If AEI ceases trading, or where authorisation to conduct PCN examinations is withdrawn or relinquished, all PCN examination records shall become the property of BINDT and shall be transferred to a location designated by BINDT at AEI's expense. - Records may be maintained in hard copy or electronic formats, and digital records are controlled under AEI-QP-T-01 and AEI-QP-T-02 to ensure integrity, traceability, and security. The QMS states the 11-year retention requirement in several parts of the suite of QMS documents.
4.2.9.6	The AQB shall have a documented process for the disposal and/or shredding of hard copy examination records. The process must ensure that the security and confidentiality of examination materials is not compromised. This applies to approved disposal of records after 11 years (4.2.9.2) or the disposal of hard copy records following their scanning to become electronic data	AEI-WI-T-01 for the AEC operations, section A8 states: “A8.4 To ensure the security and confidentiality of method stated in A8.3 is not compromised, the following steps are required to be followed: a) <i>The personnel sharing the exam records shall only be the quality representative from the AEC appointed by AQB.</i> b) <i>The folder for AEC to share the exam records shall be created and controlled by the AQB.</i> c) <i>Once the exam record has been shared. AQB shall signed off the transmittal document AEI-FORM-03A and notify the AEC.</i> d) <i>The AEC shall destroy (shred) the physical exam record no later than 90 days after the result notice has been sent to BINDT. The AQB will provide the list of exam packs to be shredded to the AEC.</i> The above is for the AEC operation for Perth, Australia. For the AEC in Malaysia, the exam packs are physically transferred back to the AQB and not stored locally at the AEC. The most recent transmittal of exams from the AEC in Malaysia to Singapore was presented 1. 04th June 206 – Carried by Siraj on 04th June 2026 and received in Singapore on the same day at the AQB- Recorded form AEI-Form -03A. Candidates name: Nasrul Haq – Method: UT level 2 retest 2. 26th May 2026 – Carried by Amir on 26th May 2026 and received in Singapore on the same day. Candidates name: David UTPA & UT recert

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

5. Resource Management

5.1.1 AQB Staff - General

5.1.1.1	The AQB shall ensure adequate resource provision to ensure that the examination process can be effectively and consistently administered at all times. The PCN Coordinator shall inform BINDT of any change in infrastructure, human or other resource that may affect the ability of the AQB to comply with the requirements of this specification or that may have an effect on its ability to operate in accordance with its scope of approval.	AEI-QM-T-01 section 7.1.5.1 refers to AEI-QP-T-07 for resource management AEI-QP-T-07 section 5.1 (General) states: <i>"AEI provides BINDT with controlled access to its QMS documentation in electronic format, including the Quality Manual (AEI-QM-T-01), quality procedures, and supporting documents. These demonstrate conformity with the approval criteria and cover:</i> • <i>AEI organisational chart and terms of reference for key staff (AEI-QM-T-01 Annex A–B)</i> • <i>PCN Coordinator responsibilities</i> • <i>Chief Examiner, Examiner, and Invigilator duties</i> • <i>Staff training, qualification, and competence records (AEI-QP-T-09)</i> • <i>Examination facilities, premises, specimens (AEI-WI-T-04), and equipment (AEI-WI-T-05)</i> • <i>Examination procedures and control processes (this document, AEI-QP-T-07)</i> • <i>Grading of examinations and use of BINDT-approved marking forms (ref: PCN24 CP22)</i> • <i>Maintenance and protection of examination records (AEI-QP-T-02)</i> • <i>Consistency monitoring of examinations (see AEI-WI-T-06)</i> • <i>Security of exam materials, results, and specimen integrity</i> • <i>Provision of office and site access for BINDT auditors or representatives</i> <i>The QMS is maintained under document control (AEI-QP-T-01), subject to internal audits (AEI-QP-T-03), and reviewed at planned intervals via Management Review (AEI-QM-T-01, Clause 9.3). Records are retained for a minimum of 11 years (AEI-QP-T-02).</i> Section 11 specifically addresses Resource Management: 11.1 General 11.2 Management 11.3 Examination Personnel 11.4 Examiner and Invigilator Requirements Section 12 addresses the exam facilities and control – with reference to AEI-WI-T-01 for the guidelines on facility requirements. Section 13 addresses examination question – with reference to AEI-WI-T-02 for development, formatting and approval. Reference is also made to AEI-WI-T-03 for analysis of candidates answers. Section 14 addresses Examination Specimens – with reference to AEI-WI-T-04 and 15. Master reports are covered in AEI-WI-T-04 Section 15 addresses Test Equipment with reference to AEI-WI-T-05 for maintenance of equipment and AEI-QP-T-02 for maintaining records Section 16 addresses consumables including reference to AEI-WI-T-19 which covers local environment and safety regulations in relation to disposal of chemicals Section 17 addresses security and confidentiality The organisation has suitably addressed this requirement in the QMS and job descriptions
---------	---	---

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
5.1.1.2	The AQB shall appoint a PCN Coordinator who shall be responsible for the overall management of the Examination operations. The primary function of the PCN Coordinator is to ensure that the AQB at all times complies with the requirements of BINDT and that the AQB evolves and implements appropriate systems and procedures so as to ensure the consistency of PCN examination standards. The PCN Coordinator shall be the primary contact between the AQB and PCN. Being the PCN Coordinator does not preclude the individual from holding another appointment within the organisation.	AEI-QM-T-01 Annex B provides the specific terms of reference for staff. Section 3 provides the responsibilities of the PCN coordinator PCN COORDINATOR Person Appointed: Refer to personnel names in the AEI-QM-T-01D • The PCN Coordinator is appointed by AEI and authorised by BINDT to control and administer PCN examination(s) conducted under the auspices of the AEI. • A PCN Coordinator need not possess current valid certification but should have a level of knowledge or experience in non-destructive testing which is acceptable to BINDT. • The PCN Coordinator shall: - o ensure that AEI at all times complies with the requirements of BINDT, as detailed in PCN document CP9 and that AEI evolves and implements appropriate systems and procedures so as to ensure the consistency of PCN examination standards; - o authorise all AEI staff for their role and responsibilities as defined in terms of reference which the PCN Coordinator shall approve; - o be responsible for the control and administration of AEI quality management system and is the primary contact between AEI and PCN Certification Services; - o inform BINDT of any abuse of the PCN Scheme of which he may become aware, as well as AEI non-compliance and corrective action; - o record all instances of non-compliance with requirements, identify the root cause of the non-compliance, agree corrective action(s) and bring them to the attention of BINDT or its appointed assessor; - o inform BINDT of any change in infrastructure, human or other resource that may affect the ability of AEI to comply with the BINDT requirements for AQB (Authorised Qualifying Body) - o ensure that all necessary technical and procedural data is available to enable staff to comply with requirements; - o advise BINDT of any apparent error or discrepancy in PCN documentation; - o ensure the correct use of the PCN logo and the certification body accreditation mark, as detailed in PCN document PSL/31, on any internal documents or other devices originated within the organisation; - o advise BINDT in writing of the interruption or curtailment of a PCN examination; - o In the event that AEI discovers the potential for non-conformity, advise BINDT and propose appropriate preventive action. - o To liaise with chief examiner and ensure that all exam papers are graded. - o Is responsible for the release of result notice and certificates. - o Ensure that all enquires related to examination is properly answered and further follow up preparations are made.
5.1.1.3	The PCN Coordinator shall inform BINDT of any abuse of the PCN Scheme of which he may become aware, as well as AQB non-compliance and corrective action, and any change in infrastructure, human or other resource that may affect the ability of the AQB to comply with the requirements of this specification. All instances of non-compliance with requirements shall be recorded and brought to the attention of BINDT or its appointed assessors.	The nominated officials stated on BINDT/PCN Exam schedule document 1069 dated 21st May 2026 states PCN Co-ordinator: Mr. Sirajul Hameed Masroor. Deputy Chief Examiner: Shaik Khaja Mohiddin Chief Examiner: Mr. Sirajul Hameed Masroor.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
5.1.1.4	The AQB shall appoint a Level 3 certificated and technically competent individual as Chief Examiner. The appointee shall be acceptable to BINDT. The Chief Examiner who shall be responsible for the provision of all resources for examination, and for the preparation, conduct and standards of examination. Once approved by BINDT, he post-holder shall be designated Chief Examiner on the AQB's certificate of authorisation.	AEI-QM-T-01 Annex B provides the terms of reference for the Chief Examiner and Deputy CE 5.0 CHIEF EXAMINER Person Appointed: Refer to personnel names in the AEI-QM-T-01D <i>AEI shall appoint a Level 3 certificated and technically competent individual acceptable to BINDT who shall be responsible for the provision of all facilities for examination, and for the preparation, conduct and standards of examination and who shall be designated Chief Examiner on AEI certificate of authorisation.</i> <i>The Chief Examiner is also an Examiner, and shall follow the terms of reference of an Examiner, but shall, in addition:</i>
5.1.1.5	The AQB may also appoint a Deputy Chief Examiner" who shall also be a Level 3 certificated and technically competent individual acceptable to BINDT. The Deputy Chief Examiner may act on behalf of the Chief Examiner <u>during times of absence or unavailability</u> . The Chief Examiner shall make the appointment in writing detailing the areas where formal authorisation is given. BINDT shall be notified in advance of any Deputy Chief Examiner appointment which must be agreed and ratified by BINDT. The Deputy Chief Examiners name is to be detailed on the BINDT AQB Scope of Approval.	• <i>authorise all examination specimen master reports by signature, and be responsible for the content and review of such master reports</i> • <i>prepare and authorise by signature the marking schedules for all narrative answer questions, ensuring that they include key points and marks for answers</i> • <i>prepare and authorise by signature the marking schedules for all practical examinations, ensuring that grading of practical examinations is in accordance with PCN document CP22</i> • <i>Be responsible for ensuring that invigilators have received appropriate training in the points to be observed and recorded during practical examinations</i> • <i>Chief Examiner can delegate his responsibilities to deputy chief examiner.</i> 6.0 DEPUTY CHIEF EXAMINER Person Appointed: Refer to personnel names in the AEI-QM-T-01D <i>AEI shall appoint a Level 3 certificated and technically competent individual acceptable to BINDT & AEI who shall be responsible for the provision of all facilities for examination, and for the preparation, conduct and standards of examination in the absence of Chief Examiner.</i> <i>The Deputy Chief Examiner shall also be an Examiner, and shall follow the terms of reference of an Examiner, but shall, in addition:</i> • <i>In the absence of Chief Examiner authorise all examination specimen master reports by signature and be responsible for the content and review of such master reports.</i> • <i>prepare the marking schedules for all narrative answer questions, ensuring that they include key points and marks for answers and get the authorisation from Chief Examiner</i> • <i>prepare the marking schedules for all practical examinations, ensuring that grading of practical examinations is in accordance with PCN document CP22 and get the authorisation from Chief Examiner</i> • <i>ensure that all examination marking is carried out using red ink;</i> • <i>Be responsible for ensuring that invigilators have received appropriate training in the points to be observed and recorded during practical examinations.</i> The nominated officials stated on BINDT/PCN Exam schedule document 977 dated 12th Jan 2024 states PCN Co-ordinator: Mr. Sirajul Hameed Masroor. Deputy Chief Examiner: Shaik Khaja Mohiddin Chief Examiner: Mr. Sirajul Hameed Masroor. Job descriptions are in place for both of the above who are also both suitably experience and certified for those roles

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

5.1.1.6	The AQB shall also designate responsible persons (however named) for the setting up and maintaining a Documented Quality Management System satisfying the criteria contained within ISO 9001 and this document.	AEI-QM-T-01 Annex B provides the terms of reference: 11.0 QUALITY MANAGER <i>Person Appointed: Refer to personnel names in the AEI-QM-T-01D</i> <i>Quality manager appointed by COO shall be responsible for the complete quality aspects of the training organisation. He shall liaise with the PCN Coordinator and Instruct Quality coordinator that whenever a change in the BINDT system has been updated in QMS. He shall plan and arrange to carry out periodic audit of all documents are confirming to the system.</i> 12.0 QUALITY COORDINATOR <i>Person Appointed: Refer to personnel names in the AEI-QM-T-01D</i> <i>Appointed or nominated by COO, the quality coordinator shall get instructions from quality manager or PCN coordinator. The quality coordinator is responsible that all PCN and QMS documents are kept updated in accordance with BINDT requirements and ISO 9001:2015 and the respective staff are informed about the updates.</i> Mr Muhammad Amir is the Quality Coordinator –refer to clause 4.2.1.5 for details
5.1.1.7	All staff within the AQB shall be made aware of their specific responsibilities and method of working, which shall be defined by a documented job description for each position within the organisation. Job Descriptions shall also determine the competence requirements for the appointment. Staff shall be allocated job titles in their terms of reference or letters of appointment, which in turn refer them to the Quality Manual and Job Descriptions. The Organisation shall retain documented evidence of personnel acceptance of assigned roles and responsibilities.	AEI-QM-T-01 Annex B provides the terms of reference for staff. In addition, there is a organisation chart that defines the reporting lines. AEI-QM-T-01 Annex C provides a list of staff names / positions. See below cell There have been changes in the staff list since the previous audit. Based on the review of the current staff listing (document AA-QM-T-01D dated 16-Apr-2025) Changes in staff role/addition: Amir Hamzah – Added as Quality Coordinator and Internal Auditor Kanageswari Sakthivel – Admin Coordinator Sirajul Hameed Masroor – Although still listed, his designations have been updated; roles consolidated under COO and Training Coordinator. The auditor reviewed job descriptions, appointment letters, and AA-QP-T-10A induction records for both existing and newly appointed staff. Staff acknowledged their responsibilities and confidentiality through signed PSL 56 forms. The roles listed on the organizational chart align with training and quality responsibilities defined in the QMS.

SI. No.	POSITION	NAME (Local-/Invigilators/Examiners)	NON-LOCAL (Invigilators/Examiners)
1	PCN Co-Ordinator	Sirajul Hameed Masroor	-
2	Deputy PCN Co-Ordinator	Shaik Khaja M	-
3	Chief Examiner	Sirajul Hameed Masroor	-
4	Deputy Chief Examiner	Shaik Khaja M	-
5	Examiner	Siraj HM, Shaik Khaja	Jiyavudeen M
6	Invigilator	Ganesh M, Siraj HM, Shaik Khaja, Martin Nexo.	Teerapong. S, Wan Ahmad Kamil, Rebecca Wright, Adam Schoderboeck, Christopher Doherty, Dean Mallaburn
7	Quality Coordinator	-	Amir Hamzah
8	Deputy Quality Coordinator	-	-
9	Admin Coordinator	Kanageswari Sakthivel	-
10	Deputy Admin Coordinator	Akhila Shaheen	-
11	Admin Manager	Akhila Shaheen	-
12	Internal Auditor	-	Amir Hamzah

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence																											
5.1.1.8	The quality manual shall include an organisational chart detailing the structure of roles within the Organisation. There shall also be a system to identify current incumbents of each role within the organisational chart.	AEI-QM-T-01 Annex A – Organisation Chart Annex B – Terms of reference Annex C Staff list / positions																											
5.1.1.9	The AQB shall have a documented process whereby all staff sign acknowledge to confirm that they have read, understood and are conversant with the Quality Manual and applicable quality documents (however defined). This shall apply to existing, newly drafted or revised quality documents relevant to their position within the organisation. Records of staff acknowledgement shall be retained for audit purposes.	The quality manual clause 7.2 states: “7.2 Competence, training and awareness AEI ensures that personnel performing tasks affecting examination quality and impartiality are competent based on education, training, qualification, and experience. • Staff are recruited as per job descriptions which define qualification and experience requirements. • A Minimum Competency Matrix (AEI-QP-T-09E) defines the baseline criteria for appointment. • All new staff undergo documented induction training (AEI-QP-T-09A), covering: o Quality Management System awareness o Examination procedures o AEI-BINDT responsibilities																											
5.1.1.10	The AQB shall give commitment to the examination process or take other actions to satisfy the competence needs of its staff	Clause 7.3 of the quality manual addresses awareness and states: 7.3 Awareness AEI ensures that all personnel involved in examination activities are aware of: • The Quality Policy, relevant quality objectives, and their role in maintaining QMS effectiveness • The BINDT PCN requirements, including any changes to: o Examination procedures o Grading or moderation rules o Forms, marking schemes, and documentation • Reporting of non-compliance with QMS and BINDT requirements. • Industry updates, new technologies, and changes in international standards relevant to their role. Awareness is maintained through the following mechanisms: <table><tr><th>Method</th><th>Frequency</th><th>Responsibility</th></tr><tr><td>Induction and refresher sessions</td><td>On appointment</td><td>PCN Coordinator/Training Manager</td></tr><tr><td>Distribution of updates (PCN/ISO)</td><td>As and when released</td><td>Quality Coordinator</td></tr><tr><td>Staff briefings & memos</td><td>Quarterly or as needed</td><td>Training Manager</td></tr><tr><td>Management Review dissemination</td><td>Following MRM meetings</td><td>Training Manager</td></tr></table> Records of induction (e.g., AEI-QP-T-09A) are maintained and reviewed during internal audits to ensure effectiveness. Refer to clause 4.2.1.5 for new staff hired since the last audit. Section 7.4 states: “7.4 Communication AEI has established processes to ensure timely, controlled, and effective communication of information relevant to the QMS, PCN examination services, and regulatory requirements. AEI determines and controls: <table><tr><th>Aspect</th><th>Details</th></tr><tr><td>What</td><td>Quality policy and objectives, PCN/BINDT updates, examination requirements, audit results, QMS changes, safety notices, candidate instructions</td></tr><tr><td>When</td><td>On recruitment, revision of documents, before exams, during audits, quarterly reviews, or when urgent changes occur</td></tr><tr><td>With Whom</td><td>AEI staff, examiners, AECs/RECs, candidates, BINDT</td></tr><tr><td>How</td><td>Email, briefings, internal meetings, AEI-controlled documents</td></tr><tr><td>By Whom</td><td>PCN Coordinator, Quality Coordinator</td></tr></table>	Method	Frequency	Responsibility	Induction and refresher sessions	On appointment	PCN Coordinator/Training Manager	Distribution of updates (PCN/ISO)	As and when released	Quality Coordinator	Staff briefings & memos	Quarterly or as needed	Training Manager	Management Review dissemination	Following MRM meetings	Training Manager	Aspect	Details	What	Quality policy and objectives, PCN/BINDT updates, examination requirements, audit results, QMS changes, safety notices, candidate instructions	When	On recruitment, revision of documents, before exams, during audits, quarterly reviews, or when urgent changes occur	With Whom	AEI staff, examiners, AECs/RECs, candidates, BINDT	How	Email, briefings, internal meetings, AEI-controlled documents	By Whom	PCN Coordinator, Quality Coordinator
Method	Frequency	Responsibility																											
Induction and refresher sessions	On appointment	PCN Coordinator/Training Manager																											
Distribution of updates (PCN/ISO)	As and when released	Quality Coordinator																											
Staff briefings & memos	Quarterly or as needed	Training Manager																											
Management Review dissemination	Following MRM meetings	Training Manager																											
Aspect	Details																												
What	Quality policy and objectives, PCN/BINDT updates, examination requirements, audit results, QMS changes, safety notices, candidate instructions																												
When	On recruitment, revision of documents, before exams, during audits, quarterly reviews, or when urgent changes occur																												
With Whom	AEI staff, examiners, AECs/RECs, candidates, BINDT																												
How	Email, briefings, internal meetings, AEI-controlled documents																												
By Whom	PCN Coordinator, Quality Coordinator																												

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
		Internal Communication • Communication ensures all AEI personnel are informed of: - o QMS requirements, changes, and performance - o Examination processes and responsibilities - o PCN/BINDT updates or bulletins • Management Review Meetings (MRM) serve as a formal platform for strategic and quality-related communications. • Records of communication are maintained through briefing notes, meeting minutes, AEI-FORM-10, and distribution logs A review of AEI-QP-T-1A named document control listed 9 staff members which had received the circulation of the updated QMS with a list of changes that had been made including PCN24 documents. This was recorded on 21st July 2025 No signature was required but also no acknowledgment email return? This was discussed and the AQB stated the reason no acknowledgment was requested was due to Altair having a plan to arrange face to face meeting with Malaysia staff joining by Zoom. This awareness session will update staff on the new PCN24 scheme requirements and how this has affected the QMS. There have not been any formal awareness sessions since July 2025 despite there being several changes to the PCN24 scheme documents and advisories DR# 01 Same as 4.2.1.6
5.1.1.11	The AQB quality management system shall detail the measures, such as delegation of responsibilities for management and administration, or refraining from conducting PCN examinations in the absence of key staff	The Chief Examiner has nominated a Deputy Chief Examiner to ensure this
5.1.2 AQB Staff - Staff Competence & Training		
5.1.2.1	All AQB staff shall be appropriately trained and qualified for their roles and functions within the organisation.	AEI-QP-T-09E is the dedicated procedure for addressing Staff competency & Training. See the below matrix taken from Annex D of the procedure AEI-QP-T-09E is actually a matrix of staff skills and certification, the minimum staff competency is AEI-QP-T-09 Annex A Annex E also has not been updated to include examination staff at QMTS, Perth. DR# 02 (Obs)
5.1.2.2	All examiners shall be certified to level 3 PCN (or other recognised certification) and having proved practical competence at level 2 in the method and sector for which he or she is to conduct, supervise and grade PCN examinations. In addition, the AQB shall ensure that all examiners are trained with regard to BINDT requirements for examiners and in the content and implementation of the AQB examination procedures and processes, including the use of the AQB marking schemes and the grading of examinations.	The AQB has 3 examiners on the scope of approval. Mr Khaja – FTE of Altair Eg Mr Siraj – FTE of Altair Eng Mr. Jiyavudeen – who owns 2 AQB's in India – TIW and A-Star. All 3 examiners are mature examiners who have been approved for many years. Mr Jiyavudeen is only utilised for RI exams as Altair currently only has one Level 3 examiner for this method.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence																																																								
	<i>Note: Level 3 certifications acceptable to BINDT are ISO9712, EN4179 and ASNT. EN4179 is the only acceptable scheme for PCN/AERO examiners. All three need to be accompanied by proven practical experience in the method and sector at level 2 or equivalent. Proven practical experience may include appropriate current or prior level 2 certification or a documented competency assessment in the required methods & sectors conducted at a BINDT ATO independent of the Level 3s employer</i>	At the QMTS facility in Perth, Australia, the AQB can offer a different scope to what they can offer in Malaysia & Singapore. At the QMTS facility, they have the resources to offer the following which differs from their main AQB scope 1. RI Light metals – Jiyavudeen holds Light metal and Siraj will soon take light metal RI – Specimens available in Perth, Australia 2. UT Thickness limited certification – Specimens available in Perth 3. MT Multi Sector – Specimens in Perth, Examiners hold Multi 4. PT Multi Sector – Specimens in Perth, Examiners hold Multi An application for extension to scope for the above has been submitted on 20th April 2026. However, at the time of this assessment, the master reports for new UT Thickness and RI light metal specimens are not in place DR# 03																																																								
PCN Test Centre Authorisation No. 1069 dated 21st May 2026 <u>WELDS</u> Ultrasonic Testing of Fusion Welded Ferritic Steels in accordance with PCN/GEN Appendix C1 for categories 3.1 (butt welds in plate), 3.2 (butt welds in pipe), 3.8 (nozzles and variable configuration welds) and 3.9 (nodes) for levels 1, 2 and 3. <table><tr><th colspan="2">Authorised Examiners:</th><th colspan="2">Authorised Invigilators for practical</th></tr><tr><td>302758</td><td>Siraj Hameed Masroor</td><td>Siraj Hameed Masroor</td><td></td></tr><tr><td>308257</td><td>Shaik Khaja Mohiuddin</td><td>Shaik Khaja Mohiuddin</td><td>Ganesh Moorthy</td></tr><tr><td></td><td></td><td>Martin Anthony Nexo</td><td>Teerapong Sriburin</td></tr><tr><td></td><td></td><td>Wan Ahmad Kamil</td><td></td></tr></table> Radiographic Interpretation of Dense Metal Welds, in accordance with PCN/GEN Appendix C2 2.4 & 3.4.1 for level 1 and 2. <table><tr><th colspan="2">Authorised Examiners:</th><th colspan="2">Authorised Invigilators for practical</th></tr><tr><td>302758</td><td>Sirajul Hameed Masroor</td><td>Siraj Hameed Masroor</td><td>Teerapong Sriburin</td></tr><tr><td>328305</td><td>Jiyavudeen Musthafa</td><td>Shaik Khaja Mohiuddin</td><td>Ganesh Moorthy</td></tr><tr><td></td><td></td><td></td><td></td></tr></table> Ultrasonic Time of Flight Diffraction Testing of Welds, in accordance with PCN/GEN Appendix C4 for levels 1, 2 and 3. <table><tr><th colspan="2">Authorised Examiners:</th><th colspan="2">Authorised Invigilators for practical</th></tr><tr><td>302758</td><td>Siraj Hameed Masroor</td><td>Siraj Hameed Masroor</td><td>Ganesh Moorthy</td></tr><tr><td>308257</td><td>Shaik Khaja Mohiuddin</td><td>Shaik Khaja Mohiuddin</td><td>Wan Ahmad Kamil</td></tr><tr><td></td><td></td><td>Martin Anthony Nexo</td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table>			Authorised Examiners:		Authorised Invigilators for practical		302758	Siraj Hameed Masroor	Siraj Hameed Masroor		308257	Shaik Khaja Mohiuddin	Shaik Khaja Mohiuddin	Ganesh Moorthy			Martin Anthony Nexo	Teerapong Sriburin			Wan Ahmad Kamil		Authorised Examiners:		Authorised Invigilators for practical		302758	Sirajul Hameed Masroor	Siraj Hameed Masroor	Teerapong Sriburin	328305	Jiyavudeen Musthafa	Shaik Khaja Mohiuddin	Ganesh Moorthy					Authorised Examiners:		Authorised Invigilators for practical		302758	Siraj Hameed Masroor	Siraj Hameed Masroor	Ganesh Moorthy	308257	Shaik Khaja Mohiuddin	Shaik Khaja Mohiuddin	Wan Ahmad Kamil			Martin Anthony Nexo					
Authorised Examiners:		Authorised Invigilators for practical																																																								
302758	Siraj Hameed Masroor	Siraj Hameed Masroor																																																								
308257	Shaik Khaja Mohiuddin	Shaik Khaja Mohiuddin	Ganesh Moorthy																																																							
		Martin Anthony Nexo	Teerapong Sriburin																																																							
		Wan Ahmad Kamil																																																								
Authorised Examiners:		Authorised Invigilators for practical																																																								
302758	Sirajul Hameed Masroor	Siraj Hameed Masroor	Teerapong Sriburin																																																							
328305	Jiyavudeen Musthafa	Shaik Khaja Mohiuddin	Ganesh Moorthy																																																							
Authorised Examiners:		Authorised Invigilators for practical																																																								
302758	Siraj Hameed Masroor	Siraj Hameed Masroor	Ganesh Moorthy																																																							
308257	Shaik Khaja Mohiuddin	Shaik Khaja Mohiuddin	Wan Ahmad Kamil																																																							
		Martin Anthony Nexo																																																								

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

MULTI-SECTOR

Magnetic Particle Testing of Welds only in accordance with PCN/GEN Appendix E1 3.2.2 for levels 1 and 2.

Authorised Examiners:		Authorised Invigilators for practical	
302758	Siraj Hameed Masroor	Siraj Hameed Masroor	Ganesh Moorthy
308257	Shaik Khaja Mohiuddin	Shaik Khaja Mohiuddin	Martin Anthony Nexo
		Teerapong Sriburin	

Liquid Penetrant Testing of Welds only in accordance with PCN/GEN Appendix E2 3.2.2 for levels 1 and 2.

Authorised Examiners:		Authorised Invigilators for practical	
302758	Siraj Hameed Masroor	Siraj Hameed Masroor	Ganesh Moorthy
308257	Shaik Khaja Mohiuddin	Shaik Khaja Mohiuddin	Teerapong Sriburin
		Wan Ahmad Kamil	Martin Anthony Nexo

Ultrasonic Testing using Phased Array Transducers in accordance with PCN/GEN Appendix E9 for levels 2 and 3.

Authorised Examiners:		Authorised Invigilators for practical	
302758	Siraj Hameed Masroor	Siraj Hameed Masroor	Ganesh Moorthy
308257	Shaik Khaja Mohiuddin	Shaik Khaja Mohiuddin	Teerapong Sriburin
		Martin Anthony Nexo	Wan Ahmad Kamil

5.1.2.3	All examiners must be approved by BINDT and appear on the AQB scope of approval in the methods, sectors and categories for which they are to act as an examiner. Applications for new examiners shall be made to BINDT accompanied by the required supporting documentation which shall include the following as a minimum: • Letter or email requesting approval and giving summary details. • Proof of experience (current CV) • Copies of relevant certification • Copy of signed PCN24/PSL56 • A minimum of two completed examination marking packs marked by the applicant examiner and checked by the double-marking moderation process by an approved examiner in the same method and sector. The approved examiners marks and name must appear on any resultant results notice. • Evidence of examiner training in accordance with the AQB's own QMS and PCN24/CP09 Note to BINDT Auditors: The auditor should be checking candidate examination records for compliance regarding authorised examiners	All approved examiners appear on the internal and external list of examiners.
---------	--	---


PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
5.1.2.4	The AQB shall ensure that all exam invigilators are trained with regard to BINDT requirements for invigilation and the content and implementation of the relevant AQB examination procedures and processes, including the delivery of pre-examination instructions to candidates and the process of overseeing examinations.	The following staff had signed to indicate that they had received training in the following documents. • AEI-QP-T-08 • AEI-QP-T-10 (Staff Training) including Annex A checklist • AEI-WI-T-14 (Exam invigilation) • AEI-FORM-14 (Invigilators Checklist) • AEI-FORM-41 (Invigilation Training Record)
5.1.2.5	In addition, Invigilators of practical examinations shall hold relevant PCN certification (or certification recognised by BINDT), otherwise, the AQB shall demonstrate to the satisfaction of BINDT that the invigilator has received appropriate training in the points to be observed and recorded during practical examinations.	Staff had signed the above documents Below are the 6 invigilators on the AQB scope of approval 1. Sirajul Hameed Masroor – UT, MT, PT PAUT, TOFD, RI (Theory & Practical for all methods) 2. Shaik Khaja Mohiuddin – UT, MT, PT PAUT, TOFD, RI (Theory & Practical for all methods)
5.1.2.6	All invigilators must be approved by BINDT and appear on the AQB scope of approval in the methods, sectors and categories for which they are to act as an invigilator. Applications for new invigilators shall be made to BINDT accompanied by the required supporting documentation which shall include the following as a minimum: • Letter or email requesting approval and giving summary details. • Proof of experience (current CV) • Copies of relevant practical certification (Level 2 or above) OR evidence of training in the practical aspects related to the method and techniques relevant to the approval sought. • Copy of signed PCN24/PSL56 • Evidence of invigilator training in accordance with the AQB's own QMS and PCN24/CP09 <i>Note: Personnel approved as examiners are automatically approved as invigilators in the methods, sectors and categories for which they are an examiner. They need not appear on the AQB scope as an invigilator. The appearance as an examiner on the AQB scope of approval is sufficient in isolation.</i> <i>Note to BINDT Auditors: The auditor should be checking candidate examination records for compliance regarding authorised invigilators</i>	3. Ganesh Moorthy – UT, MT, PT PAUT, TOFD, RI (Theory & Practical for all methods) Received specific training MT / PT & RI 4. Martin Anthony Nexo – UT, PAUT, TOFD (Theory & Practical for methods stated) 5. Teerapong Sriburin – UT, MT, PT, PAUT, RI (Theory & Practical for methods stated) Based in Thailand and received specific training 5. Wan Ahmad Kamil – TOFD/UT/PAUT (Received specific training for TOFD) Based in Malaysia AEC and approved internally only for practical In addition, there are four tutors listed on the last page of approval for the remote exam operation at QMTS in Perth, Australia. All of the se have been approved by BINDT
5.1.2.7	Invigilators, who shall be named as such within the AQB quality documentation and on the AQB approval certificate, are authorised by the AQB's PCN Coordinator and supervised by an examiner. The term supervised, in this context, means that invigilation is effectively controlled by an authorised examiner who is available and contactable by the appointed invigilator at all times when PCN examinations are being conducted.	AEI-QP-T-07 states: <i>"Invigilator: An individual trained by the AQB in the process of examination invigilation to BINDT requirements, particularly with respect to the points to be observed during a practical examination. Invigilators, who shall be named as such within the AQB quality documentation and on the AQB approval certificate, are authorised by the AQB Coordinator and supervised by an examiner. The term supervised, in this context, means that invigilation is effectively controlled by an authorised examiner who is available and contactable by the appointed invigilator at all times when PCN examinations are being conducted."</i>

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
	<u>PCN/AERO variance:</u> For PCN/AERO practical examinations the administration/invigilation SHALL be performed by an authorised examiner	
5.1.2.8	The AQB shall retain detailed records of examiner and invigilator training. The records of training and qualifications shall be made available to BINDT or their appointed assessors upon demand	Records of training were made available on request during the audit.
5.1.3 AQB Staff - Impartiality & Confidentiality		
5.1.3.1	All AQB staff involved in any aspect of the administration or conduct of PCN examinations shall be impartial with respect to candidates and their employers.	Terms of reference in AEI-QM-T-01 Annex B for both examiner and invigilator address this and state: <i>"An Examiner shall:</i> <i>• be impartial towards candidates that they are assigned to examination, declaring any interest that they may have towards a candidate or group of candidates, refraining from conducting examinations where their impartiality is in doubt or threatened;"</i>
5.1.3.2	All directly employed and contracted persons shall sign a commitment to confidentiality and impartiality in regard of the PCN examination process. Form PCN24/PSL56 shall be used for this purpose. By signing PCN24/PSL56 AQB staff give an undertaking comply with the rules defined in the specific PCN document that applies to their particular role(s) within the PCN Scheme, including those relating to confidentiality and those relating to independence from commercial and other interests, and from any prior and/or present link with the persons to be examined or organisations assessed that would compromise impartiality. The information on this record shall be used as input to identify threats to impartiality. The AQB shall retain the signed forms as staff records. <i>Note: Organisations should monitor updates of PCN24/PSL forms and endeavour to ensure they maintain signed copies of the relevant current versions. This is fundamental to ensure any important changes to PCN24/PSL forms are acknowledged by AQB staff.</i>	<i>An invigilator shall:</i> <i>• follow AEI procedure for examination invigilation;</i> <i>• be impartial towards candidates whose examinations they are assigned to invigilate, declaring to the responsible examiner or PCN Coordinator any interest that they may have towards a particular candidate or group of candidates, refraining from invigilating examinations where their impartiality is in doubt or threatened;</i> All staff had signed the current version of PCN24/PSL 56 and is recorded elsewhere in this checklist 1. Amir Hamzah – Quality Coordinator / Internal Auditor – Joined 07th April 2025 – Signed job description All examiners and invigilators also sign additional impartiality and confidentiality documents during the invigilation and graded of each exam.
5.1.3.3	All individuals involved in certification matters are required to respect the confidentiality of information to which they are privy by virtue of their position or appointment. Such confidentiality must be respected even in the event that an individual should cease to be so involved.	
5.1.3.4	AQBs shall not directly involve, in PCN examinations, sub-contract examiners or invigilators, or any other sub-contract personnel, where such personnel have access to examination material if their other employment is such as to threaten the impartiality of the examination process or to significantly threaten the security of PCN Scheme examination material.	The only examiner on the scope of approval who is not a FTE of Altair is Jiyavudeen of TIW and Astar in Chennai.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
5.1.3.5	AQB shall not conduct examinations for candidates employed by the same organisation that owns the AQB, or who are employed by an organisation having a commercial interest in the AQB including but not limited to the remote examination locations (AECs) managed by the AQB unless measures acceptable to BINDT are in place to ensure impartiality.	The AQB confirmed that all examination staff (except for Jiyavudeen of TIW India for RI Examiner) are all full-time employees of Altair Engineering Inspections in either the Singapore AQB or the Malaysia AEC
5.1.3.6	Examination staff are required to declare any interest in any candidate in whose examination they are involved in any capacity. An examiner or invigilator is prohibited from direct involvement in any examination of a candidate in whom they may have an interest by virtue of having a common employer, having provided training to that candidate in the preceding 2 years for the examination concerned, or any reason that may actually or potentially threaten impartiality.	Terms of reference in AEI-QM-T-01 Annex B for both examiner and invigilator address this and state: <i>"An Examiner shall:</i> <i>• be impartial towards candidates that they are assigned to examination, declaring any interest that they may have towards a candidate or group of candidates, refraining from conducting examinations where their impartiality is in doubt or threatened;"</i> <i>An invigilator shall:</i> <i>• follow AEI procedure for examination invigilation;</i>
5.1.3.7	Examiners and invigilators are required to sign a PCN24/PSL56A form for each examination in which they have an active role. By signing the PCN24/PSL56A Invigilators and Examiners are confirming compliance with the Impartiality and confidentiality requirements laid down in this section of PCN24/CP09 especially confirming that no conflict of interest exists between themselves and the candidate and that they have not actively participated in training of the candidate within the preceding 2 years in respect of the examination attempted. AQB Organisations should retain a copy of the PCN24/PSL56A form within the applicable exam records and they should be made available during BINDT assessments.	<i>• be impartial towards candidates whose examinations they are assigned to invigilate, declaring to the responsible examiner or PCN Coordinator any interest that they may have towards a particular candidate or group of candidates, refraining from invigilating examinations where their impartiality is in doubt or threatened;</i> In addition, all examination staff have signed PSL 56 issue 4. The PCN24/PSL56 is unavailable at the time of this audit. All staff had signed the current version of PCN24/PSL 56 and is recorded elsewhere in this checklist Amir Hamzah – Quality Coordinator / Internal Auditor – Joined 07th April 2025 – Signed job description All examiners and invigilators also sign additional impartiality and confidentiality documents during the invigilation and graded of each exam.
5.2 Facilities		
5.2.1	AQB represents the image and reputation of BINDT. Consequently, AQB premises and facilities are expected to present a professional image at all times. Housekeeping and presentation shall remain at the highest level. BINDT retains the right to remove approvals if in the opinion of its agents the premises/facilities reflect badly on the professional image and reputation of BINDT.	See below floor plan taken from Annex C of AEI-QM-T-01

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

FLOOR PLAN #05-109



Training Room 01 -ATO currently using this room for MT& PT practical examination since both methods withdrew from its scope of approval.

Training/Exam Room 02 is a classroom that used for all methods for theory and for UT/TOFD and UTPA practical. This can accommodate up to 10 students

Training/Exam Room 03 is another classroom that is also used for all methods for theory and for UT/TOFD and UTPA practical. This can accommodate up to 08 students

Inspection Room is used to store specimens for the service company and is not related to the training activities. At the back of this room is the equipment store where TOFD and UTPA equipment is located

Staff Room 02 is the organisations room for Administration and Quality coordinators and where the hard copy of QMS documents / records

Store Room is used to store cleaning materials and is also the access via a spiral staircase to the upper floor

Records Room is used to store the records of training & examinations

The lighting / ventilation / noise level appeared to be satisfactory in all the facility. Both classrooms had sufficient teaching aids such as Projectors & white boards. These rooms were generally acceptable, and the suitability and housekeeping considered satisfactory.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
5.2.2	The premises used for examinations shall comply with the latest issue of all relevant national statutory legislation, e.g. in the UK the Health and Safety at Work Act, COSHH Regulations and where applicable, Ionising Radiation Regulations. Where local regulations are non-existent or lax BINDT still expects AQB's to maintain a high ethos and culture in respect of Health and Safety.	AS-QP-T-08 is the dedicated procedure addressing "Health & Safety in the Workplace" AS-QP-T-08 section 5 addresses Responsibilities AS-QP-T-08 section 6 addresses Risk assessment AS-QP-T-08 section 7 addresses safety controls AS-QP-T-08 section 8 addresses safety induction and Emergency protocols AS-QP-T-08 section 9 addresses Emergency response & incident handling The facility meets the local and BINDT requirements
5.2.3	With regard to Radiographic facilities, and irrespective of local legislation, the AQB shall ensure the following safety requirements exist. • Sufficient Radiation warning signage and lights. • Exposure rooms capable of containing the level and type of radiation used. • A physical barrier at the entry to exposure rooms when radiation equipment is activated. • Calibrated Radiation monitoring equipment • TLD/Film badges or calibrated personnel radiation beepers for all students	Not applicable – RI only
5.2.4	Suitable safety notices shall be displayed in appropriate locations accessible to students. Relevant safety data sheets shall be on hand at the point of use of potentially hazardous equipment or processes.	During this assessment, it was observed that the general signage and safety notices were on display. • Exit signs pointing the escape route were noted • A First aid kit available at the entrance • A Muster point was designated as being outside the building on ground floor • Escape plans / routes were identified or on display • Fire sprinkler systems are fitted in the facility All the above remain same from last assessment.
5.2.5	The AQB must provide quiet examination rooms supplied with all necessary services (heat, power, lighting & separation of candidates etc.). There must be sufficient room to ensure a gap of not less than 1.5 metres between candidates, measured between adjacent shoulders during written examinations.	AEI-QP-T-07 section 12 addresses the facility requirements <i>"AEI shall provide quiet, enclosed examination rooms that are free from distractions and supplied with adequate lighting, ventilation, power, and heating, in accordance with PCN24-CP09 Clause 5.2.5. A minimum spacing of 1.5 metres between adjacent candidate shoulders shall be maintained during all written examinations."</i>
5.2.6	Examination invigilators must ascertain that the examination conditions are to the satisfaction of all candidates prior to the commencement of PCN examinations. This includes provisions for acceptable levels of comfort (lighting, temperature etc.). This may be achieved verbally or by the prominent positioning of a notice in the examination room which states that it is the candidate's responsibility to inform the examination invigilator if they feel that the prevailing conditions are such that they may adversely affect the examination result.	• <i>All examination facilities shall comply with local statutory requirements relating to health, safety, and welfare. Where local legislation is inadequate, AEI shall ensure standards equivalent to those expected under UK Health and Safety legislation are maintained.</i> • <i>Prior to the commencement of each examination session, the Invigilator shall confirm that examination room conditions are acceptable for all candidates. This includes verifying lighting, temperature, noise levels, and general candidate comfort. Candidates shall be informed, via verbal briefing and/or prominent notice, that it is their responsibility to notify the Invigilator if environmental conditions may affect their performance.</i> • <i>If examination conditions deteriorate after commencement of the session, the Invigilator shall suspend or terminate the session immediately. The session may resume only once conditions are restored to a level conducive to examination concentration and candidate welfare.</i>
5.2.7	In the event that, following commencement of an examination,	

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
	conditions deteriorate to a level below that required by BINDT, the examination must be terminated or suspended and not restarted until such time as the conditions are restored to a standard conducive to maintaining the candidate's comfort and concentration and to the conduct of PCN examination.	• <i>AEI shall ensure that PCN examinations are conducted in a facility that is not being used concurrently for training. Joint use of training and examination areas at the same time is not permitted under any circumstances.</i> • <i>AEI shall operate its AECs and RECs in accordance with AEI-WI-T-01. This work instruction defines the examination setup, conduct, records, and supervision requirements for authorised and remote examination centres.</i> • <i>BINDT approval shall be obtained for all AEC and REC locations before any examination is conducted. If six or more examination sessions are to be conducted at a location within a 12-month period, AEI shall submit a formal application for that location to be registered as an AEC using PCN24/CP09 Annex A.</i> • <i>AEI shall audit AECs annually and RECs prior to each examination event. Audit scope shall include facilities, personnel, health and safety, equipment, and examination security. Records of audits shall be retained and made available during BINDT assessments PCN24-CP09.</i> • <i>AEI may conduct remote audits of its AECs using video conferencing or electronic methods, provided one full on-site audit is conducted within the BINDT approval cycle. All remote audit records, including objective evidence, shall be retained and be traceable during BINDT review."</i> The facility is suitable to meet the requirements of this clause. The candidates also sign PCN admin documents prior to starting the exams to declare the environmental conditions.
5.2.8	Where premises are shared between training and examination, there shall be no joint usage of the facilities, i.e. examinations shall not take place whilst the facilities are being used for training or vice versa.	See above clause. This is addressed through the scheduling of training (very seldom conducted in Singapore) and examinations.
5.3 Examination Questions & Papers		
5.3.1	Where BINDT provides a central bank of validated multi-choice examination questions from which centrally issued examination papers are constructed. BINDT has a need to add to or refresh the question data base on a frequent basis especially with regard to emerging methods and technologies. As a consequence, BINDT relies upon the technical knowledge and professionalism of staff at the AQB's to assist in the provision of suitable questions or consideration. The BINDT will, periodically, issue formal requests to AQB's for the provision of new questions or examination papers. There is a mandatory requirement that AQB's respond to such formal requests within one month of receipt. Failure to do so may result in findings being raised during BINDT assessments or even affect the AQB approval status in severe or repeat instances. All questions provided shall subsequently be validated by BINDT and added to the central question bank.	The AQB currently intends to use only the PCN centrally issued papers. AEI-QP-T-07 clause 13 states: <i>"Where BINDT provides a centrally managed bank of validated multiple-choice questions, AEI shall support the maintenance of the question bank by submitting new questions when formally requested by BINDT. AEI shall respond to such requests within one month of notification, as required under PCN24-CP09 Clause 5.3.1. "</i> Evidence presented in contribution of UT, UTPA & TOFD level 3 questions submitted to BINDT on 5th July 2023 – No question paper submitted after this date.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
5.3.2	Where the central question bank does not provide validated questions of sufficient quantity or quality, the AQB is required to hold a minimum of twice the number of examination questions specified for any examination part which it is authorised to conduct, and to provide those questions to BINDT for validation and inclusion in the central bank of questions.	AEI-QP-T-07 clause 13 states: <i>"Where a central question bank does not contain a sufficient number or quality of validated questions for a specific examination part, AEI shall maintain a minimum of twice the number of required questions for each applicable part and submit these to BINDT for validation and inclusion in the central database."</i>
5.3.3	An AQB shall detail the means of procurement, production and maintenance of up-to-date examination questions for approval by BINDT, including marking schemes for questions and instructions, where the central provision does not presently cover a PCN examination for which the AQB seeks or holds authorisation. Where examination papers are constructed by the AQB, there shall be a documented procedure for ensuring that such examination papers adequately reflect the PCN published examination syllabus and are subject to periodic review and revalidation.	AEI-QP-T-07 clause 13 states: <i>"AEI shall maintain a documented process, as detailed in AEI-WI-T-02, for the development, formatting, and approval of examination papers, including associated marking schemes and candidate instructions. This process ensures the examination papers reflect the PCN syllabus and are subject to periodic review and revalidation."</i>
5.3.4	Once approved for PCN examinations, examination material shall be used for no purpose other than PCN examinations. No questions which have been used for training purposes during the preceding twelve months shall be utilised within PCN examinations. <i>PCN/AERO variance:</i> For PCN/AERO examinations questions used in EN4179 Aerospace Examinations may be used and vice-versa – providing a candidate for both PCN and EN4179 is not given any of the same questions on both papers	AEI-QP-T-07 clause 13 states: <i>"Once validated and approved for use in PCN examinations, examination papers shall be used solely for examination purposes. Questions that have been used for training within the previous twelve months shall not be reused for PCN examinations."</i>
5.3.5	There shall be a documented AQB procedure for a system by which candidates' replies to examination questions are reviewed in order to detect those questions that consistently elicit incorrect answers from candidates. This requirement shall apply to all new or up-issued examination papers issued by PCN. Each AQB shall conduct the process on the first 10 usages of the new or up-issued examination papers within the NDT methods contained within the AQB's scope of approval. The rationale for this amended requirement is that 10 usages at each applicable AQB is deemed sufficient to determine the effectiveness and suitability (or otherwise) of the exam paper and its content questions. This procedure shall require BINDT to be notified of any suspect or inappropriate examination questions. Each AQB shall maintain a documented record of such reviews and their outcome	AEI-QP-T-07 clause 13 states: <i>"AEI shall operate a documented procedure, AEI-WI-T-03, to periodically analyse candidate responses to examination questions. Questions that consistently produce incorrect responses shall be reviewed for clarity or validity, and BINDT shall be informed of any questions identified for potential removal or revision."</i> AEI-WI-T-03 clause 4 (responsibility) states: <i>4.1 BINDT Certification Services is responsible for the distribution of draft and formally issued PCN examination papers to AEI, and for collating any technical comments received from AEI.</i> <i>4.2 It is the responsibility of AEI to monitor the performance of centrally issued master examination papers, initially over a 60-day period, and to provide feedback information to PCN on the comment sheet provided (AEI-WI-T-03A to this procedure).</i> <i>4.3 The AEI Chief Examiner is responsible for the technical aspects of reviewing and reporting to BINDT those questions which consistently elicit incorrect answers from candidates, including the appointment of specific Examiners to undertake the review, offering written comments and suggestions for amendment of such questions where appropriate.</i>

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
		4.4 Specified Examiners, depending upon their certification and appointment, will be allocated responsibility by the Chief Examiner for question review and comment. 5 Instruction 5 .1 Review and technical comment on examination questions prior to or during use. 5.1.1 Draft examination papers distributed to AEI for technical comment prior to issue for use. Comments are recorded on the form at AEI-WI-T-03A (or as otherwise directed by BINDT). 5.1.2 Completed AEI-WI-T-03A comments shall be submitted by AEI to BINDT within 30 days of the issue date printed on the BINDT document transmittal slip. 5.2 Review and recording candidate's responses to examination questions. 5.2.1 Following the initial issue for use of a new PCN examination paper, candidate's responses to questions are recorded on the form at AEI-WI-T-03B. AEI review will cease after 8 (eight) candidates have answered the paper, or after 60 days, whichever is the sooner. Review records will be transmitted to BINDT, with a copy retained as AEI record. 5.2.2 Following the initial 60-day review period after issue for use, the continuing performance of PCN question papers shall be recorded using AEI-WI-T-03A/B during each period of 12 months. Any examination question that consistently elicits incorrect answer from candidates shall be reviewed for technical and grammatical correctness, as well as for clarity, and Examiner's or candidate's comments on specific questions shall be recorded on AEI-WI-T- 03A/B and transmitted to BINDT, with a copy retained as AEI record. 6 Records 6.1 Technical comments shall be recorded on AEI-WI-T-03A and candidate response reviews on shall be recorded on AEI-WI-T-03B. All shall be filed and retained for the life of the examination paper, plus five years. Since the previous audit, the AQB has made significant improvements to the review of incorrect answers in PCN examinations. Examples of AEI-WI-T-03A were presented. These included not only analysis for patterns but also documented investigations, conclusions and overall outcomes for next action required (if any) Examples reviewed: 1. MT - E-EBAS-No 4 – Issue 3 – signed 12th March 2025 2. MT - E-EBA2-NO 5 ISSUE 4 signed 12th March 2025 3. UTPA - E-CPA2-NO 6 ISSUE 5 The AQB has not amended their QMS to address the current requirement of only monitoring the exam questions for the first 10 usage. DR# 04 (Obs)
5.3.6	BINDT issues compiled examination question papers in the English language. Subject to satisfactory arrangements ensuring security, and grammatical and technical accuracy, PCN examination papers may be translated into other languages, but only with the specific consent and written authorisation in each case of BINDT. <u>Additional Requirements for PCN/AERO</u> 1) The PCN/Aerospace approved AQB shall prepare the specific examination papers. The specific examination questions shall be based upon the specifications listed	AEI-QP-T-07 clause 13 states: <i>"AEI shall use only BINDT-compiled examination papers in English. Translations into other languages shall only be conducted with BINDT's written approval, subject to documented security, grammatical accuracy, and technical validity, in accordance with CP26."</i> See the AEC audit report for Altair Malaysia regarding the potential opportunity to translate the exam papers into Bahasa

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
	<i>in Appendix 1 of PCN/AERO plus any other specifications/standards advised by the candidate's employer or Responsible Level 3. The AQB shall determine, in consultation with the candidate's employer, whether additional specifications are to be used prior to preparation of the specific examination paper. Where no other specifications/standards are advised the specifications listed in PCN/AERO Appendix 1 shall be used as the default option.</i> 2) <i>The PCN/AERO specific examination questions shall be appropriate to the NDT method and set at a level reflective of the level of certification sought.</i> 3) <i>Specific PCN/AERO questions shall require the candidate to demonstrate understanding of the reference material provided, rather than merely finding the location of the defect. Specific questions may be multi-choice or require narrative answers. Should narrative questions carry more than one mark then the AQB shall have appropriate marking guidance for these questions.</i>	
5.4 Examination Specimens		
5.4.1	The AQB quality management system shall document procedures for the control, procurement, production, maintenance, rotation, disposal and introduction of new examination specimens. BINDT may at any time require AQB's to remove from service a particular specimen, or to obtain or procure and introduce specimens with specific natural or artificial flaws.	AEI-QP-T-07 section 14 addresses examination specimens and states: <i>"AEI shall retain documented procedures for the procurement, production, maintenance, rotation, removal, and disposal of PCN examination specimens. These procedures are outlined in AEI-WI-T-04 and AEI-WI-T-15. BINDT may require the withdrawal or replacement of any specimen at any time."</i>
5.4.22	The minimum number of practical specimens to be available for each permanently established examination centre operated by an AQB that will enable the conduct of examinations for a stated maximum number of candidates at any examination sitting is specified in the relevant PCN Method Specific AQB Appendix Documents. Examination specimens shall meet the relevant specification (where one exists) before use in PCN examinations.	AEI-QP-T-07 section 14 addresses examination specimens and states: <i>"The minimum number of practical specimens to be held at each permanently established examination centre is defined in Annex B of PCN24-CP09 and relevant AQB-REQ documents. Specimens shall meet relevant specifications before being used in examinations."</i> Since the last assessment, the AQB has included additional examination specimens for MT & PT methods. These specimens have been added to the specimens at the AEC located in Johor Bahru, Malaysia. The AQB is currently in the process of adding additional RI light metal and UT Thickness exam specimens into their system.
5.4.3	Where a specification does not yet exist for a particular category of examination specimens, the AQB shall provide for BINDT approval a list of specimens proposed for use, including a description of each, and shall not conduct examinations in the category concerned until authorisation has been issued	AEI-QP-T-07 section 14 addresses examination specimens and states: <i>"Where a specification does not yet exist, AEI shall submit a proposed list of specimens to BINDT, including descriptions, and obtain formal approval prior to use."</i> They are only approved for methods where BINDT provide the specifications

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence																			
5.4.4	Once approved for PCN examinations, examination specimens shall be used for no purpose other than PCN examinations. No specimens which have been used for training purposes during the preceding twelve months shall be utilised within PCN examinations. The Organisation shall maintain record of specimens used in any given practical examination to ensure that the same specimens are not utilised for the same candidate in consecutive examinations. <u>PCN/AERO variance:</u> As approved by BINDT CMC and the UK NANDTB, PCN/AERO practical specimens may be used for EN4179 examinations conducted by a UK NANDTB/BINDT approved Outside Agency and vice-versa. Where candidates attempt both PCN and EN4179 examinations within a two-year period of each other, the Organisation shall maintain record of specimens used in any given practical examination to ensure that the same specimens are not utilised in both the PCN and EN4179 examinations.	AEI-QP-T-07 section 14 addresses examination specimens and states: “Once approved for PCN use, specimens shall not be used for any purpose other than PCN examinations. Specimens used in training during the preceding 12 months shall not be reused for PCN exams” The organisation maintains a spreadsheet that records specimen issuance records to ensure the to ensure that the same specimens are not utilised for the same candidate in consecutive examinations																			
5.4.5	A list of PCN examination specimens and their disposition shall be submitted to BINDT during initial authorisation. This list shall be maintained, updated and controlled by the AQB. During assessment and surveillance visits, BINDT assessors will select specimens at random and audit the specimen and associated master report for compliance within the relevant PCN Appendix documents.	AEI-QP-T-07 section 14 addresses examination specimens and states: “A list of all examination specimens and their disposition shall be submitted to BINDT during initial authorisation. AEI shall maintain this list and provide it for review during assessments. BINDT assessors may randomly select specimens and audit them against approved master flaw maps and Annex B criteria” The AQB lists per method the maximum number of exam candidates. Annex D: Maximum Number of Candidates for Examination per batch for Exam in AQB Singapore <table><tr><th>NDT Method</th><th>Number of Candidates per batch</th><th>Remarks</th></tr><tr><td>Phased Array Ultrasonic Testing (PAUT)</td><td>5</td><td rowspan="6"></td></tr><tr><td>Time of Flight Diffraction (ToFD)</td><td>5</td></tr><tr><td>Ultrasonic Testing (UT)</td><td>5</td></tr><tr><td>Radiographic Interpretation (RI)</td><td>5</td></tr><tr><td>Magnetic Particle Testing (MT)</td><td>2</td></tr><tr><td>Penetrant Testing (PT)</td><td>2</td></tr><tr><td colspan="3">Remarks: For examination, the specimen tags will be used.</td></tr></table> A list of examination specimens was presented on form AEI- Form-23 TOFD (as per CP9 appendix 18 clause 1)– The AQB uses standard UT plate specimens for TOFD data acquisition and supplies the candidate with pre-acquired data files for the data analysis part of the examination. For data files requirement is 2 sets of 5 scans (10 in total) - Actual: 34 off – Non-Parallel – 26 off Parallel – 8 of Non -Parallel contains bad data files - Requirement satisfied The AQB holds sufficient quantities of UT plate & pipes specimens that satisfies the CP9 requirements. However, a review against the PCN24/CP09 requirements has not been conducted. The UT requirements were not available at the time of this assessment. The auditor is of the opinion that the AQB with the specimens held at their AEC (1 hour away) have sufficient quantities of specimens?	NDT Method	Number of Candidates per batch	Remarks	Phased Array Ultrasonic Testing (PAUT)	5		Time of Flight Diffraction (ToFD)	5	Ultrasonic Testing (UT)	5	Radiographic Interpretation (RI)	5	Magnetic Particle Testing (MT)	2	Penetrant Testing (PT)	2	Remarks: For examination, the specimen tags will be used.		
NDT Method	Number of Candidates per batch	Remarks																			
Phased Array Ultrasonic Testing (PAUT)	5																				
Time of Flight Diffraction (ToFD)	5																				
Ultrasonic Testing (UT)	5																				
Radiographic Interpretation (RI)	5																				
Magnetic Particle Testing (MT)	2																				
Penetrant Testing (PT)	2																				
Remarks: For examination, the specimen tags will be used.																					

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

S. NO	METHOD	SAMPLE TYPE/GROUP	QUANTITY AT AQB (SINGAPORE)	QUANTITY AT AEC (MALAYSIA)	TOTAL EXAM SPECIMENS	REMARKS
1	MT	PLATE	3	13	16	
		T-JOINT	1	8	9	
		PIPE	2	8	10	
2	PT	PLATE	4	11	15	
		T-JOINT	1	8	9	
		PIPE	2	7	9	
3	UT - PLATE	3.1.2 - 13mm	3	7	10	
		3.1.4 - 20mm	5	9	14	
		3.1.3 - 25mm	4	6	10	
4	UT - PIPE	3.2.1 - 3"x11mm	3	8	11	
		3.2.5 - 6"x13mm	4	8	12	
		3.2.7 - 6"x18mm	2	8	10	
5	UT - NOZZLE	3.3.1	4	6	10	
		3.4.1	7	6	13	
6	UT - NODE	3.9	1	9	10	
7	PAUT	3.1.2 - 13mm	3	7	10	
		3.1.4 - 20mm	6	9	15	
		3.1.3 - 25mm	2	6	8	
8	TOFD	FLUSH GROUND PLATE	1	1	2	FOR SCANNING
		DATA FILES - NON PARALLEL	25		25	SHARED
		DATA FILES - PARALLEL	8		8	SHARED
9	RI	SETS	3	3	6	SHARED

5.4.6	Each practical specimen shall be uniquely identified by an appropriate permanent marking to ensure that it is completely traceable. Such marking shall not interfere with the practical testing or inspection of the specimen and shall, wherever practicable, be concealed from the candidate whilst the specimen is being used for examination	AEI-QP-T-07 section 14 addresses examination specimens and states: <i>"All specimens shall be permanently and uniquely marked in a way that does not interfere with practical testing or visibility during the examination. Where practical, such markings shall be concealed from candidates."</i> Yes – permanent hard stamp numbers AEAI-WI_T04 clause 5.2.2 states: <i>"The unique permanent identification will be concealed from the candidate and a temporary identification number will be allocated during the examination and noted in the register of specimens."</i> Each exam the specimens are given a temporary number and this is tracked to the original number on a spreadsheet. The AEI-Form-23 is the excel document used.
5.4.7	There shall be a documented procedure for the production of master reports of flaws in each specimen. The master report shall be based only on the inspection or test method and the particular technique to be applied to the specimen by examination candidates	AEI-QP-T-07 section 14 states: <i>"AEI shall produce master reports for all specimens using the defined inspection method and technique, as documented in AEI-WI-T-04. These shall contain flaw type, location, and characterisation."</i> AEA-WI-T-04 states at 5.3

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
5.4.8	All examination specimens, in order to gain BINDT approval, must be evaluated independently by two personnel holding a minimum of PCN Level 2 certification. Where there is significant disagreement between the two evaluations concerning defect content, location and/or characterisation, the exercise shall be repeated until there is agreement in the result. From these separate evaluations, a master report shall be generated and this shall be signed by the AQB Chief Examiner initially and at each periodic review. It is permitted for the Chief Examiner to approve one of the individual test reports as the "master" record providing it contains all the needed (relevant) information need of a master report and it is clearly designated as the "Master record" and is signed as approved by the Chief Examiner. Records of such evaluations shall be maintained for a minimum of ten years beyond the date when the specimen ceases to be used for PCN examinations	"5.3 Mastering of Specimens 5.3.1 For each specimen a master report of the defect content will be produced. Master reports for PCN examination specimens shall satisfy the requirements of CP09 Annex B (relevant Appendix) 5.3.2 The master report for examination specimens will be compiled by an Authorised Examiner based upon the results of two separate independent tests carried out by experienced NDT Level 2 personnel holding appropriate valid certification. If good agreement is evident between the two separate independent tests, the master report shall be compiled and authorised by the Chief Examiner. If there is a significant disparity between the results of the separate independent tests, a master report shall not be authorised. 5.3.3 Master reports shall state the technique and test sensitivity used to obtain the recorded results, the defect type (where known), the relevant dimensions of recorded defects, the location of all defects in relation to stated datum(s), and all mandatory to report defects shall be identified as such, together with a tolerance on accuracy of dimensional reporting commensurate with realistic margins for error inherent in the test method and technique.
5.4.9	The AQB shall have in place a procedure whereby examination specimen master reports are reviewed by an examiner, initially after between 5 and 10 usages, and thereafter periodically where instances of exam failure attributable to a given specimen raise concern. If more than 50% of candidates fail to correctly report and characterise all mandatory reportable defects in the specimen, it is to be re-evaluated for suitability as a PCN examination specimen.	AEI-WI-T04 section 5.3.4 states: "5.3.4 Specimen Performance Review Process Including Defect Characterization: <i>Comparison of Candidate Reports: The recorded results from candidate examinations will be compared to the master report for each specimen to verify accurate defect characterization.</i> <i>Evaluation of Defect Identification: If more than 50% of candidates fail to correctly identify and characterize mandatory reportable defects, the specimen will be flagged for re-evaluation.</i> <i>Re-Mastering as Required: If discrepancies are found in defect characterization, the specimen will undergo a new assessment and re-mastering by an authorised examiner.</i> The AQB has an excel spreadsheet that records each candidate's practical reporting of each specimen. The spreadsheet is detailed but at the time of this assessment, does not produce any reports. The spreadsheet relies on a manual review of each and every specimen to identify poor specimen performance. The AQB may wish to consider streamlining this process DR# 05 (Obs)
5.5 NDT Equipment		
5.5.1	The AQB shall hold sufficient relevant test and/or inspection equipment to enable the conduct of PCN examinations for a stated number of candidates at any one practical examination sitting. Minimum equipment holdings for AQB's are detailed in Appendix 2. Details/records of designated examination equipment shall be maintained by the AQB and made available to BINDT or its agents upon request. <i>Note: PCN24/CP08B checklist for NDT equipment is equally applicable to ATO and AQ assessments.</i>	The organisation also manages the Altair Academy ATO in Johor Bharu, Malaysia. This is approximately 1 hour drive away and most equipment can be shared between locations as and where required. See separate equipment list attached to the audit report The master list was submitted to the auditor in advance of this assessment and the auditor assumes this was also sent to BINDT See clause 5.5.3 of this checklist for equipment reviewed during the audit The organisation has suitable and sufficient equipment to conduct the examinations in the methods, sectors and techniques for which they have been approved for.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
5.5.2	The AQB shall immediately notify BINDT should a significant change in equipment resource occur that may have an effect on the AQB scope of approval.	It is listed in the job description of AEI-QM-T-01 Annex B of the PCN coordinator <i>“inform BINDT of any change in infrastructure, human or other resource that may affect the ability of AEI to comply with the BINDT requirements for AQB (Authorised Qualifying Body)”</i> AEI-WI-T-05 is the dedicated work instruction for the control of NDT equipment. WI-T-05A is the NDT Equipment check for in-house verification
5.5.3	The AQB shall, as far as practicable, maintain all such equipment in a serviceable condition and provide for its maintenance and overhaul as necessary. The AQB must be able to demonstrate all processes/techniques for any given NDT method within their AQB scope of approval.	AEI-QP-T-07 commits to this requirement 15 Test equipment • <i>AEI shall maintain sufficient test and inspection equipment to support the conduct of PCN examinations for the maximum number of candidates per examination session, in accordance with the applicable examination method and sector.</i> • <i>Minimum equipment holdings shall comply with Annex C of PCN24-CP09 for each method authorised. Equipment specifications and inventory shall be reviewed during initial BINDT approval and upon scope extension requests.</i> • <i>A list of designated examination equipment shall be submitted to BINDT at the time of application or upon request. Equipment holdings shall be updated and maintained by the PCN Coordinator.</i> • <i>AEI shall ensure that all test equipment is kept in a serviceable condition. Preventive maintenance, overhaul, and performance checks shall be carried out at defined intervals, as documented in AEI-WI-T-05.</i> • <i>Internal verification of equipment, process checks, and function checks shall be conducted at planned intervals. Where relevant, records of maintenance and verification shall be retained in accordance with AEI-QP-T-02.</i> • <i>AEI shall notify BINDT in advance of any planned reduction in the number or type of test equipment that may affect AEI's authorised examination scope. Any such changes may result in a revision of AEI's approved scope.</i>
5.5.4	The AQB shall maintain a fully documented system for the maintenance and calibration of NDT Equipment. Internal verification of equipment against reference standards, or internal process checking using documented procedures/work instructions, is acceptable in determining the performance and suitability of NDT equipment. Internal verifications and process checks shall be conducted at planned intervals by AQB staff. Internal verifications and process checks shall be recorded and the records retained for audit purposes.	AEAI-WI-T05 / 05A and 05B are all essential documents for the organisations calibration / verification procedure. A review of the AQB calibration schedule was made and reviewed also against the equipment calibration status The equipment in the below cell was reviewed for compliance with Calibration requirements. This is equipment is shared between the AQB in Singapore and AEC in Malaysia. DR# 06 See below

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

	<i>Note: With regard to equipment used for examination purposes, the AQB is expected to meet the requirements above. However, the calibrations conducted do not necessarily need to be traceable to National Standards except where personal safety is affected, i.e., in the case of equipment generating, emitting or monitoring ionizing radiations. Calibrations and/or verifications conducted as part of the examination process may be acceptable providing, they prove the reliability and suitability of the equipment in use and are recorded</i>	
--	--	--

	UT Set: Epoch650 Serial No: 231869011 Calibration Certificate No: 167-20251216-14134712 Calibration by: Evident (Olympus) Calibration Date: 2025/12/16 Next Due Date: 2026/12/16 – Verify as dates mismatch in footer and second page	
	UT Set: OMNI-M2-PA32128PR (PAUT) Serial No: QC-036717 Calibration Certificate No: 205-202603302 Calibration by: Evident Scientific – Singapore Calibration Date: 27th March 2026 Next Due Date: 27th March 2027	
	UT Set: OMNI-MX2 (Main Frame) Serial No: OMNI-105417 Calibration Certificate No: 204-20260326-16240427 Calibration by: Evident Scientific – Singapore Calibration Date: 27th March 2026 Next Due Date: 27th March 2027	
	Equipment: Radiometer / Photometer (XDS-1000 Sensor) Serial No: 1895207 / 1895210 Calibration Certificate No: 5523631030804173 Calibration by: Micro Precision Calibration Pte Ltd Calibration Date: 2025/05/19 Next Due Date: 2026/05/19 The radiometer / photometer is out of calibration, and the organisation does not have a replacement The certificate for the Epoch 650 has conflicting certificate numbers on the document. There is concerns raised on the authenticity of this certificate DR# 06	

5.6 Consumables

5.6.1	The AQB shall ensure an adequate supply of all consumable materials necessary for PCN examination requirements. A documented procedure is required to ensure that consumables are properly disposed of strictly in accordance with applicable regulations	AEI-QP-T-07 section 16 commits: • <i>AEI maintains an adequate and controlled supply of consumables necessary for PCN examinations. Consumables are selected, stored, and used in accordance with approved methods and process requirements.</i> • <i>Control, verification, and storage of consumables are governed by AEI-WI-T-06. Consumables are regularly inspected for expiry, contamination, and suitability prior to issue for examination use.</i> • <i>System process checks using consumables are performed using known reference standards at defined intervals, and results are recorded. Checks are conducted</i>
-------	--	--

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
		<i>monthly or before each examination session to ensure the integrity of the examination process.</i> • <i>Disposal of used, expired, or non-conforming consumables is carried out in accordance with AEI-WI-T-19 and applicable local environmental and safety regulations. All disposals are documented and traceable.</i>
5.6.2	Maintenance of capability for processes involving consumable materials shall be covered by a process control procedure. Processes involving consumables shall be checked using known reference or defective standards. The tests shall be conducted at appropriate intervals that ensure the combination of equipment and consumables are capable of detecting discontinuities associated with the examinations to be conducted. BINDT considers appropriate periods to be monthly or pre-examination, as a minimum. System process checks shall be conducted by AQB staff and shall be recorded	AEI-WI-T-06 is the dedicated procedure that address this requirement. It is supported also by the procedure AEI-QP-T-05&5B Clause 5.1 of AEI-WI-T-06 states: 5 Instruction and recording <i>5.1 Carry out and record the checks on consumables (liquid penetrants, magnetic particle inks, couplant etc.) listed in systems and control checklist.</i> <i>5.2 Record in the form AEI-WI-T-05A</i> The AQB presented process documents for the consumable materials which is recorded in the form AEI-WI-T – 05A
5.7 Security		
5.7.1	Examination materials, including questions and practical specimens, and information on candidates, require handling with a high degree of security, confidentiality, integrity and impartiality. If data at AQB's are computerised, a documented procedure shall cover, as a minimum, general security, authorisation for access, and measures to prevent loss of hard copy and/or computerised data	AEI-QP-T-0 section 7 states: 17 Security and Confidentiality • <i>Examination materials, including question papers, answer sheets, practical specimens, and candidate information, are handled with a high degree of security, confidentiality, integrity, and impartiality in accordance with AEI-QP-T-11 and PCN24-CP09 Clause 5.7.1.</i> • <i>Access to examination materials and records is restricted to authorised AEI personnel and BINDT representatives formally authorised in writing. Access rights are maintained in Table-A of AEI-QP-T-11.</i> • <i>All controlled materials are stored in secure, lockable cabinets or restricted-access digital directories. Examination rooms, record archives, and specimen storage areas are subject to digital locks, alarm systems, and 24/7 CCTV monitoring with a minimum five-day recording retention.</i> • <i>AEI stores backup copies of exam materials (scripts, specimen flaw reports, and grading documents) at designated secure locations. Storage of materials at AECs and RECs is controlled under AEI-WI-T-01. All such materials are kept under constant supervision of AQB-appointed staff.</i> • <i>When examination materials are temporarily stored off-site or at locations not under continuous AEI control, the PCN Coordinator ensures that BINDT Certification Services Division is formally notified. AEI retains audit records and photographic evidence of these locations, in compliance with CP09 Clause 5.7.4.</i> • <i>Remote storage facilities and digital transfer points (e.g., encrypted email for remote grading) are subject to internal audit review and spot checks. Transported materials are accompanied by traceable logs and secured from unauthorised access.</i> • <i>Any loss, compromise, or unauthorised access to PCN examination material is reported immediately to the PCN Coordinator, who notifies BINDT Certification Services without delay.</i> • <i>AEI staff shall immediately report any actual or suspected breach of security to the PCN Coordinator. BINDT Certification Services Division shall be notified without delay when PCN material is compromised.</i> The organisation has been an AQB for several years and is well aware of the security requirements and expectations of BINDT. The arrangements for the

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
		receipt, transmission, storage and use and examination material are considered adequate The organisation explained how they control the security of PCN examination papers in this new facility and the following is listed as the Organisations current arrangements. 1.Master Reports are secured in a locked room which houses the training and examination records. This room has a automatic closing mechanism which also locks the door. It is accessed via a key pad lock with restricted access to relevant staff 2.TOFD exams soft data files are stored in sharepoint with restricted access to examiners and QA staff. 3.A Networked Printer used for printing examination material is located in the admin office which is off limits to students / candidates. Only examiners and Abdul Aziz has access to print exam material. 4.New PCN exams questions are be received by emails (altair.bindt@gmail.com) In a new dedicated email account Access to this account will be only for Mr. Siraj (Chief Examiner) and Mr. Khaja (Deputy Chief Examiner). The exam questions are then uploaded into a SharePoint folder with the same people having access plus Mr. Amir (Quality Coordinator) 5.The Chief Examiner then changes the password for exam questions to their own password (including answers) 6.The exam questions, once printed, are stored in the records room prior to the candidate taking the exam. The records room has an automatic door closing mechanism. Altair has installed the number lock on the records room door which is an improvement from the previous locking mechanism (access with key). This number lock once closed will automatically locks the door once the door being closed. 7.Completed exam records are then stored in the records room that is lockable, the door has automatic door closing mechanism 8.Exam specimens are stored in a dedicated secure room with access only to authorized personnel. This door has an automatic door closing mechanism fitted
5.7.2	Only authorised personnel from the AQB and BINDT representatives authorised in writing by BINDT shall have access to examination material and records (see PCN24/CP19 - Informal access by third parties).	AEI-QP-T-07 section 10 states: <i>"Records shall be made available for scrutiny by authorised BINDT representatives upon request."</i> And section 17 (Security) states: "17 Security and Confidentiality" • <i>Examination materials, including question papers, answer sheets, practical specimens, and candidate information, are handled with a high degree of security, confidentiality, integrity, and impartiality in accordance with AEI-QP-T-11 and PCN24-CP09 Clause 5.7.1.</i> • <i>Access to examination materials and records is restricted to authorised AEI personnel and BINDT representatives formally authorised in writing. Access rights are maintained in Table-A of AEI-QP-T-11."</i>
5.7.3	Secure lockable storage facilities shall be provided for all examination material including questions, answers, specimens and techniques. These must be located in an area to which candidates do not have unsupervised access. A secure facility for the retention of candidates' records and results shall also be provided.	AEI_QP-T-07 section a7 states: <i>"All controlled materials are stored in secure, lockable cabinets or restricted-access digital directories. Examination rooms, record archives, and specimen storage areas are subject to digital locks, alarm systems, and 24/7 CCTV monitoring with a minimum five-day recording retention."</i> • <i>AEI stores backup copies of exam materials (scripts, specimen flaw reports, and grading documents) at designated secure locations. Storage of materials at AECs</i>

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
5.7.4	Where examination material is stored at a location not under the constant supervision of AQB staff, e.g., at a site remote from any permanently established and staffed examination centre, the AQB shall notify BINDT Certification Services Division management of the location concerned, and the measures in place to safeguard the security and confidentiality of examination material. The AQB shall retain audit records of such locations which include ensuring that security of exam materials is adequately addressed. These audit records (including photographs, if required) shall be retained and made available at BINDT assessments. BINDT reserves the right to audit such storage facilities and to direct that specific additional measures be implemented to safeguard security and confidentiality	and RECs is controlled under AEI-WI-T-01. All such materials are kept under constant supervision of AQB-appointed staff. When examination materials are temporarily stored off-site or at locations not under continuous AEI control, the PCN Coordinator ensures that BINDT Certification Services Division is formally notified. AEI retains audit records and photographic evidence of these locations, in compliance with CP09 Clause 5.7.4. The security arrangements are suitable to meet these requirements. The AQB has control of an AEC in Johor Bahru. This AEC was audited just prior to this assessment and the storage of exam specimens was suitable and adequate.

6. PCN Examination Process		
6.1 Candidate Eligibility & Identification		
6.1.1	The AQB shall have a documented procedure for ensuring that all examinations are reported to PCN prior to the examination date. The AQB shall ensure that the reporting of all PCN examinations are submitted to PCN every Friday for the week ahead, using spreadsheet PCN24/PSL6B. This report shall be submitted at least once per week	AEI-QP-T-07 is the dedicated procedure for addressing PCN Examinations Section 19 details these requirements <i>“AEI verifies that all candidates meet the PCN minimum requirements of vision, training, and pre-certification experience before examination. Evidence includes a valid training certificate issued by a BINDT Approved Training Organisation (ATO), an annual vision test as per PSL/44 or equivalent, and recorded industrial experience according to PCN24-GEN.</i>
6.1.2	The AQB shall have a documented procedure for ensuring that <u>ALL</u> candidates satisfy all requirements, particularly in terms of examination eligibility and identification. The procedure shall detail, but not be limited to, the checking & verification of the following points: - Correctly completed examination application forms (PCN24/PSL57 & PCN24/PSL30) - Evidence of satisfactory completion of a course of training conducted by a BINDT ATO to the relevant PCN syllabus, <i>NOTE: Where additional on-the-job training supplements the approved training, AQB may accept a signed declaration from the applicant, endorsed by his employer, that this has been carried out, but should implement a system of random checks to verify such statements.</i> - Pre-certification experience (form PCN24/PSL30 shall be used for recording experience), including supervision by an appropriately qualified person. - Annual vision test, where appropriate. (see PCN24/PSL44 for	- AEI performs a minimum of 10% random verification of candidate-submitted experience and supervision information. Verification records are maintained by the Admin Coordinator and shall include direct confirmation from the employer or supervising personnel. - The following documentation is required for every candidate: - Correctly completed application forms (PSL/57 or PSL/57B) - Evidence of training to the relevant PCN syllabus by a BINDT ATO - Pre-certification experience record using PSL/30 and supervision endorsement by an appropriately qualified person (PSL/51 recommended) - Annual vision test documentation using PSL/44 or equivalent method - Candidate identification documents, such as: - Valid passport - Driver's licence with photo - Other government-issued photo ID acceptable to the Chief Examiner - Candidates in possession of a PCN wallet card must present it on the day of the examination. If unavailable, AEI may: - Offer a passport photograph service, or - Refuse examination until passport-sized photographs are provided - Where photographs are supplied, AEI shall: - Confirm that the photographs correspond to the candidate - Witness the candidate's signature on the reverse of the photographs, or - Verify the signature using PSL/33 to confirm the identity match

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
	guidance on visual acuity and colour perception requirements). Identification of the candidate. <i>NOTE: For those candidates already in possession of a centrally issued PCN wallet card or PCN electronic certificate with photograph, AQBs must request sight of one of these as a means of confirming the candidate's identity and authenticity. If a candidate cannot produce formal PCN photographic evidence, then the AQB must either be in a position to offer a passport photograph service or refuse examination until such photographs are supplied and can be attached to a new formal PCN document. Photographs taken at the AQB shall signed by the candidate, for transmission to PCN with the result notice. In the latter case, the AQB must be in a position to witness that the supplied photographs are of the individual attending for examination and must witness the individual signing the reverse of the photographs or must ascertain (using of PCN form PCN24/PSL33) that the signature on the reverse of the photographs is the same individual attending for examination.</i>	• AEI submits a weekly PSL/6B schedule to BINDT every Friday listing the examinations scheduled for the following week. In cases where Friday is a public holiday, submission occurs on the following working day. A review of examinations and PSL/6B provided evidence of compliance with these requirements A review of the 10% eligibility check revealed they are exceeding this requirement. See below A total of 57 initial exams with claimed experience were verified by the AQB out of a total of 223 initial exams. This far exceeds the minimum requirement of 10% A hyperlink in the spreadsheet leads to a screenshot of the email or WhatsApp verification evidence In some of the exam packs reviewed, there was no copy or record of the supervisor's certification who was signing off the industry experience of a candidate. This made it difficult to verify the appropriately certified person as part of the PCN24/PSL 30 document. DR# 08 (Obs)
6.1.3	In addition to the mandated eligibility checks detailed above, the AQB shall also have a process to ensure that a minimum of 10% of candidates are subject to verification of the claimed experience and supervision information provided in their application. The AQB shall verify claimed experience by contact with the named supervising person or employer. Records of claimed experience verification checks shall be maintained.	
6.2 Conduct of PCN Examinations		
6.2.1	The AQB shall have in place an operating procedure which ensures that candidates are, at all times during examination, closely supervised by a suitably qualified and authorised examiner or invigilator who shall ensure that no candidate is permitted an unfair advantage or to collude with other candidates. During the written examinations an Invigilator or Examiner must be present at all times and must closely supervise candidates during the practical assessment.	AEI-QP-T-07 is the dedicated procedure for conduct of PCN Examinations. This is supported by AEI-WI-T-10 which is the works instruction for invigilation of PCN exams. 4 Responsibility and procedure 4.1 There shall be no conflicting use of facilities during PCN examinations. 4.2 The assigned examination staff shall ensure that candidates are, at all times during examination, closely supervised by a suitably qualified and authorised examiner or invigilator who will ensure that no candidate is permitted an unfair advantage or to collude with other candidates.
6.2.2	The AQB quality system shall include a process for invigilation which shall define appropriate training in invigilation techniques including, where necessary, specific points to be noted during practical examinations.	4.3 Appropriate training in invigilation techniques including, where necessary, specific points to be noted during practical examinations shall be given to examiners and invigilators. Candidates shall be verbally briefed on the examination procedures and conditions and shall sign a BINDT document (PSL 56B) confirming that they have understood the briefing and examination rules. 4.4 Prominently positioned signs will clearly state the conditions for prevention of breaches in PCN examination security.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

		All invigilators used for PCN examinations are already approved and appear on the BINDT Scope of approval
6.2.3	An invigilator need not be an examiner, but must: - Be approved by BINDT to invigilate the examinations concerned and shall appear as such on the AQB scope of approval. The invigilator shall appropriately certified or trained if invigilating practical examinations. - Trained to deliver pre-examination instructions to candidates and to ensure the completion of the required examination documentation. - Be required to ensure that appropriate examination conditions are maintained at all times. - Ensure that any infringement of examination conditions by any candidate is recorded and reported without delay to the Chief Examiner or PCN Coordinator. - Declare (to the AQB Coordinator or Chief Examiner) any interest in any candidate prior to commencement of an examination.	AEI-WI-T-10 Section 4 states: <i>"4.5 An invigilator need not be an examiner, but must: 4.5.2 be appropriately qualified if invigilating practical examinations;</i> <i>4.5.3 be required to ensure that appropriate examination conditions are maintained at all times;</i> <i>4.5.4 ensure that any infringement of examination conditions by any candidate is recorded, and reported without delay to the Chief Examiner or PCN Co-ordinator;</i> <i>4.5.5 Declare (to AEI Co-ordinator or Chief Examiner) an interest in any candidate prior to commencement of an examination.</i> <i>4.6 Candidates shall be required to sign a document (PSL 56B) in which they are able to state that the examination rules and conditions are or not to their satisfaction before the commencement of any PCN examination. They shall be informed that, if examination conditions deteriorate to an unacceptable level during the examination, they must bring this fact to the attention of the invigilator who, if the situation demands, will suspend the examination.</i> <i>4.7 Candidate shall sign the 'Verification of candidate and signed declaration form' (PSL 56A) before the commencement of the exam</i> All invigilators have been trained in the BINDT and Altair requirements and appear on the scope of approval.
6.2.4	Candidates shall sign a non-disclosure agreement or other agreement indicating their commitment not to release confidential examination materials or participate in fraudulent test-taking practices (PCN24/PSL56A). The PCN24/PSL56A form shall also be signed by Invigilators and Examiners thus confirming compliance with the Impartiality, confidentiality and conflict of interest requirements detailed earlier in this document.	All invigilators have signed PCN24/PSL/56 issue 1 and they sign the relevant impartiality requirements documents for each exam they are involved in.
6.2.5	Prior to the commencement of the examination the invigilator shall make all candidates aware of the examination rules and conditions, including the consequences of cheating or collusion. Candidates shall sign a document to confirm their understanding and acceptance of the examination rules and conditions (PCN24/PSL56B). AQB's may use PCN24/PSL56B or a form of their own creation providing that form meets or exceeds all the content of PCN24/PSL56B.	
6.2.6	A PCN examination may be interrupted or curtailed provided, in the opinion of the responsible Examiner or Invigilator, a valid reason exists. In the event of an interrupted or curtailed PCN examination the AQB Coordinator shall advise BINDT in writing of the interruption or curtailment.	AEI_WI-T-10 section 4.8 states: <i>"A PCN examination may be interrupted or curtailed provided, in the opinion of the responsible Examiner or Invigilator, a valid reason exists. In the event of an interrupted or curtailed PCN examination the AEI's Co-ordinator shall advise BINDT in writing of the interruption or curtailment."</i> The AQB stated this circumstance has not arisen since the last audit

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
6.2.7	In the event that a PCN examination is suspended or interrupted by the AQB before completion, the candidate shall be permitted to return to complete the examination without further charge at the same AQB within thirty days of the commencement of the original examination.	AEI_WI-T-10 section 4.9 states: <i>"In the event that a PCN examination is suspended or interrupted by AEI before completion, the candidate shall be permitted to return to complete the examination without further charge within thirty days of the commencement of the original examination."</i> The AQB stated this circumstance has not arisen since the last audit
6.2.8	Any completed examination parts may be held over pending re-commencement but <u>shall not be marked</u> (and the candidate shall not be given any indication of the result) until such time as all examination parts are completed.	AEI_WI-T-10 section 4.10 states: <i>"Any completed examination parts may be held over pending re-commencement but shall not be marked (and the candidate shall not be given any indication of the result) until all examination parts are completed."</i> The AQB stated this circumstance has not arisen since the last audit
6.2.9	Any part completed examination papers shall be retained with the candidate's file as an examination record but shall not be considered as a part of the completed examination. In respect of any part not completed, the candidate shall be given an entirely different paper upon re-commencement.	AEI_WI-T-10 section 4.11 states: <i>"Any part completed examination papers shall be retained with the candidate's file as an examination record but shall not be considered as a part of the completed examination. In respect of any part not completed, the candidate shall be given an entirely different paper upon re-commencement.."</i> The AQB stated this circumstance has not arisen since the last audit
6.2.10	In the event of a requirement for a re-test examination following the failure in a suspended examination, the earliest date allowable for the re-test shall be calculated from the date of the re-commencement of the suspended examination.	AEI-WI-T-10 clause 4.12 states: <i>"In the event of a subsequent re-examination, the earliest date allowable for the re-examination shall be calculated from the date of examination re-commencement."</i>
6.2.11	All staff involved with examinations shall ensure that no examination material is removed by any candidate. This includes any rough notes, sketches etc. that the candidate may have made during the examination.	AEI-WI-T-10 clause 4.13 states: <i>"All staff involved with examinations shall ensure that no examination material is removed by any candidate. This includes any rough notes, sketches etc. that the candidate may have made during the examination.."</i> This was discussed with invigilators and also, examples of rough work was found in the exam packs.
6.2.12	The use of programmable calculators is prohibited in PCN examinations, as is the use of personal digital equipment with storage facilities - unless the equipment concerned is inspected by AQB staff before use in an examination to ensure that the candidate is not gaining an unfair advantage, and after use in an examination to ensure the continued security and confidentiality of PCN examination materials.	AEI-WI-T-10 clause 4.13 states: <i>"The use of programmable calculators is prohibited in all examinations, as is the use of personal digital equipment with storage facilities - unless the equipment concerned is inspected by AEI staff before use in an examination to ensure that the candidate is not gaining an unfair advantage, and after use in an examination to ensure the continued security and confidentiality of examination materials.."</i> This was found to be compliant
6.2.13	There shall be a documented procedure which ensures that all candidates are adequately prepared on the day of the examination. This shall cover, as a minimum, provision of correct examination papers, codes and standards, examination equipment and materials, information on breaks during examination and the consequences of cheating.	AEI-WI-T-10 clause 4.13 states: <i>"AEI shall ensure that all materials are adequately prepared on the day of the examination. This will include provision of correct examination papers, codes and standards, examination equipment and materials, information on breaks during examination and the consequences of cheating."</i> This was found to be compliant. Invigilators do provide standards to candidates for the written instruction.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
6.2.14	Candidates shall be prohibited from using red ink or correction fluid when completing PCN examination papers. Candidates shall be required to initial beside any corrections they may make on examination papers. In the event that a candidate does use red ink, AQB's should take effective steps to ensure that the responsible examiner's remarks and annotations are made in a manner that does not result in confusion in the event that a PCN moderator or assessor should audit the examination in question.	AEI-WI-T-10 4.17 states: <i>"Candidates shall be prohibited from using red ink or correction fluid when completing PCN examination papers. Candidates shall be required to initial beside any corrections they may make on examination papers. In the event that a candidate does use red ink, AEI should take effective steps to ensure that the responsible examiner's remarks and annotations are made in a manner that will not result in confusion in the event that a PCN moderator or assessor should audit the examination in question"</i> This is also included on the PSL admin forms that are signed by the candidate prior to the exam A review of examination packs revealed compliance with this requirement although a finding has been raised on an incomplete PSL30 document
6.2.15	Mobile phones and other electronic communications devices are a potential source of cheating and may disturb other candidates if they should be activated during examinations. Consequently, mobile phones and any other electronic communications devices shall be barred from written and practical examination facilities when PCN examinations are being conducted.	AEI-WI-T-10 4.18 states: <i>"Mobile phones and other electronic communications devices are a potential source of cheating and may disturb other candidates if they should be activated during examinations. Consequently, mobile phones and any other electronic communications devices shall be barred from written and practical examination facilities when examinations are being conducted."</i> This is also included on the PSL admin forms that are signed by the candidate prior to the exam
6.2.16	Provided security of examination materials can be guaranteed, candidates may be allowed the use of an AQB provided PC or lap-top computer in the NDT instruction and NDT procedure writing section of the PCN examination. On no account shall the use of a candidate's own computer be permitted during a PCN examination and, for reasons of security, candidates are not permitted to bring any form of computer, including hand-held devices into the examination facilities at a PCN AQB or Examination Centre. The provision of computers for candidate use is optional for any BINDT AQB.	AEI-WI-T-10 4.19 states: <i>"Provided security of examination materials can be guaranteed, candidates will be allowed the use of an AEI provided PC or lap-top computer in the NDT instruction and NDT procedure writing section of the PCN examination. On no account will the use of a candidate's own computer be permitted during a PCN examination and, for reasons of security, candidates are not permitted to bring any form of computer, including hand-held devices into the examination facilities at AEI or permanent or ad hoc Examination Centre. The provision of computers for candidate use is optional."</i> The AEC allows only the use of AQB provided laptops for level 3 procedure writing and for TOFD level 2 practical exams. AEI_QP-T-10 annex A defines the process for ensuring the USB ports and wifi adaptors are disabled for the exams and only the invigilators who have administrator rights can enable / disable as and when required.
6.2.17	An extension of up to 25% is authorised in the time allowed in PCN written examinations for candidates suffering from conditions such as dyslexia, or whose first language is not that in which the examination is presented, who are likely to experience difficulty in completing examinations in the published time allowed. AQB's may allow this additional time at their discretion provided a record is retained with the examination records. Arrangements should also be made for an examiner to be present in order to supplement the written examination with oral questions if necessary to establish that the candidate has a firm grasp of the topic being examined.	AEI-WI-T-10 4.16 states: <i>"An extension of up to 25% is authorised in the time allowed in PCN written examinations for candidates suffering from conditions such as dyslexia, or whose first language is not that in which the examination is presented, who are likely to experience difficulty in completing examinations in the published time allowed. AEI may allow this additional time at their discretion provided a record is retained with the examination records. Arrangements should also be made for an examiner to be present in order to supplement the written examination with oral questions if necessary to establish that the candidate has a firm grasp of the topic being examined."</i> The AQB stated they now indicate this on the exam papers where applicable
6.3 Consistency of PCN Examinations		
6.3.1	The AQB is to make every effort to ensure that its standard of PCN examination(s) is consistent and at all times complies with requirements.	AEI-QP-T-7 defines the process to cover these requirements. Section 21 defines each of the steps in bullet points.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
6.3.2	The AQB shall ensure consistency and veracity of examiners' judgement by implementing a monitoring and moderation process.	21 Consistency of PCN examinations • AEI ensures that PCN examinations are conducted and assessed consistently and in compliance with PCN24-CP09 Clause 6.3.1. This includes the application of clearly documented procedures and controls. • A moderation system is in place to verify examiner judgment and assessment accuracy. The moderation process may involve: - Double-marking: A second examiner independently marks the paper. - Cross-verification: A qualified examiner reviews and validates the original marks. • A minimum of two moderations per examiner per calendar year shall be conducted for each NDT method on AEI's scope of approval. If an examiner has not conducted exams in a method during the year, this requirement will not apply to that method. • At least one moderation per method must be by double-marking. The second may be either double-marking or cross-verification. • Moderations are selected randomly and scheduled so that the examiner being moderated cannot anticipate the event. • AEI ensures that non-active examiners remain current. Each non-active examiner is required to mark at least one randomly selected exam paper annually, which is subject to cross-verification. The Chief Examiner signs off on continued competence. • If significant competency issues are discovered, the examiner is suspended from marking until remedial action and verification are completed. Previous exam results may be reviewed, and BINDT is notified. Permanent removal is an option if justified. • AEI maintains a result reference data sheet for every exam session, identifying the examiner, invigilator, and moderator. This is used to track activity levels and moderation coverage. • Any inconsistencies or errors in moderation are referred to the Chief Examiner for investigation. The moderator annotates, signs, and dates the marked scripts, and all records are retained. • Differences greater than 3% between first and second examiner in double-marking shall be investigated, and corrective actions shall be recorded. The Chief Examiner's decision is final. • AEI ensures that candidates do not receive the same question paper or specimen in re-examinations or recertification exams. • Completed examinations are randomly reviewed to detect any signs of cheating. The AQB has not amended their QMS to reflect the current requirements of PCN24/CP09 issue 2. They still refer to two moderations per examiner, per method. In addition, they refer to 5% tolerance between examiners marks and not 8% DR# 07 (Obs) Same as 6.3.12
6.3.3	The moderation process shall only apply to the following examination elements: (a) Practical examinations, (b) Written instructions (Level 2) (c) Written Procedures (Level 3) The rationale is that these are the examination elements that require an examiner to exercise discretion and competence in the awarding or deduction of marks. This same rationale does not apply to multiple-choice theory examination elements where a fixed marking arrangement applies.	
6.3.4	The examination system is to be defined by written procedures which shall include a documented system for moderation of random samples of candidates' examination papers.	
6.3.5	Moderation may take the form of double-marking or cross-verification under the conditions permitted below. <i>Note: The definitions of "Moderation", "Double-marking" and "Cross-verification" are given in section 2 of this document and re-iterated below</i> Moderation: The overall process for checking examination consistency and examiner competence. Double-Marking: A method of moderating and checking examination consistency and examiner competence by the conducting independent secondary marking of an examination and comparing the scrutineer examiner's marks to those awarded by the initial examiner. Cross-Verification: In relation to moderation, a method of checking examination consistency and examiner competence by the reviewing and verifying/validating the original examiner's marking.	
6.3.6	The AQB shall ensure that the moderation process meets the following requirements: a minimum of TWO moderations per examiner per calendar year irrespective of the number of methods for which the given examiner is listed on the AQB scope of approval. This shall apply to all active examiners on the AQB scope of approval. The two moderations need not be for the same method. The AQB should endeavour to ensure that all methods for which an examiner is authorised are moderated on a rolling basis.	

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

	The rationale is that the process is meant to establish and maintain an examiner's competence in the awarding or deduction of marks which is common across the NDT methods.	
6.3.7	A minimum of one of the moderations detailed in 6.3.4 above (in each NDT method) shall be achieved by the double-marking method of moderation. The other one may be achieved by either the double-marking or the cross-verification moderation processes.	

MODERATION RECORDS – ALL EXAMINERS

Annual Moderations	Method	Khaja		Siraj		Jiyavudeen		No. of Exams conducted since last audit
		DM	CV	DM	CV	DM	CV	
June 2025 – June 2026	MT	0	0	1	0	0	0	155
	PT	1	0	0	0	0	0	101
	RI	0	0	1	0	2	0	16
	UT	-	-	1	0	0	0	118
	UTT	0	0	1	0	0	0	53
	UTPA	0	0	0	0	0	0	36
	TOFD	1	0	0	0	0	0	19
Total		2	0	4	0	2	0	498

1. Candidates Name: Raja Redzwan Bin Raja Mahmood

Method: TOFD

Level: 2

Exam Type: Recertification

1st Examiner Name: Mr. Siraj

Date of Exam: 25th February 2026

Date Marked: 22nd March 2026

Mark awarded: Gen- N/A / Spec N/A / Practical 88 / 83 / Analysis – 89 / 82 / 85 / 78 / 77 and Instruction 75

Overall Grade: N/A

Pass / Fail: Pass

DS or Moderator name: Mr. Khaja

Date of Moderation: 30th March 2026

Type of Moderation: Double Marking

Mark awarded: Gen- N/A / Spec N/A / Practical 85 / 81 / Analysis – 90 / 84 / 87 / 79 / 78 and Instruction 76

Overall Grade: N/A

Pass / Fail: Pass

Difference: Less than 5% & 8%

Results Notice #: OI01360 Rev 1

Date of RN issue: 02nd April 2026

Issued less than 28days: **No**

Moderator named on RN: Yes

2. Candidates Name: Philippa King

Method: UT Thickness

Level: 2

Exam Type: Retest

1st Examiner Name: Mr. Khaja

Date of Exam: 04th Feb 2026

Date Marked: 18th March 2026

Mark awarded: Gen- N/A / Spec N/A / Practical 91 / 36 / 90 / 86

Overall Grade: N/A

Pass / Fail: Fail

DS or Moderator name: Siraj M.

Date of Moderation: 30th March 2026

Type of Moderation: Cross verification

Mark awarded: Gen- N/A / Spec N/A / Practical – 91 / 80 / 90 / 86

Overall Grade: N/A

Pass / Fail: Pass

Difference: Exceeded the 5% in QMS and 8% in PCN24/CP09. This was a Pass / Fail case.

Results Notice #: OI01294 Rev 2

Date of RN issue: 30th March 2026

Issued less than 28days? **No**

Moderator named on RN: Yes

The reason for the 1st examiner to fail the student was due to an incorrect master report being used. This was documented.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
6.3.8	The procedure for moderation shall be such that the first examiner is unable to forecast when moderation will occur.	This is currently in place but may need to be amended to ensure compliance with clause 6.3.4
6.3.9	The AQB shall ensure that non-active examiners remain current with regard to PCN24/CP09 and exam marking practices mandated by PCN and the AQB. Consequently, the AQB shall ensure that non-active examiners are subject to an annual competence test by being required to mark at least one exam per year which shall be subject to moderation by the Chief Examiner or another examiner appointed by the Chief Examiner. Final sign-off on the continued competency of the examiner shall remain the responsibility of the Chief examiner. Failure to comply with this requirement may result in the examiner in question being removed from the AQB scope of Approval (at BINDT discretion).	AEI-QP-T-07 section 21 states <i>"AEI ensures that non-active examiners remain current. Each non-active examiner is required to mark at least one randomly selected exam paper annually, which is subject to cross-verification. The Chief Examiner signs off on continued competence "</i> There are no non-active examiners at the time of this assessment
6.3.10	Should an examiner be inactive for a period in excess of one year (from the last examination marked by that examiner) the AQB shall have a process to assess that examiners competence prior to his/her reintroduction into the marking process. <i>Note: Activity/inactivity applies to each individual method in which an examiner is approved. For example, if an individual is approved as an examiner in 4 methods (e.g. UT/PT/MT/RT) and has only marked UT/PT/MT over the previous moderation period then he/she shall be deemed inactive in the RT method and the requirements regarding confirmation of competency prior to reintroduction shall apply to the RT method.</i>	AEI-QP-T-07 section 21 states <i>"Moderations are selected randomly and scheduled so that the examiner being moderated cannot anticipate the event"</i> This was compliant at this assessment
6.3.11	Any identified errors, inconsistencies or moderator disagreement arising from the moderation process shall be reported to the Chief Examiner for investigation. In such instances corrective action shall be taken and the Chief Examiner's decision shall be final. The moderator shall annotate and sign/date the initial examiner's marking sheets. The annotation shall include the outcome of the moderation and any applicable comments.	
6.3.12	Any significant difference between the initial marks awarded and those awarded by the second examiner in the double-marking process shall be investigated and appropriate action taken within the AQB system to restore consistency. In instances of discrepancy, the Chief Examiner's decision shall be final. Both sets of marking records shall be retained by the AQB. <i>Note: BINDT acknowledges that there should be no inconsistency in multiple-choice written examination parts and therefore deems a significant difference in the moderation process to be</i>	AEI-QP-T-7 defines the process to cover these requirements. Section 21 defines each of the steps in bullet points. competence. - Differences greater than 3% between first and second examiner in double-marking shall be investigated, and corrective actions shall be recorded. The Chief Examiner's decision is final. - Completed examinations are randomly reviewed to detect any signs of cheating. The AQB's procedure still refers to 5% whereas, the requirement has now been changed to 8%. DR# 07 (Obs) Same as section 6.1

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

	a) <i>any comparative results from any of the individual moderated elements that differ by 8% or more on any given examination element.</i> b) <i>where an initial "pass" mark becomes a "fail" or vice versa.</i>	
6.3.13	Where major issues are identified that bring the competence of any given examiner into question, that examiner shall be suspended from examination marking pending investigation and appropriate action being taken. Consideration must be given to potential consequences of previous examinations marked. The suspension shall remain in place until remedial training and competence verification takes place. Permanent removal remains an option. The investigation and corrective action process shall be fully documented. The Chief Examiner shall arbitrate and be responsible for the decision-making process. BINDT/PCN shall be advised immediately should this situation arise.	AEI-WI-T-07 section 27 states <i>"• If significant competency issues are discovered, the examiner is suspended from marking until remedial action and verification are completed. Previous exam results may be reviewed, and BINDT is notified. Permanent removal is an option if justified."</i> There was a pass / fail case but this was well documented
6.3.14	The AQB shall have a process for recording the examiners against each exam conducted. The process shall allow data analysis to determine the quantity of examinations marked by each examiner in a given period. This process shall also allow BINDT representatives to determine the activity of each examiner on the AQB scope over any given period	Refer to the table pasted in the cell below clause 6.3.6
6.3.15	When moderation takes place, it is to be recorded on the candidate's AQB records and on the examination result notice.	This was found to be compliant in the files reviewed.
6.3.16	Moderation must take place before the candidate is informed of examination results. Any discrepancy discovered after the results have been sent out shall not be reason to change the "published" result, unless a particular examination result has been investigated in the course of a formal BINDT appeals procedure.	This was found to be compliant in the files reviewed.
6.3.17	The procedure shall also include a review of completed examinations for indications of cheating.	AEI-QP-T-07 section 21 states: <i>"Completed examinations are randomly reviewed to detect any signs of cheating."</i> This was also reviewed in the review of examination questions
6.3.18	The AQB is to ensure that a candidate is not given the same examination paper or specimen in any subsequent examination he may take. This shall include re-examination and recertification examination(s). <u>PCN/AERO variance:</u> <i>Where candidates attempt both PCN and EN4179 examinations within a two-year period of each other, the Organisation shall maintain record of specimens used in any given practical examination to ensure that the same specimens are not utilised in both the subsequent PCN and EN4179 examinations.</i>	The AQB is complying with this requirement

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

6.4 Marking & Grading of PCN Examinations		
6.4.1	All examinations may only be marked by authorised examiners listed on the AQB scope of approval. Any authorised examiner, irrespective of method or sector, may mark fully multiple-choice theory papers for any method or sector. Practical examinations, written instructions (Level 2) and procedures (Level 3) may only be marked by authorised examiners listed on the AQB scope of approval for that given method and sector. The rationale is that where the awarding or deduction of marks is at the discretion of an examiner then that examiner must be listed on the AQB scope of approval for that given method and sector	The AQB was informed of the mandatory requirement to use BINDT PCN/24 marking schemes. This was found to be compliant in the 4 random exam packs selected in the audit.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

Pack Number:	01	of	04
--------------	----	----	----

ATO/AQB:	Altair Academy	Student/Candidate (Name):	Resbeck Timothy Anak Tuloi	Date of Review:	08 th June 2026
NDT Method:	MT	Sector:	Welds	Level:	2

1. TRAINING PACK REVIEW				☐ N/A (Exam only)	
Course dates:		03 rd to 06 th Dec 2025		Tutor(s): Siraj with Faizul Razzi assisting on practical	
Daily Assessment Form included in pack?		☒ Yes ☐ No		If "yes", is it correctly completed? ☒ Yes ☐ No	
Daily Theory assessments (Quantity):	7 – all passed	Quantity Passed:		7	
		Quantity Failed:		0	
		Counselling conducted:		☐ Yes ☐ No ☒ N/A	
		Counselling Recorded:		☐ Yes ☐ No ☒ N/A	
Practical Assessments (Quantity):	6	Quantity Passed:		6	
		Quantity Failed:		0	
		Adequate action taken upon failure:		☐ Yes ☐ No ☒ N/A	
		All practical techniques assessed:		☒ Yes ☐ No	
		All component sectors/categories assessed:		☒ Yes ☐ No	
Training successfully completed:		☒ Yes ☐ No		All assessments marked/annotated by tutor: ☒ Yes ☐ No	
Training Days/Hours awarded:		40 hrs - 10hrs / day			
Training Certificate Number:		AA-TRG-2570		Training Certificate content acceptable: ☒ Yes ☐ No	
Auditor Summary Comments: Training Pack Acceptable: ☒ Yes ☐ No ☐ Minor Anomalies noted (improvement Opportunities) ☐ Non-Conformance noted. Comments/Details: No marks awarded for instruction writing. Number of days not stated on the training certificate.					

1. EXAM PACK REVIEW								☐ N/A (Training only)			
Exam date(s): 09 th Dec 2025				Examiner(s): Khaja							
Exam type: ☒ Initial ☐ Renewal ☐ Recertification ☐ Resit (following failure) ☐ Supplementary											
Invigilator (Theory): Suffian ☐ N/A				Invigilator (Practical): Suffian ☐ N/A							
Invigilator(s) listed on Scope of approval: ☒ Yes Now left				Examiner(s) listed on Scope of approval: ☒ Yes							
General Theory		87.5 % ☒ Pass ☐ Fail		Specific Theory:		62 % ☐ Pass ☒ Fail		Written Instruction:		86 % ☒ Pass ☐ Fail ☐ N/A	
Practical Specimen 1	88% ☒ Pass ☐ Fail		Practical Specimen 2	98% ☒ Pass ☐ Fail		Practical Specimen 3	91% ☒ Pass ☐ Fail		Practical Specimen 4	% ☐ Pass ☐ Fail	
Practical Specimen 5	% ☐ Pass ☐ Fail		Practical Specimen 6	% ☐ Pass ☐ Fail		Practical Specimen 7	% ☐ Pass ☐ Fail		Practical Specimen 8	% ☐ Pass ☐ Fail	
Marking/Grading Acceptable: ☒ Yes ☐ No				All exam elements marked/annotated by examiner: ☒ Yes ☐ No							
Overall Outcome: ☐ Pass ☒ Fail				Results Notice No. O101168				R/N issue date: 06 Jan 2026			
R/N issued within 28 days: ☒ Yes ☐ No				Correct Categories awarded: ☐ Yes ☐ No ☒ N/A							
Admin Docs on file: ☒ PSL/30 ☒ PSL/56A ☒ PSL/56B ☒ PSL/57A ☒ Eye test cert ☒ Applicable AQB docs											
Auditor Summary Comments: Exam Pack Acceptable: ☐ Yes ☐ No ☐ Minor Anomalies noted (improvement Opportunities) ☐ Non-Conformance noted. Comments/Details: The supervisors certification is not retained on file											

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

Pack Number:	02	of	04
--------------	----	----	----

ATO/AQB:	Altair Academy	Student/Candidate (Name):	Zulhilmi Bin Ghazali	Date of Review:	08 th June 2026
NDT Method:	UT	Sector:	Welds 3.1 / 3.2	Level:	2

1. TRAINING PACK REVIEW				☐ N/A (Exam only)	
Course dates:		10 th to 25 th Nov 2025		Tutor(s): Siraj with Martin & Shaik Jilani assisting on practical	
Daily Assessment Form included in pack?		☒ Yes ☐ No		If "yes", is it correctly completed? ☒ Yes ☐ No	
Daily Theory assessments (Quantity):	18 including product tech – all passed	Quantity Passed:		18	
		Quantity Failed:		0	
		Counselling conducted:		☐ Yes ☐ No ☒ N/A	
		Counselling Recorded:		☐ Yes ☐ No ☒ N/A	
Practical Assessments (Quantity):	12	Quantity Passed:		12	
		Quantity Failed:		0	
		Adequate action taken upon failure:		☐ Yes ☐ No ☒ N/A	
		All practical techniques assessed:		☒ Yes ☐ No	
		All component sectors/categories assessed:		☒ Yes ☐ No	
Training successfully completed:		☒ Yes ☐ No		All assessments marked/annotated by tutor: ☒ Yes ☐ No	
Training Days/Hours awarded:		140 hrs - 10hrs / day			
Training Certificate Number:		AA-TRG-2548		Training Certificate content acceptable: ☒ Yes ☐ No	
Auditor Summary Comments: Training Pack Acceptable: ☒ Yes ☐ No ☐ Minor Anomalies noted (improvement Opportunities) ☐ Non-Conformance noted. Comments/Details: No marks awarded for instruction writing. Number of days not stated on the training certificate.					

1. EXAM PACK REVIEW								☐ N/A (Training only)	
Exam date(s): 26 to 28 Nov 2025				Examiner(s): Khaja					
Exam type: ☒ Initial ☐ Renewal ☐ Recertification ☐ Resit (following failure) ☐ Supplementary									
Invigilator (Theory): Suffian ☐ N/A				Invigilator (Practical): Suffian ☐ N/A					
Invigilator(s) listed on Scope of approval: ☒ Yes Left now				Examiner(s) listed on Scope of approval: ☒ Yes					
General Theory		85% ☒ Pass ☐ Fail		Specific Theory:		86.7% ☒ Pass ☐ Fail		Written Instruction: 92% ☒ Pass ☐ Fail ☐ N/A	
Practical Specimen 1	Passed 3.1 to 3.9	Practical Specimen 2	% ☐ Pass ☐ Fail	Practical Specimen 3	% ☐ Pass ☐ Fail	Practical Specimen 4	% ☐ Pass ☐ Fail		
Practical Specimen 5	% ☐ Pass ☐ Fail	Practical Specimen 6	% ☐ Pass ☐ Fail	Practical Specimen 7	% ☐ Pass ☐ Fail	Practical Specimen 8	% ☐ Pass ☐ Fail		
Marking/Grading Acceptable: ☒ Yes ☐ No				All exam elements marked/annotated by examiner: ☒ Yes ☐ No					
Overall Outcome: ☒ Pass ☐ Fail				Results Notice No. O101100		R/N issue date: 24 th Dec 2026			
R/N issued within 28 days: ☒ Yes ☐ No				Correct Categories awarded: ☒ Yes ☐ No ☐ N/A					
Admin Docs on file: ☒ PSL/30 ☒ PSL/56A ☒ PSL/56B ☒ PSL/57A ☒ Eye test cert ☒ Applicable AQB docs									
Auditor Summary Comments: Exam Pack Acceptable: ☐ Yes ☐ No ☐ Minor Anomalies noted (improvement Opportunities) ☐ Non-Conformance noted. Comments/Details:									

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

Pack Number:	03	of	04
--------------	----	----	----

ATO/AQB:	Altair Academy	Student/Candidate (Name):	Ismail Flahi Bin Yusof	Date of Review:	08 th June 2026
NDT Method:	TOFD	Sector:	Welds	Level:	2

1. TRAINING PACK REVIEW				☐ N/A (Exam only)	
Course dates:		05 th to 13 th Jan 2026		Tutor(s): Siraj	
Daily Assessment Form included in pack?		☒ Yes ☐ No		If "yes", is it correctly completed? ☒ Yes ☐ No	
Daily Theory assessments (Quantity):	03	Quantity Passed:		03	
		Quantity Failed:		0	
		Counselling conducted:		☐ Yes ☐ No ☒ N/A	
		Counselling Recorded:		☐ Yes ☐ No ☒ N/A	
Practical Assessments (Quantity):	5 data analysis and 3 data scan	Quantity Passed:		all	
		Quantity Failed:		0	
		Adequate action taken upon failure:		☐ Yes ☐ No ☒ N/A	
		All practical techniques assessed:		☒ Yes ☐ No	
		All component sectors/categories assessed:		☒ Yes ☐ No	
Training successfully completed:		☒ Yes ☐ No		All assessments marked/annotated by tutor: ☒ Yes ☐ No	
Training Days/Hours awarded:		80 hrs - 10hrs / day			
Training Certificate Number:		AA-TRG-2586		Training Certificate content acceptable: ☒ Yes ☐ No	
Auditor Summary Comments: Training Pack Acceptable: ☒ Yes ☐ No ☐ Minor Anomalies noted (improvement Opportunities) ☐ Non-Conformance noted. Comments/Details: No marks awarded for instruction writing. Number of days not stated on the training certificate.					

1. EXAM PACK REVIEW								☐ N/A (Training only)			
Exam date(s): 19 th Jan 2026				Examiner(s): Khaja							
Exam type: ☒ Initial ☐ Renewal ☐ Recertification ☐ Resit (following failure) ☐ Supplementary											
Invigilator (Theory): Martin ☐ N/A				Invigilator (Practical): Martin ☐ N/A							
Invigilator(s) listed on Scope of approval: ☒ Yes ☐ No				Examiner(s) listed on Scope of approval: ☒ Yes ☐ No							
General Theory		N/A % ☐ Pass ☐ Fail		Specific Theory:		83.3% ☒ Pass ☐ Fail		Written Instruction: 91% ☒ Pass ☐ Fail ☐ N/A			
Practical Specimen 1	87 %	☒ Pass ☐ Fail	Practical Specimen 2	83%	☒ Pass ☐ Fail	Practical Specimen 3	76%	☒ Pass ☐ Fail	Practical Specimen 4	93 %	☒ Pass ☐ Fail
Practical Specimen 5	81.5%	☒ Pass ☐ Fail	Practical Specimen 6	96 %	☒ Pass ☐ Fail	Practical Specimen 7	96 %	☒ Pass ☐ Fail	Practical Specimen 8	91 %	☒ Pass ☐ Fail
Marking/Grading Acceptable: ☒ Yes ☐ No				All exam elements marked/annotated by examiner: ☒ Yes ☐ No							
Overall Outcome: ☒ Pass ☐ Fail				Results Notice No.:		O10241		R/N issue date: 26/02/2026			
R/N issued within 28 days: ☐ Yes ☒ No				Correct Categories awarded: ☒ Yes ☐ No ☐ N/A							
Admin Docs on file: ☐ PSL/30 ☒ PSL/56A ☒ PSL/56B ☐ PSL/57A ☐ Eye test cert ☐ Applicable AQB docs											
Auditor Summary Comments: Exam Pack Acceptable: ☐ Yes ☒ No ☐ Minor Anomalies noted (improvement Opportunities) ☐ Non-Conformance noted. Comments/Details: PSL 30 was not completed in full, there was no signature or copy of the supervisor's signature or certificate. The results notice exceeded the 28 days requirement											

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

Pack Number:	04	of	04
ATO/AQB:	Altair Academy	Student/Candidate (Name):	Raymond Wong Vui Thien
Date of Review:	08 th June 2026		
NDT Method:	RI	Sector:	Welds (Dense)
Level:	2		

1. TRAINING PACK REVIEW				☐ N/A (Exam only)
Course dates:		06 th to 11 th April 2026		Tutor(s): Siraj
Daily Assessment Form included in pack?		☒ Yes ☐ No		If "yes", is it correctly completed? ☒ Yes ☐ No
Daily Theory assessments (Quantity):	11	Quantity Passed:	11	
		Quantity Failed:	0	
		Counselling conducted:	☐ Yes ☐ No ☒ N/A	
		Counselling Recorded:	☐ Yes ☐ No ☒ N/A	
Practical Assessments (Quantity):	6	Quantity Passed:	6	
		Quantity Failed:	0	
		Adequate action taken upon failure:	☐ Yes ☐ No ☒ N/A	
		All practical techniques assessed:	☒ Yes ☐ No	
		All component sectors/categories assessed:	☒ Yes ☐ No	
Training successfully completed:	☒ Yes ☐ No		All assessments marked/annotated by tutor: ☒ Yes ☐ No	
Training Days/Hours awarded:	56 hrs - 10hrs / day			
Training Certificate Number:	AA-TRG-2612		Training Certificate content acceptable: ☒ Yes ☐ No	
Auditor Summary Comments: Training Pack Acceptable: ☒ Yes ☐ No ☐ Minor Anomalies noted (improvement Opportunities) ☒ Non-Conformance noted. Comments/Details: No marks awarded for instruction writing. Number of days not stated on the training certificate.				

1. EXAM PACK REVIEW				☐ N/A (Training only)
Exam date(s):		13 th April 2026		Examiner(s): Jiyavudeen
Exam type: ☒ Initial ☐ Renewal ☐ Recertification ☐ Resit (following failure) ☐ Supplementary				
Invigilator (Theory):		Khaja ☐ N/A		Invigilator (Practical): Khaja ☐ N/A
Invigilator(s) listed on Scope of approval:		☒ Yes ☐ No		Examiner(s) listed on Scope of approval: ☒ Yes ☐ No
General Theory	82.5 % ☒ Pass ☐ Fail	Specific Theory:	86.6 % ☒ Pass ☐ Fail	Written Instruction: 89 % ☒ Pass ☐ Fail ☐ N/A
Practical Specimen 1	Failed 1 of 10 films	Practical Specimen 2	% ☐ Pass ☐ Fail	Practical Specimen 3 % ☐ Pass ☐ Fail
Practical Specimen 4	% ☐ Pass ☐ Fail	Practical Specimen 5	% ☐ Pass ☐ Fail	Practical Specimen 6 % ☐ Pass ☐ Fail
Practical Specimen 7	% ☐ Pass ☐ Fail	Practical Specimen 8	% ☐ Pass ☐ Fail	Practical Specimen 9 % ☐ Pass ☐ Fail
Marking/Grading Acceptable:		☐ Yes ☐ No		All exam elements marked/annotated by examiner: ☐ Yes ☐ No
Overall Outcome:		☐ Pass ☐ Fail		Results Notice No. O101433 Rev 1 R/N issue date: 16 th May 2026
R/N issued within 28 days:		☐ Yes ☒ No		Correct Categories awarded: ☐ Yes ☐ No ☒ N/A
Admin Docs on file: ☒ PSL/30 ☒ PSL/56A ☒ PSL/56B ☒ PSL/57A ☒ Eye test cert ☒ Applicable AQB docs				
Auditor Summary Comments: Exam Pack Acceptable: ☐ Yes ☐ No ☐ Minor Anomalies noted (improvement Opportunities) ☒ Non-Conformance noted. Comments/Details: Results Notice exceeded 28 Days				

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
6.4.2	Where more than one examiner contributes to the marking of a given exam then both examiner names must appear on the results notice	New
6.4.3	Generic marking schemes for Level 3 procedure writing and Level 2 Written Instruction writing are available in PCN24/CP25.	The organisation was informed of the mandatory use of the BINDT PCN24 marking schemes and is compliant
6.4.5	Where PCN24/CP22 does not include a reference to a marking schedule/sheet for a given method or technique, the AQB may formulate their own marking scheme/sheet based upon the principles detailed in the suite of marking schedules within PCN24/CP22. In such cases these shall be prepared by an authorised Examiner, with appropriate certification and shall be approved and signed as approved by the Chief Examiner. Any marking schemes developed in this way shall be submitted to BINDT for future inclusion in PCN24/CP22.	AEI-QM-T-01 Annex B in the job descriptions ensures examiners use red ink. AEI-QP-T-07 section 22 states: <i>"All grading is done in red ink. The examiner must date and sign the graded theory paper."</i> All exam packs reviewed in this audit were graded in red ink.
6.4.6	Marking schedules for all possible solutions are to be produced for all narrative answer questions and are to include key points and marks for answers.	AEI-QP-T-07 section 22 states: <i>"AEI uses only BINDT-approved marking schemes for each examination element. Generic mandatory schemes for practical exams are derived from CP22, while written instruction and Level 3 procedures are graded per CP25."</i>
6.4.7	The conduct of practical examinations shall be defined by written procedures which shall include, observation of the candidate for compliance with safety notes and notices, and selection and correct usage of test equipment	• <i>Marking schedules for all narrative answer questions include key points and allocated marks and are developed by an authorised Examiner, then reviewed and signed by the Chief Examiner.</i> - <i>Practical examination schedules include:</i> - <i>All possible solutions</i> - <i>Observation criteria for safety compliance</i> - <i>Correct equipment setup and use.</i> <i>These are also prepared by authorised Examiners and signed by the Chief Examiner.</i> The AQB was reminded of the mandatory grading sheets now provided by BINDT in the PCN24 scheme documents.
6.4.8	All examination marking is to be carried out using red ink.	Refer to clause 6.4.2
6.4.9	Examination results notices shall be despatched to the BINDT Certification Records Office, and the candidate not later than 28 days (though it is desirable that this period shall be less than 7 days) from the date of the examination and, in the case of failure in the examination, should include an indication of the reason for failure which is useful to the candidate in preparing for re-examination. The AQB may provide a copy of examination results to the organisation paying the examination fees but must ensure that data is safeguarded as required by national regulations on data protection.	AEI-QP-T-07 section 22 states: <i>"Result notices are sent to BINDT and the candidate no later than 28 days after the exam. AEI aims to send results within 7 days when possible. Failure notices shall include a brief reason for failure to support candidate preparation for re-examination."</i> Some of the exams reviewed in the conduct of exams and moderation section of this checklist exceeded 28 days. DR# 09

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

6.4.10	Failure by the candidate or their sponsor/employer to make payment for any examination within 12 months of the examination date shall be considered invalid and the results notice will not be accepted by PCN.	AEI-QP-T-07 section 22 states: "Examinations that remain unpaid after 12 months are considered invalid. PCN will not accept result notices submitted after this window." No such case since the last audit
6.4.11	The following process for unpaid exams shall be adopted by the AQB. - Grade the examination and raise a result notice as normal. - Do not submit any unpaid results notices to PCN. - Inform PCN (by way of email or letter) with a list of those on hold pending payment. - The candidate has 12 months, maximum, to pay for the examination taken or the examination results will become invalid and they will return to initial status. - When the candidate has met his/her financial commitments the AQB shall send results to PCN as normal indicating the reason for delay.	AEI-QP-T-07 section 22 states: "AEI follows this process for unpaid exams: - Grade the exam and raise a result notice. - Hold the result from PCN submission. - Notify BINDT of all such cases. - If payment is made within 12 months, send the result to PCN with reason for delay noted. - If payment is not made within 12 months, the result expires and the candidate must reattempt the full examination." No such case since the last audit.
6.4.12	BINDT reserves the right to require further evidence of competence before issuing a PCN certificate.	Info only.

6.5 Examination Records

6.5.1	The AQB shall maintain examination records for all examinations conducted under its scope of approval. Examination records shall be retained for a period of not less than eleven years (see clause 4.2.9 previous). Examination records shall include the following, as a minimum: - Completed examination application forms and supporting evidence. - Completed BINDT forms: - PCN24/PSL56A - PCN24/PSL56B (or equivalent) - Date of examination - Visual acuity and colour perception test record (current at time of examination) - All completed examination elements (general, specific, practical specimen reports, written Instruction as applicable to the examination). - Marking schemes as detailed in PCN24/CP22 duly completed by the approved examiner - Copy of results notice. - Traceability to invigilator and examiner	AEI-QP-T-07 section 23 addresses exam records: Examination Records • AEI maintains examination records for all PCN examinations conducted under its approved scope, retained securely for a minimum of 11 years in accordance with AEI-QP-T-02 and PCN24-CP09 Clause 6.5.1. • Examination records shall include, as a minimum, the following documents: • Fully completed examination application forms (PSL/57 or PSL/57B) and associated evidence. • Completed and signed PCN forms: - PSL/56A (examiner and invigilator confidentiality/impartiality declarations) - PSL/56B or equivalent (candidate declaration form) • Date and session details of each examination conducted. • Candidate vision test records (visual acuity and colour perception) valid at the time of examination (PSL/44 or equivalent). • All marked examination papers including general theory, specific theory, practical specimen reports, and written NDT instructions (as applicable). • Fully completed and examiner-signed marking schemes per CP22 and/or CP25. • Copy of the official results notice issued to candidate and PCN. • Traceability records clearly indicating the names of the assigned invigilator and examiner for each examination session. • All records are stored securely in either digital (SharePoint) or lockable physical formats, with restricted and logged access, ensuring confidentiality, integrity, and traceability throughout the retention period.
-------	--	--

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
		All of the above were found to be retained on file and compliance with this requirement was found to be satisfactory.
	Note: to auditors: Random examination packs should be checked to verify the acceptability of the examination processes applied and the records maintained. Details of the packs reviewed should be entered into this checklist or appended using completed copies of form PCN24/CP08/F06.	
6.6 Remote Examinations		
6.6.1	The AQB may administer PCN examinations at Authorised Examination Centres (AECs) or other remote locations under the direct control of the AQB.	Info only
6.6.2	An AEC is a location remote from the AQB where PCN examinations are administered on a regular basis. Such Examinations shall be carried out strictly in accordance with published requirements under the supervision of an approved invigilator who shall have direct access to an approved examiner should the need arise. All AECs must be approved by BINDT and the AQB should make advanced application for AEC approval. An examination centre may be situated at an employer's facility.	AEI-QP-T-10 Section 24 addresses remote examinations 24 Remote Examinations • AEI administers PCN examinations at Authorised Examination Centres (AECs) and Remote Examination Centres (RECs), under direct AQB control, strictly adhering to PCN24-CP09 Clauses 6.6.1 through 6.7.7, and detailed internally by AEI-WI-T-01. • An Authorised Examination Centre (AEC) is a remote location used regularly for conducting PCN examinations. AEI obtains prior approval from BINDT for all AECs, submitting formal applications as required. Each AEC operates under supervision by approved invigilators, with immediate access to approved examiners when necessary.
6.6.3	All remote examinations, at AECs or other locations, remain the responsibility of the AQB in terms of process, security and impartiality.	AEI remains fully accountable for the security, impartiality, integrity, and procedural compliance of all examinations administered at AECs and RECs. The AQB has one formal AEC on their scope of approval. This is Altair Academy based in Johor Bahru, Malaysia. They also conduct frequent remote exams at QMTS in Perth, Australia. However, although these are considered remote exams, the QMTS facility is self sufficient by means of invigilators, equipment, consumables, specimens and exam bookings. This operation is essentially a take over of a previous AQB that operated in Perth (TCS) BINDT are well aware of the arrangements and the auditor spent several weeks in Perth during the transition from February to April 2026
6.6.4	Remote Examinations are permitted under the conditions detailed in this section. <u>ALL</u> examinations conducted away from the AQB or AEC, <u>MUST</u> be authorised <u>IN ADVANCE</u> by BINDT. The controlling AQB is required to notify BINDT at least 14 days in advance of all instances where there is a proposal to conduct such remote examinations. Documented return permission/authorisation from BINDT is required before any such remote examinations can proceed. Failure to comply with this requirement may result in any non-authorised examinations being declared invalid by BINDT. Notification is the responsibility of the AQB who shall control the process even where AECs are involved. The AQB must inform the BINDT Certification Records Office by emailing them directly at	AEI-QP-T-07 section 23 states: <i>"Remote Examination Centres (RECs), used occasionally (fewer than six times per year), require written notification and formal approval by BINDT. AEI notifies BINDT at least 14 days prior to conducting REC examinations, providing the following details clearly documented:</i> - Number and names of candidates. - Address of the proposed examination site. - Company details (if applicable). - Examination methods and types. - Equipment and specimen lists. - Proposed invigilator and examiner names. - Facilities audit checklist. - Examination specimen shipping, storage, and access control details. - Detailed invigilation plan. • Examinations conducted without prior written BINDT authorisation will be invalidated by BINDT.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

	pcn.enquiries@bindt.org and must supply the following information: - Number and name(s) of candidate(s) - Name and address of proposed examination location - Company name (where appropriate) - Examination type and method - Equipment - Specimens - Proposed tutor and invigilator/examiner - Facilities audit checklist - Shipping and storage of examination specimens, including how access will be controlled - Invigilation plan. Without this information PCN are not able to process any examination results due to the PCN database requirements. All results will be issued under the main AQB as usual.	Evidence of travel by means of hotel bookings was presented as follows: Hotel Name: Mecure Kuala Lumpur (Glenmarie) Guest Name: Siraj Arrival: Not stated but 3 nights Departure: Hotel Name: Laman Green Hotel, Shah Alam & Grab receipt to KPG on 11th Nov Guest Name: M Faizul Arrival: 11th Nov 2025 Departure: 14th Nov 2025 Hotel Name: Laman Green Hotel, Shah Alam Guest Name: Martin Arrival: 13th Nov 2025 Departure: 14th Nov 2025 The auditor is aware of the AQB complying with this requirement.
6.6.5	Where the AQB offers PCN examinations at one or more remote examination centres on a permanent or frequent basis, there shall be a documented procedure covering the conduct of examinations at each examination centre. This procedure shall address all of the requirements contained within this document and may be subject to audit on site at the discretion of BINDT, which shall approve all centres established for the conduct of PCN examinations.	
6.6.6	If the AQB intends to conduct 6 or more examination sessions (within a 12-month period) at a location, an application must be made to BINDT. This location can then be registered as an AEC prior to examinations being conducted. An AQB must apply to BINDT for an AEC location. It is the responsibility of all AQB's to ensure that all of their AECs fully conform to PCN24/CP09 requirements and are effectively controlled.	
6.6.7	The AQB shall conduct audits on all remote examination locations to ensure the following (as a minimum) conform to PCN24/CP09 requirements: - Facilities (Theory & Practical examination facilities) - Equipment (PCN24/CP09 minimum requirements) - Personnel - Impartiality and Security Arrangements - Health & Safety	Copies of facility audits were presented for the KPG site in Kuala Lumpur, Malaysia. A facilities audit checklist for QMTS was conducted in March / April 2026 during a visit by Mr Siraj of Altair and Jason Scott of BINDT A facilities audit checklist for KPMG was conducted on 24th Oct 2025 by Amir and found to be acceptable The ATO is complying with this requirement. A list of equipment shipped to KPG was presented 5 AC Yokes plus consumables White & black light meter UV light Thermometer Doppler AnyScan UT Set plus accessories and IIW type 1 block

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
6.6.8	The AQB shall conduct audits at remote examination locations as follows: • Authorised Exam Centres (AEC) – minimum annually. • Remote Exam Centres (REC) – prior to each examination event. <i>BINDT Approved checklist PCN24/CP09B is available to assist in AEC/REC audits. These may be used or the AQB may generate their own checklists providing the required areas of PCN24/CP09 are addressed.</i>	Currently, the AQB does comply with this requirement and internal audit reports for the AEC was recorded in the AEC audit checklist.
6.6.9	AQB's may conduct remote assessments of their AECs using video conferencing and other associated electronic measures and data capture/gathering capabilities.	Info only
6.6.10	Remote assessments are permitted under the following conditions: • The AQB conducts such remote assessments in accordance with a detailed procedure and process. • At least one on-site assessment is conducted within the AQB's BINDT Approval cycle. Fully traceable reports and records are maintained for review at BINDT assessments – this includes all objective evidence captured by the AQB during the remote assessment	The assessment of the KPG facility was done remotely but found to be adequately documented and supported with photographs.
6.6.11	BINDT monitors AQB control of its AECs through documentary review of the AQB records of audit on its AECs. This review is conducted during BINDT assessments at the AQB. BINDT reserves the right to witness AQB audits at their AECs.	Info only
6.6.12	BINDT also now conducts AEC oversight assessments audits conducted by BINDT Lead assessors. These oversight assessments will normally be attached to scheduled Approved Training Organisation (ATO) audits and will be conducted upon completion of the ATO audit. The AEC assessment will normally be of one-half day duration but will depend finally upon the assessment progress. The AEC and controlling AQB shall make arrangements prior to the AEC assessment for examination records to be available to the auditor upon request. These records may be accepted in either hard or soft copy format and may be selected at random in advance of the assessment by the appointed lead auditor. The assessment will be conducted against the requirements of checklist PCN24/CP09B with any relevant requirements contained within PCN24/CP09 also being applied. This official BINDT oversight assessment does not absolve the controlling AQB from their audit responsibilities detailed above.	Info only and a BINDT audit of their AEC operation in Johor Bahru, Malaysia was conducted by this same auditor just prior to this assessment.

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

6.6.13	Where examination material is stored at a location not under the constant supervision of AQB staff, e.g., at a site remote from any permanently established and staffed examination centre, the AQB shall notify BINDT Certification Services Division management of the location concerned, and the measures in place to safeguard the security and confidentiality of examination material. The AQB shall retain audit records of such locations which include ensuring that security of exam materials is adequately addressed. These audit records (including photographs, if required) shall be retained and made available at BINDT assessments. BINDT reserves the right to audit such storage facilities and to direct that specific additional measures be implemented to safeguard security and confidentiality.	The AQB does store specimens at their AEC in Johor Bahru, Malaysia. Refer to the AEC audit checklist for details Specimens and equipment at Singapore can be shared between the main ATO and the Singapore facility as and when required. Specimens and equipment at QMTS in Perth, Australia are stored there permanently. The storage arrangements for Singapore and QMTS have been audited by both Altair and BINDT. And found to be acceptable. The AQB holds specimens at the following locations 1. Singapore 2. QMTS, Perth, Australia. A separate list of specimens located at each facility is maintained. Photographs of specimens being stored in a shipping container at the KPG site were presented For Training A list of 24 MT training welds was listed on a mobilisation list 31 UT Welds & 6 UTPA Training welds were also on the list For Exam A total of 55 exam welds from 3.1 to 3.9 were on the list A total of 18 MT welds was on the list
6.6.14	Where examination materials are transported between the AQB and the Remote location, the AQB shall have a documented process that details the actual materials transported and includes evidence of transport to/from each location. The AQB shall ensure the security of examination materials at all times while in transit or while retained at the remote location.	AEI-WI-T-01 is the dedicated work instruction for this requirement. Records maintained on file supported compliance with this requirement. Exam material sent between the AQB and QMTS in Perth if electronic only
6.6.15	Failure to comply with these requirements for remote examinations, especially with regard to audits and security, may result in the removal of AQB approval. BINDT takes very seriously any matters that may have potential to compromise the integrity and security of the PCN scheme.	Info only

6.7 Examination Specimens for use at Authorised Examination Centres (AEC)

6.7.1	The controlling AQB shall be responsible for ensuring that the number of specimens held by an AEC, or available on the day of any PCN examination event, is sufficient to ensure that no candidate, in that examination event is presented with any of the same examination specimens used by any other candidates during that same examination event.	Refer to the AEC audit report There are sufficient quantities of specimens located at the QMTS facility in Perth. Refer to QMTS audit report attached to this audit report
6.7.2	The AQB in conjunction with the AEC shall ensure that a sufficient number of specimens are available to verify that no candidates are presented with any of the same specimens at the next re-examination or re-certification event.	
6.7.3	Where examination specimens are the property of the AQB and stored at an AEC location, the AQB <u>SHALL</u> have a rotation plan in place, the rotation plan shall be documented within the AQB's Quality Management System QMS and made available to BINDT for review where requested.	
6.7.4	Where the specimens are the property of the AEC, the AEC shall relinquish <u>control</u> of the specimens to the AQB who shall assume all responsibilities associated with the specimens.	
6.7.5	Where the AEC is the <u>owner</u> of the examination specimens the AQB shall ensure that sufficient specimens are held at the AEC to satisfy clause 6.7.1 above.	

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
6.7.6	Where the AEC expects the number of candidates in any given examination event to exceed a number that renders the number of specimens held to be insufficient to meet clause 4.9.1, they shall notify the AQB who shall ensure that the minimum number of specimens available is sufficient to cater for the expected increased number of candidates.	Refer to the AEC audit report
6.7.7	The AQB and AEC shall maintain traceable records to allow BINDT to establish verification and compliance with the requirements of this document, during scheduled BINDT audits.	

The below table is a list of findings that was raised in the 2024 audit. The status of those findings is Stated in the last column.

DR#	F/O	Status, Reference & summary of finding; CP14 §4.6.5; 4.6.6 (to be agreed with Lead Assessor)	Evidence of Improvement action submitted / accepted by (include name and position)	Status of previous findings at this surveillance in Maay 2025
DR# 01 of 07	F	CP09 Issue 18 requirements clause 4.5 (Management Responsibility) & 5.1.2.4 (Resource Management) - PCN test centre authorisation No: 977 includes the chief examiner's name but still does not include the deputy Chief Examiner. This was raised in the last 2 surveillance assessment in 2022 & 2023 and is now escalated to a finding. The auditor was informed that the delay is from BINDT side. - The invigilator Meera Mohiddin Mehmil has since left the employment of Altair and needs to be removed from the BINDT list of approved invigilators.	The organization responded and supplied the following as evidence of corrective action taken: Updated PCN Test Centre Authorisation Document (No. 977): - The authorization schedule dated 12th January 2024 reflects the addition of the Deputy Chief Examiner, Shaik Khaja Mohiddin, as required. - However, the name of Meera Mohiddin Mehmil remains listed as an authorized invigilator despite her resignation. The AQB should provide the updated BINDT document once received from BINDT. Entry Closed: Name: Jason Scott Position: Lead Auditor Date: 16th November 2024	Another finding raised on the need to remove an invigilator who has now left employment
DR# 02 of 07	Obs	CP09 Issue 18 requirements clause 5.2.1 (Premises) The organisation is going to cease the ATO operations in July 2025. They then need to complete a full review of the QMS to amend accordingly where they refer to ATO in Singapore and reword accordingly.	The organization provided an update for DR# 02 as below: The organization has stated that the QMS revision is still ongoing to remove references to the ATO in Singapore and align it exclusively with the Approved Qualifying Body (AQB). The organization has committed to updating BINDT and the auditors with the revised QMS documents once the revisions are complete. Entry closed. Name: Jason Scott Position: Lead Auditor Date: 16th November 2024	Ok now

PCN24/CP09 Ref.		Requirement	Auditor Comments/Objective Evidence	
DR#	F/O	Status, Reference & summary of finding; CP14 §4.6.5; 4.6.6 (to be agreed with Lead Assessor)	Evidence of Improvement action submitted / accepted by (include name and position)	Status of previous findings at this surveillance in Maay 2025
DR# 03 of 07	Obs	CP09 Issue 18 requirements clause 5.3.5 (Exam questions & papers) Based on the 50% failure rate of a question, the AQB has conducted the question paper analysis by recording the correct answer in the form AEI – WI- T-03A. – Review of Inhouse question paper. However, no overall outcome was recorded and no evidence of the review being conducted by the chief examiner for further analysis to determine the root cause. Also, this could have been investigated for potentially evidence of cheating. The AQB is not effectively applying the process for the question paper review.	The organization has submitted a Question Paper Analysis Record (Document No. AEI-WI-T-03A, Revision 1, Revised Date: 10-12-2019) as evidence to address the observation raised: Evidence Review: - Document Details: - Document Name: Review of In-Use PCN Examination Papers. - Issue Date: 07-12-2009. - Revision Date: 10-12-2019. - Specific Question Reviewed: - Paper Reference: PAUT-E-CPA2-NO 2 Issue 8. - Question No. 30 with a failure rate of approximately 50%. Analysis Provided: The examiner recorded a detailed explanation of the correct answer (Option B) and addressed why candidates may have selected incorrect options, such as "d" (1.8 times the compression wave path).. Review Conducted: The examiner provided a clear analysis of the question and candidates' potential misunderstandings. Authorization: The document is signed and dated by Abdul Aziz (10/09/2024) as the reviewer and Siraj H Masroor (10/09/2024) as the PCN Coordinator. However, While the document contains a thorough analysis of a specific question, there is no evidence of an overall outcome being recorded, such as an aggregated review of questions with similar failure rates or a root cause analysis across multiple papers. There is also no indication of measures to investigate the possibility of cheating, which was highlighted in the observation. To be followed up again at next assessment: Entry Closed Name: Jason Scott Position: Lead Auditor Date: 16th November 2024	Ok now

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

DR#	F/O	Status, Reference & summary of finding; CP14 §4.6.5; 4.6.6 (to be agreed with Lead Assessor)	Evidence of Improvement action submitted / accepted by (include name and position)	Status of previous findings at this surveillance in Maay 2025
DR# 04 of 07	Obs	CP09 Issue 18 requirements clause 5.4.5 / 5.4.7 & 5.4.9 (Exam Specimens)	The organization provided evidence to address the observation raised as below:	Ok now
		- In Phased array – Specimen No: 6800 – The defect No: 1. The signal amplitude is 40% of the reporting threshold limit. In this instance, the AQB may wish to consider this defect as a non-mandatory reportable instead of Mandatory reportable defect. Please refer specimen evaluation checklist attached with this report. - All the specimens are uniquely marked with permanent numbers, however, the AEC has allocated the same identification numbers to UT and Phased array methods since the plates and pipes specimens are shared between these methods. This is not in compliance with CP09. - The AEC is encouraged to retain on file the actual screen shot of the defects to make the review process conformable during audit and the examiners during grading. Although this is not mandatory requirement by CP09, the AQB would benefit by adopting this process for effective continued reviewing of master reports - The AQB is reviewing the specimen performance against the overall failure but they do not include a review of the defect characterization.	- A list of phased array specimens was submitted, including their unique identification numbers. - Photographic evidence of specimens with the “PA” stamp clearly differentiates them from other methods. - Defect Images Attached to PAUT Master Report: - A sample PAUT master report (Specimen No. 61019) includes detailed defect descriptions and images. - The report includes a sketch of weld details and the summary of defect reflectors. - The procedure AEI-WI-T-04 Revision 7 (dated 05-09-2024) now includes a section under clause 5.3.5, specifying the process for defect characterization and specimen performance review. Exam Specimen Defect Characterization Record (UT-61007 Master): - Document No.: AEI-FORM-33 - Issue Date: 07/12/2009 - Revision No.: 5, Revised Date: 10/12/2019 Candidate reports were compared against the master report, with the differences in datum, length, depth, and height noted. For example: Candidate Arif Arifin Alif: Accurately reported the defect types (Root LOF, Toe Crack, Slag), with minor differences noted in dimensions. Entry Closed Name: Jason Scott Position: Lead Auditor Date: 16th November 2024	

PCN24/CP09 Ref.	Requirement		Auditor Comments/Objective Evidence
--------------------	-------------	--	-------------------------------------

DR#	F/O	Status, Reference & summary of finding; CP14 §4.6.5; 4.6.6 (to be agreed with Lead Assessor)	Evidence of Improvement action submitted / accepted by (include name and position)	Status of previous findings at this surveillance in Maay 2025
DR# 05 of 07	Obs	CP09 Issue 18 requirements 6.2.11 (Conduct of PCN Examinations)	The organization has provided the below evidence to address the observation as below:	Ok now
		The AQB does not retain the candidates' practical rough notes/sketches in the examination file. Although the AQB explained they destroy these rough notes, it would be better to keep them on files to support the requirement that the candidate didn't remove anything from the exam. In addition, the rough notes are sometimes useful to assist them examiner when grading exams.	Staff Briefing Record: - Document Name: Training Attendance – Briefing on Keeping Rough Reports of Practical Exams. - Document No.: AEI-FORM-41 Rev 4. - Training Details: - Conducted on 13/09/2024 via MS Teams.- 2hrs - Instructor: Siraj HM (Altair). - Attendees: M. Suffian, Abdul Aziz, Shaik Khaja, Martin Antony Nexo, Ganesh Moorthy, and Wan Kamil. Rough sheets/sketches from candidates have been provided as evidence of implementation.	
			Entry Closed Name: Jason Scott Position: Lead Auditor Date: 16th November 2024	
DR# 06 of 07	F	CP09 Issue 18 requirements 6.3.4.1/ 6.3.5 / 6.3.10 (Consistency of PCN Examinations) - All the three examiners were active in some methods for the past 12 months. However, none of the examiners have been subject to 2 moderations / method they are approved for. - The AQB's QMS does require an annual competency test of non – active examiner as per clause 6.7.8 of the procedure AEI-QP-T-08 – However they are not currently complying with this requirement. The examiners were in-active in some of the methods they are approved for - The moderator's name was not recorded in one of the result notice No: 00100552 reviewed at this audit ((Obs)	The organization has provided the below evidence to address the concern raised: Training Attendance for Moderation Process Briefing: - Document Name: Training Attendance – Briefing on Moderation Process. - Document No.: AEI-FORM-41 Rev 4. - Conducted on 12/09/2024 at Altair Singapore.- 2hrs - Instructor: Sirajul Hameed Masroor. - Attendees: - Shaik Khaja M, Abdul Aziz, Ganesh Moorthy. Two moderation papers were included, demonstrating the process of assessing inactive examiners through mock exams. Phased array – Initial & UT recertification. Both were cross verification. No significant issues noted. Entry Closed Name: Jason Scott Position: Lead Auditor Date: 16th November 2024	2 observations raised on consistency of PCN examinations

PCN24/CP09 Ref.	Requirement	Auditor Comments/Objective Evidence
--------------------	-------------	-------------------------------------

DR#	F/O	Status, Reference & summary of finding; CP14 §4.6.5; 4.6.6 (to be agreed with Lead Assessor)	Evidence of Improvement action submitted / accepted by (include name and position)	Status of previous findings at this surveillance in Maay 2025
DR# 07 of 07	Obs	CP09 Issue 18 requirements 6.4.5 (Grading of PCN Examinations) The AQB did not consider the initially passed General & Specific marks from the IMechE results notice for averaging. This requirement for averaging the exam parts will cease to exist after July 1st 2024 in the PCN GEN 24 documents. However, the AQB is encouraged to still include the previous Initial pass marks indicating from which results notice they are from for traceability. Only observation is raised as no issue on grading.	The organization has provided the below evidence to address the concern raised: • Training Attendance recorded in AEI -FORM -41 • Content of the training: Briefing on mentioning the previous result notice reference for retest candidates • Date of Training: 13/09/2024 – 2hrs • Briefed by: Abdul Aziz • A sample result two result notices were provided as evidence of implementation. implementation: • Result notice reference No: 0100704 & 0100685 – Both the result notices mentioned the previous result notices reference numbers as required. Entry Closed Name: Jason Scott Position: Lead Auditor Date: 16th November 2024	Ok now

End of Checklist

Prepared By: Jason Scott

Lead Auditor

Date: 10th June 2026