

LinkVault Frontend — Student Task

Project Info

Build a frontend for the **LinkVault API** using HTML, CSS (Bootstrap 5), and Vanilla JavaScript.

API Swagger: <http://linkvaultapi.runasp.net/swagger/index.html>

Read the Swagger docs carefully — all endpoints, request bodies, and response shapes are documented there.

Tech Requirements

- HTML5
 - Bootstrap 5 (CDN)
 - Vanilla JavaScript (no frameworks — no React, Vue, Angular, jQuery)
 - Use `fetch()` for all API calls
 - Store the JWT token in `localStorage`
 - Files should open directly in the browser (no build tools, no npm)
-

Pages

You need **5 pages minimum**:

1. **Login / Register page**
 2. **Categories page**
 3. **Bookmarks page**
 4. **Single Bookmark page** (with its notes)
 5. **Notes page** (standalone)
-

Functional Requirements

Authentication

- User can **register** with full name, email, and password
- User can **login** with email and password

- After successful login or register, store the token and redirect to the main page
- If the user is already logged in, redirect away from the login page
- If any page is accessed without a token, redirect to login
- If the API returns 401 on any request, clear the token and redirect to login
- User can **logout** (clear token + redirect)
- Show the **current user's email** in the navbar (decode it from the JWT — don't call the API for it)

Navigation

- All pages (except login) should have a **shared navbar** with links to Categories, Bookmarks, and Notes
- The current page link should be **highlighted/active**
- Navbar should show user email and a logout button

Categories

- Display all categories in a **table**
- User can **create** a new category (name + optional description)
- User can **edit** a category
- User can **delete** a category (API will reject if it has bookmarks or notes — show the error)
- Show an **empty state** when there are no categories

Bookmarks

- Display all bookmarks in a **table**
- The bookmark URL should be a **clickable link** that opens in a new tab
- Show the **category name** for each bookmark
- User can **create** a new bookmark (URL + title + select category from dropdown)
- User can **edit** a bookmark
- User can **delete** a bookmark
- User can **toggle favorite** (★/☆) by clicking — without opening a form
- User can **toggle archived** by clicking — without opening a form
- **Filter bar** with:
 - Category dropdown filter
 - Text search (searches title and URL)

- Favorites only checkbox/toggle
- Archived only checkbox/toggle
- Apply and Clear buttons
- User can navigate to a **single bookmark page** to see its details and notes

Single Bookmark Page

- Show the bookmark's **full details** (title, URL as link, category, favorite/archived status, date)
- Show all **notes attached to this bookmark** (these are nested notes — different endpoint than standalone notes)
- User can **add a note** to this bookmark
- User can **delete a note** from this bookmark
- **Back button** to return to the bookmarks list

Standalone Notes

- Display all notes in a **table**
 - Show **title, content (truncated), category name, pinned status**
 - User can **create** a new note (title + content + select category from dropdown)
 - User can **edit** a note
 - User can **delete** a note
 - User can **toggle pinned** () by clicking — without opening a form
 - **Category filter** dropdown — filter notes by category
-

UI Requirements

- Use **Bootstrap modals** for create and edit forms
 - Use **Bootstrap alerts** for success and error messages (auto-dismiss after a few seconds)
 - Show a **loading state** while data is being fetched
 - Show an **empty state** when there is no data
 - Use `confirm()` before delete operations
 - The pages should be **responsive** and work on mobile
-

Error Handling

- If the API returns an error, display the error message to the user
 - Login/register errors should be shown on the form (e.g., "Invalid email or password")
 - Duplicate name/URL errors should be shown when creating or editing
 - Delete errors (e.g., "Category has bookmarks") should be shown
-

Important Notes

- The **same user sees only their own data** — test by registering 2 different accounts
 - **PUT endpoints** require all fields in the body, not just the changed ones — read Swagger carefully
 - **DELETE endpoints** return 204 (no body) — handle this in your code
 - The JWT token from ASP.NET has **long claim type URLs** — you'll need to figure out the correct keys when decoding the payload
 - Some **query parameters** are available for filtering — check Swagger for each GET endpoint
-

Deliverables

- All HTML, CSS, and JS files
 - The project should work by simply opening `login.html` in the browser
 - No setup steps required — no npm, no build, no server needed
-

Bonus

- **Dark mode** toggle (switch between light and dark theme)
- **Pagination** — if you have many bookmarks or notes, show them in pages (e.g., 10 per page)
- **Sort** — let the user sort bookmarks or notes by date, title, or pinned/favorite status
- **Drag and drop** to reorder categories or notes
- **Toast notifications** instead of Bootstrap alerts (more polished UX)
- **Keyboard shortcuts** (e.g., `N` to create new, `Esc` to close modal)
- **Export** bookmarks or notes as JSON file (download)

- **Count badges** on category rows showing how many bookmarks and notes each has