




Egypt Real Estate 2026

DATA DICTIONARY — COLUMN REFERENCE

Source files: *egypt_re_clean.csv* | *egypt_re_amenities_binary.csv*

Total columns documented: 70 | 35,830 listings | Scraped February 2026

This reference explains every column in the dataset. Columns are grouped by theme. For each column you will find the data type expected, what the values represent, and any derivation notes where relevant. Use this guide alongside the Power BI or Tableau dashboards to interpret charts and filters correctly.

1. Listing Identifier

listing_id — Text — Unique identifier for each listing (e.g. HYEPN5XPWQT7K05K4ST7EDWW5R). Use as the primary key for joins.

2. Property Classification

category — Text — Broad classification: "rent" or "buy". Mirrors offering_type.

property_type — Text — Physical property category: Apartment, Villa, Townhouse, etc.

offering_type — Text — Transaction type: "Rent" or "Buy".

completion_status — Text — Construction state: Completed, Under Construction, Off-plan. May be empty for some listings.

3. Price

All prices are in Egyptian Pounds (EGP). Rent listings show a periodic amount (monthly). Buy listings show the total sale price. price_per_sqm is always calculated the same way regardless of offering type.

price_egp — Decimal — Listing price in Egyptian Pounds (EGP). For rent listings this is a periodic amount (see price_period).

price_period — Text — "monthly" for rent listings. Empty or "total" for buy listings.

price_currency — Text — Currency of the price field — always "EGP" in this dataset.

price_per_sqm — Decimal — Derived: price_egp divided by area_value. Useful for comparing value across different unit sizes.

4. Location Hierarchy

The location data follows a four-level hierarchy: City → Town → District → Subdistrict. Most map visuals use lat/lon. Most ranking visuals use subdistrict (compound name).

location_full — Text — Full human-readable address string as scraped (compound, subdistrict, district, city).

city — Text — Top-level city: Cairo or Giza.

town — Text — Sub-city area or municipal zone (e.g. New Cairo City, 6 October City, Sheikh Zayed City).

district — Text — Neighbourhood or district within the town (e.g. The 5th Settlement, Al Rehab, Zamalek).

subdistrict — Text — Compound or micro-area name (e.g. Vilette, Mivida, Zed Towers). Most granular geographic level.

lat — Decimal — Latitude coordinate (WGS-84). Used for map visuals.

lon — Decimal — Longitude coordinate (WGS-84). Used for map visuals.

5. Property Specifications

bedrooms — Decimal — Number of bedrooms. Studios appear as 0.

bathrooms — Decimal — Number of bathrooms.

area_value — Decimal — Floor area of the unit (see area_unit for the unit).

area_unit — Text — Unit for area_value — always "sqm" (square meters) in this dataset.

furnished — Text — Furnishing status as listed: Furnished, Unfurnished, or Semi-Furnished.

is_furnished_binary — Whole Number — Binary version of furnished: 1 = Furnished, 0 = Unfurnished or Semi-Furnished. Useful for modelling.

total_rooms — Decimal — Derived: bedrooms + bathrooms.

area_flag — Whole Number — 1 if the unit is considered large (above a size threshold), 0 otherwise.

Computed during feature engineering.

6. Listing Quality Flags

These Boolean columns come from the platform itself and reflect whether the agent paid for promotional placement or the listing was verified. They are useful for filtering high-confidence listings.

listing_level — Text — Platform tier of the listing — typically "standard".

is_premium — Boolean — True if the listing has paid for a premium slot on the platform.

is_verified — Boolean — True if the listing has been verified by the platform.

is_featured — Boolean — True if the listing is featured/promoted.

is_new_construction — Boolean — True if the property is newly built.

is_direct_from_dev — Boolean — True if the seller is the original developer (not a broker).

is_exclusive — Boolean — True if the listing is exclusively listed with one agency.

7. Listing Metadata

listed_date — Date — Date the listing was first published (YYYY-MM-DD).

listed_date_original — Date/Time — Original scraped timestamp of the listing date.

scraped_at — Date/Time — Timestamp when the record was collected by the scraper (UTC).

images_count — Whole Number — Number of photos attached to the listing.

has_view_360 — Boolean — True if the listing includes a 360-degree virtual tour.

description — Text — Free-text listing description as written by the agent.

amenities — Text — Pipe-separated list of amenity names as scraped (e.g. "Balcony | Security | Shared Pool").

payment_method — Text — Payment or financing terms mentioned by the agent. Often empty.

amenity_count — Whole Number — Derived: total count of amenities listed for this unit.

8. Agent & Broker

agent_id — Decimal — Internal numeric ID of the listing agent.

agent_name — Text — Full name of the individual agent who posted the listing.

agent_is_super — Boolean — True if the agent holds a "super agent" status on the platform.

broker_name — Text — Name of the real estate agency or brokerage the agent belongs to.

9. Derived Date Columns

These columns are pre-extracted from `listed_date` to make time-based analysis easier without needing date functions.

year — Whole Number — Year extracted from `listed_date`.

month — Whole Number — Month number (1–12) extracted from `listed_date`.

week — Whole Number — ISO week number extracted from `listed_date`.

day_of_week — Text — Day name extracted from `listed_date` (e.g. Monday, Thursday).

days_since_listed — Decimal — Days elapsed from `listed_date` to the scrape date. Measures how long the listing has been active.

listing_age_days — Decimal — Alternative calculation of how old the listing is, based on `listed_date_original`. May differ slightly from `days_since_listed` due to timestamp rounding.

10. Amenity Binary Flags

Each `amen_*` column is a binary indicator (1 = present, 0 = absent) extracted from the amenities text field. These are also available as a separate file: `egypt_re_amenities_binary.csv`, joined to the main table on `listing_id`.

amen_balcony — Whole Number — 1 if the listing includes a Balcony, else 0.

amen_security — Whole Number — 1 if the compound has Security / guarding, else 0.

amen_covered_parking — Whole Number — 1 if Covered Parking is available, else 0.

amen_view_of_landmark — Whole Number — 1 if the unit has a View of a Landmark, else 0.

amen_shared_gym — Whole Number — 1 if a Shared Gym is available in the compound, else 0.

amen_lobby_in_building — Whole Number — 1 if the building has a Lobby, else 0.

amen_central_a_c — Whole Number — 1 if Central Air Conditioning is included, else 0.

amen_kitchen_appliances — Whole Number — 1 if Kitchen Appliances are included, else 0.

amen_built_in_wardrobes — Whole Number — 1 if Built-in Wardrobes are included, else 0.

amen_shared_spa — Whole Number — 1 if a Shared Spa is available in the compound, else 0.

amen_shared_pool — Whole Number — 1 if a Shared Swimming Pool is available, else 0.

amen_walk_in_closet — Whole Number — 1 if the unit includes a Walk-in Closet, else 0.

amen_study — Whole Number — 1 if the unit includes a Study / home office room, else 0.

amen_children_s_pool — Whole Number — 1 if a Children's Pool is available in the compound, else 0.

amen_view_of_water — Whole Number — 1 if the unit has a View of Water (lake, river, pool), else 0.

amen_private_garden — Whole Number — 1 if the unit has a Private Garden, else 0.

amen_maids_room — Whole Number — 1 if the unit includes a Maid's / Driver's Room, else 0.

amen_private_pool — Whole Number — 1 if the unit has its own Private Pool, else 0.

amen_networked — Whole Number — 1 if the unit has a structured network / smart home wiring, else 0.

amen_dining_in_building — Whole Number — 1 if there is Dining / restaurant within the building, else 0.

Notes

Null values: days_since_listed and listing_age_days may be null for listings scraped on the same day they were published. area_value is always in square meters. price_per_sqm is pre-computed — do not divide price_egp by area_value yourself as it may differ due to rounding.

Joining tables: use listing_id as the join key between egypt_re_clean.csv and egypt_re_amenities_binary.csv. The join is one-to-one (each listing_id appears once in each file).

Coordinate precision: lat and lon are truncated to approximately 5 decimal places, which is accurate to within about 1 meter. They represent the compound centroid, not the individual unit.