



 This documentation is not published yet, this is only a preview. Changes to the publishing set...

Cristin

GET 201.14.1.0

```
https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=2017&unit=201.14.1.0
```

PARAMS

lang

en,nb

per_page

1000

published_since

2017

unit

201.14.1.0

Example Request 201.14.1.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=2017&unit=201.14.1.0'
```

Example Response 200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 11:50:56 GMT
Server: JBoss-EAP/7
X-Powered-By: Undertow/1
Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type
Access-Control-Expose-Headers: X-Total-Count, Link
X-Total-Count: 659
Access-Control-Allow-Origin: *
Strict-Transport-Security: max-age=31536000; includeSubDomains
Content-Type: application/json; charset=UTF-8
Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

Documentation Settings ▼

GET 201.14.2.0

https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=2017&unit=201.14.2.0

PARAMS

lang

en,nb

per_page

1000

published_since

2017

unit

201.14.2.0

Example Request

201.14.2.0

curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=2017&unit=201.14.2.0'

Example Response

200 OK

Body Headers (15)

Date: Mon, 19 Apr 2021 11:55:27 GMT

Documentation Settings ▼

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 1012

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

GET 201.14.3.0

No request URL found. It will show up here once added.

Example Request

201.14.3.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 11:57:42 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 646

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.14.4.0

No request URL found. It will show up here once added.



Example Request

201.14.4.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (15)

Date: Mon, 19 Apr 2021 11:58:53 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 1149

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

GET 201.15.1.0

No request URL found. It will show up here once added.

Example Request

201.15.1.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 11:59:56 GMT

Documentation Settings ▼

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 485

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.15.2.0

No request URL found. It will show up here once added.

Example Request

201.15.2.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:00:52 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 336

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.15.3.0

No request URL found. It will show up here once added.



Example Request

201.15.3.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (15)

Date: Mon, 19 Apr 2021 12:01:41 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 1177

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

GET 201.15.4.0

No request URL found. It will show up here once added.

Example Request

201.15.4.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (15)

Date: Mon, 19 Apr 2021 12:02:45 GMT

Documentation Settings ▼

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 1132

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

GET 201.17.1.0

No request URL found. It will show up here once added.

Example Request

201.17.1.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:03:33 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 179

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.17.2.0

No request URL found. It will show up here once added.



Example Request

201.17.2.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:04:13 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 382

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.17.3.0

No request URL found. It will show up here once added.

Example Request

201.17.3.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:05:01 GMT

Documentation Settings ▼

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 325

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.18.1.0

No request URL found. It will show up here once added.

Example Request

201.18.1.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:05:47 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 566

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.18.3.0

No request URL found. It will show up here once added.



Example Request

201.18.3.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:06:28 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 16

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.18.4.0

No request URL found. It will show up here once added.

Example Request

201.18.4.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:07:20 GMT

Documentation Settings ▼

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 539

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.18.6.0

No request URL found. It will show up here once added.

Example Request

201.18.6.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:08:15 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 418

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.18.7.0

No request URL found. It will show up here once added.



Example Request

201.18.7.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:08:59 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 372

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.19.1.0

No request URL found. It will show up here once added.

Example Request

201.19.1.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:09:45 GMT

Documentation Settings ▼

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 403

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.19.2.0

No request URL found. It will show up here once added.

Example Request

201.19.2.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:10:20 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 393

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.19.3.0

No request URL found. It will show up here once added.



Example Request

201.19.3.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:10:59 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 262

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.19.4.0

No request URL found. It will show up here once added.

Example Request

201.19.4.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:11:51 GMT

Documentation Settings ▼

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 354

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.20.1.0

No request URL found. It will show up here once added.

Example Request

201.20.1.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:13:27 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 322

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.20.2.0

No request URL found. It will show up here once added.



Example Request

201.20.2.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:14:19 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 74

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.20.3.0

No request URL found. It will show up here once added.

Example Request

201.20.3.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:15:00 GMT

Documentation Settings ▼

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 524

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH

GET 201.20.4.0

No request URL found. It will show up here once added.

Example Request

201.20.4.0

```
curl --location --request GET 'https://api.cristin.no/v2/results?lang=en,nb&per_page=1000&published_since=:
```

Example Response

200 OK

Body Headers (14)

Date: Mon, 19 Apr 2021 12:15:39 GMT

Server: JBoss-EAP/7

X-Powered-By: Undertow/1

Access-Control-Allow-Headers: x-requested-with, Authorization, Content-Type

Access-Control-Expose-Headers: X-Total-Count, Link

X-Total-Count: 486

Access-Control-Allow-Origin: *

Strict-Transport-Security: max-age=31536000; includeSubDomains

Content-Type: application/json; charset=UTF-8

Access-Control-Allow-Methods: GET, OPTIONS, POST, PUT, PATCH