
Client
IP = 169.144.0.34
Port = 68
Port = 67
Server
IP = 169.144.0.33


DHCP Flow

Client
IP = 169.144.0.34
Port = 68
Server
IP = 169.144.0.33
Port = 67
Discover
Offer
Request
ACK
Lease time
2 minutes
Request
ACK

Discover



```
0000  ff ff ff ff ff ff 00 0c   29 48 20 3a 08 00 45 00
0010  01 48 02 f6 00 00 80 11   36 b0 00 00 00 00 ff ff
0020  ff ff 00 44 00 43 01 34   35 4b 01 01 06 00 e7 cd
0030  f6 47 00 00 00 00 00 00   00 00 00 00 00 00 00 00
0040  00 00 00 00 00 00 00 0c   29 48 20 3a 00 00 00 00
0050  00 00 00 00 00 00 00 00   00 00 00 00 00 00 00 00
0060  00 00 00 00 00 00 00 00   00 00 00 00 00 00 00 00
0070  00 00 00 00 00 00 00 00   00 00 00 00 00 00 00 00
0080  00 00 00 00 00 00 00 00   00 00 00 00 00 00 00 00
0090  00 00 00 00 00 00 00 00   00 00 00 00 00 00 00 00
00a0  00 00 00 00 00 00 00 00   00 00 00 00 00 00 00 00
00b0  00 00 00 00 00 00 00 00   00 00 00 00 00 00 00 00
00c0  00 00 00 00 00 00 00 00   00 00 00 00 00 00 00 00
00d0  00 00 00 00 00 00 00 00   00 00 00 00 00 00 00 00
00e0  00 00 00 00 00 00 00 00   00 00 00 00 00 00 00 00
00f0  00 00 00 00 00 00 00 00   00 00 00 00 00 00 00 00
0100  00 00 00 00 00 00 00 00   00 00 00 00 00 00 00 00
0110  00 00 00 00 00 00 63 82   53 63 35 01 01 3d 07 01
0120  00 0c 29 48 20 3a 32 04   a9 90 00 22 0c 0f 57 49
0130  4e 2d 55 4b 42 44 47 38   43 37 36 52 4c 3c 08 4d
0140  53 46 54 20 35 2e 30 37   0c 01 0f 03 06 2c 2e 2f
0150  1f 21 79 f9 2b ff
```

0x01	0x01	0x06	0x00
0xe7cdf647			
0x0000	0	0x000000000000000	
0x00000000			
0x00000000			
0x00000000			
0x00000000			
0x000c2948203a Padding: 0x00000000000000000000			
0x0000000000000000000000000000000000000000000000000 000000000000000000000000000000000000000000000000000 0000000000000000000000000000000000000000000000000			
0x0000000000000000000000000000000000000000000000000000000000000000000 000000000000000000000000000000000000000000000000000000000000000000000 000000000000000000000000000000000000000000000000000000000000000000000 000000000000000000000000000000000000000000000000000000000000000000000 000000000000000000			
0x638253633501013d0701000c2948203a3204a99000 220c0f57494e2d554b42444738433736524c3c084d53 465420352e30370c010f03062c2e2f1f2179f92bff			

Discover Option Table

#	Options	Hexa Codes			Discretion
1	Magic cookie: DHCP	0x63825363			
2	Option: (53) DHCP Message Type (Discover)	Option	Length	Value	Length: 1 DHCP: Discover (1)
		0x35	0x01	0x01	
3	Option: (61) Client identifier	Option	Length	Value	Length: 7 Hardware type: Ethernet (0x01) Client MAC address: VMware_48:20:3a (00:0c:29:48:20:3a)
		0x3d	0x07	0x01000c2948203a	
4	Option: (50) Requested IP Address (169.144.0.34)	Option	Length	Value	Length: 4 Requested IP Address: 169.144.0.34
		0x32	0x04	0xa9900022	
5	Option: (12) Host Name	Option	Length	Value	Length: 15 Host Name: WIN-UKBDG8C76RL
		0x0c	0x0f	0x57494e2d554b42444738433736524c	
6	Option: (60) Vendor class identifier	Option	Length	Value	Length: 8 Vendor class identifier: MSFT 5.0
		0x3c	0x08	0x4d534654 20352e30	
7	Option: (55) Parameter Request List	Option	Length	Value	Parameter Request List Item: (1) Subnet Mask | Parameter Request List Item: (43) Vendor-Specific Information
		0x37	0x0c	0x010f03062c2e2f1f2179f92b	
8	Option: (255) End	0xff			Option End: 255

Total Length = 64 byte

Offer



```
0000  ff ff ff ff ff ff 00 0c  29 c9 fd 17 08 00 45 00
0010  01 48 4f b7 00 00 80 11  40 3d a9 90 00 21 ff ff
0020  ff ff 00 43 00 44 01 34  aa f6 02 01 06 00 e7 cd
0030  f6 47 00 00 00 00 00 00  00 00 a9 90 00 22 a9 90
0040  00 21 00 00 00 00 00 0c  29 48 20 3a 00 00 00 00
0050  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0060  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0070  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0080  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0090  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00a0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00b0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00c0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00d0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00e0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00f0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0100  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0110  00 00 00 00 00 00 63 82  53 63 35 01 02 01 04 ff
0120  ff 00 00 3a 04 00 00 00  3c 3b 04 00 00 00 69 33
0130  04 00 00 00 78 36 04 a9  90 00 21 ff 00 00 00 00
0140  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0150  00 00 00 00 00 00
```



0x02	0x01	0x06	0x00
0xe7cdf647			
0x0000	0	0x0000000000000000	
0x00000000			
0xa9900022			
0xa9900021			
0x00000000			
0x000c2948203a Padding: 0x00000000000000000000			
0x00000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000			
0x0000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000			
0x63825363350102010 4ffff00003a040000003c3b04000000693304000000783604a9900021ff0000000000000000000000000000000000000000000000000000			

Offer Option Table

#	Options	Hexa Codes			Discretion
1	Magic cookie: DHCP	0x63825363			
2	Option: (53) DHCP Message Type (Offer)	Option	Length	Value	Length: 1 DHCP: Offer (2)
		0x35	0x01	0x02	
3	Option: (1) Subnet Mask (255.255.0.0)	Option	Length	Value	Length: 4 Subnet Mask: 255.255.0.0
		0x01	0x04	0xffff0000	
4	Option: (58) Renewal Time Value	Option	Length	Value	Length: 4 Renewal Time Value: 1 minute (60)
		0x3a	0x04	0x0000003c	
5	Option: (59) Rebinding Time Value	Option	Length	Value	Length: 4 Rebinding Time Value: 1 minute, 45 seconds (105)
		0x3b	0x04	0x00000069	
6	Option: (51) IP Address Lease Time	Option	Length	Value	Length: 4 IP Address Lease Time: 2 minutes (120)
		0x33	0x04	0x00000078	
7	Option: (54) DHCP Server Identifier (169.144.0.33)	Option	Length	Value	Length: 4 DHCP Server Identifier: 169.144.0.33
		0x36	0x04	0xa9900021	
8	Option: (255) End	0xff			Option End: 255
9	Padding	Padding = 26 byte 0x0000000000000000000000000000000000000000000000000000			

Total Length= 38+26= 64 byte

Request



```
0000  ff ff ff ff ff ff 00 0c  29 48 20 3a 08 00 45 00
0010  01 62 02 f7 00 00 80 11  36 95 00 00 00 00 ff ff
0020  ff ff 00 44 00 43 01 4e  f7 47 01 01 06 00 e7 cd
0030  f6 47 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0040  00 00 00 00 00 00 00 0c  29 48 20 3a 00 00 00 00
0050  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0060  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0070  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0080  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0090  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00a0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00b0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00c0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00d0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00e0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00f0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0100  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0110  00 00 00 00 00 00 63 82  53 63 35 01 03 3d 07 01
0120  00 0c 29 48 20 3a 32 04  a9 90 00 22 36 04 a9 90
0130  00 21 0c 0f 57 49 4e 2d  55 4b 42 44 47 38 43 37
0140  36 52 4c 51 12 00 00 00  57 49 4e 2d 55 4b 42 44
0150  47 38 43 37 36 52 4c 3c  08 4d 53 46 54 20 35 2e
0160  30 37 0c 01 0f 03 06 2c  2e 2f 1f 21 79 f9 2b ff
```

0x01	0x01	0x06	0x00
0xe7cdf647			
0x0000		0	0x000000000000000
0x00000000			
0x00000000			
0x00000000			
0x00000000			
0x000c2948203a Padding: 0x00000000000000000000			
0x000000000000000000000000000000000000000000 00000000000000000000000000000000000000000000 000000000000000000000000000000000000000000			
0x0000000000000000000000000000000000000000000000000000000000000000 000000000000000000000000000000000000000000000000000000000000000000 000000000000000000000000000000000000000000000000000000000000000000 000000000000000000000000000000000000000000000000000000000000			
0x638253633501033d0701000c2948203a3204a99000223604a 99000210c0f57494e2d554b42444738433736524c5112000000 57494e2d554b42444738433736524c3c084d53465420352e303 70c010f03062c2e2f1f2179f92bff			

Request Option Table

#	Options	Hexa Codes			Discretion
1	Magic cookie: DHCP	0x63825363			
2	Option: (53) DHCP Message Type (Request)	Option 0x35	Length 0x01	Value 0x03	Length: 1 DHCP: Request (3)
3	Option: (61) Client identifier	Option 0x3d	Length 0x07	Value 0x01000c2948203a	Length: 7 Hardware type: Ethernet (0x01) Client MAC address: VMware_48:20:3a (00:0c:29:48:20:3a)
4	Option: (50) Requested IP Address (169.144.0.34)	Option 0x32	Length 0x04	Value 0xa9900022	Length: 4 Requested IP Address: 169.144.0.34
5	Option: (54) DHCP Server Identifier (169.144.0.33)	Option 0x36	Length 0x04	Value 0xa9900021	Length: 4 DHCP Server Identifier: 169.144.0.33
6	Option: (12) Host Name	Option 0x0c	Length 0x0f	Value 0x57494e2d554b42444738433736524c	Length: 15 Host Name: WIN-UKBDG8C76RL
7	Option: (81) Client Fully Qualified Domain Name	Option 0x51	Length 0x12	Value 0x00000057494e2d554b42444738433736524c	Length: 18 A-RR result: 0 PTR-RR result: 0 Client name: WIN-UKBDG8C76RL
8	Option: (60) Vendor class identifier	Option 0x3c	Length 0x08	Value 0x4d53465420352e30	Length: 8 Vendor class identifier: MSFT 5.0
9	Option: (55) Parameter Request List	Option 0x37	Length 0x0c	Value 0x010f03062c2e2f1f2179f92b	Parameter Request List Item: (1) Subnet Mask | Parameter Request List Item: (43) Vendor-Specific Information
10	Option: (255) End	0xff			Option End: 255

Total Length = 90 byte

ACK



```
0000  ff ff ff ff ff ff 00 0c  29 c9 fd 17 08 00 45 00
0010  01 48 4f b8 00 00 80 11  40 3c a9 90 00 21 ff ff
0020  ff ff 00 43 00 44 01 34  aa f6 02 01 06 00 e7 cd
0030  f6 47 00 00 00 00 00 00  00 00 a9 90 00 22 00 00
0040  00 00 00 00 00 00 00 0c  29 48 20 3a 00 00 00 00
0050  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0060  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0070  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0080  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0090  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00a0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00b0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00c0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00d0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00e0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00f0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0100  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0110  00 00 00 00 00 00 63 82  53 63 35 01 05 3a 04 00
0120  00 00 3c 3b 04 00 00 00  69 33 04 00 00 00 78 36
0130  04 a9 90 00 21 01 04 ff  ff 00 00 51 03 00 ff ff
0140  ff 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0150  00 00 00 00 00 00
```



0x02	0x01	0x06	0x00
0xe7cdf647			
0x0000	0	0x000000000000000	
0x00000000			
0xa9900022			
0x00000000			
0x00000000			
0x000c2948203a Padding: 0x00000000000000000000			
0x000000000000000000000000000000000000000000 00000000000000000000000000000000000000000000 000000000000000000000000000000000000000000			
0x0000000000000000000000000000000000000000000000000000000000000000 000000000000000000000000000000000000000000000000000000000000000000 000000000000000000000000000000000000000000000000000000000000000000 000000000000000000000000000000000000000000000000000000000000			
0x638253633501053a040000003c3b04000000693304 000000783604a99000210104ffff0000510300ffffff0000 00000000000000000000000000000000000000			

ACK Option Table

#	Options	Hexa Codes			Discretion
1	Magic cookie: DHCP	63825363			
2	Option: (53) DHCP Message Type (ACK)	Option	Length	Value	Length: 1 DHCP: ACK (5)
		0x35	0x01	0x05	
3	Option: (58) Renewal Time Value	Option	Length	Type	Length: 4 Renewal Time Value: 1 minute (60)
		0x3a	0x04	0x0000003c	
4	Option: (59) Rebinding Time Value	Option	Length	Type	Length: 4 Rebinding Time Value: 1 minute, 45 seconds (105)
		0x3b	0x04	0x00000069	
5	Option: (51) IP Address Lease Time	Option	Length	Type	Length: 4 IP Address Lease Time: 2 minutes (120)
		0x33	0x04	0x00000078	
6	Option: (54) DHCP Server Identifier (169.144.0.33)	Option	Length	Type	Length: 4 DHCP Server Identifier: 169.144.0.33
		0x36	0x04	0xa9900021	
7	Option: (1) Subnet Mask (255.255.0.0)	Option	Length	Type	Length: 4 Subnet Mask: 255.255.0.0
		0x01	0x04	0xffff0000	
8	Option: (81) Client Fully Qualified Domain Name	Option	Length	Type	Length: 3 Flags: 0x00 A-RR result: 255 PTR-RR result: 255
		0x51	0x03	0x00ffff	
9	Option: (255) End	0xff			Option End: 255
10	Padding	Padding = 21 byte 0x000000000000000000000000000000000000000000			

Total Length= 43+21= 64 byte

Request



```
0000  00 0c 29 c9 fd 17 00 0c  29 48 20 3a 08 00 45 00
0010  01 56 03 48 00 00 80 11  e2 eb a9 90 00 22 a9 90
0020  00 21 00 44 00 43 01 42  97 93 01 01 06 00 1e 50
0030  dd e7 00 00 00 00 a9 90  00 22 00 00 00 00 00 00
0040  00 00 00 00 00 00 00 0c  29 48 20 3a 00 00 00 00
0050  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0060  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0070  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0080  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0090  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00a0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00b0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00c0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00d0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00e0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00f0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0100  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0110  00 00 00 00 00 00 63 82  53 63 35 01 03 3d 07 01
0120  00 0c 29 48 20 3a 0c 0f  57 49 4e 2d 55 4b 42 44
0130  47 38 43 37 36 52 4c 51  12 00 00 00 57 49 4e 2d
0140  55 4b 42 44 47 38 43 37  36 52 4c 3c 08 4d 53 46
0150  54 20 35 2e 30 37 0c 01  0f 03 06 2c 2e 2f 1f 21
0160  79 f9 2b ff
```

0x01	0x01	0x06	0x00
0x1e50dde7			
0x0000	0	0x000000000000000	
0xa9900022			
0x00000000			
0x00000000			
0x00000000			
0x000c2948203a Padding: 0x00000000000000000000			
0x000000000000000000000000000000000000000000 0000000000000000000000000000000000000000000 0000000000000000000000000000000000000000000			
0x0000000000000000000000000000000000000000000000000000000000000000 000000000000000000000000000000000000000000000000000000000000000000 000000000000000000000000000000000000000000000000000000000000000000 000000000000000000000000000000000000000000000000000000000000			
0x638253633501013d0701000c2948203a3204a99000 220c0f57494e2d554b42444738433736524c3c084d53 465420352e30370c010f03062c2e2f1f2179f92bff			

Request Option Table

#	Options	Hexa Codes			Discretion
1	Magic cookie: DHCP	0x63825363			
2	Option: (53) DHCP Message Type (Request)	Option	Length	Value	Length: 1 DHCP: Request (3)
		0x35	0x01	0x03	
3	Option: (61) Client identifier	Option	Length	Type	Length: 7 Hardware type: Ethernet (0x01) Client MAC address: VMware_48:20:3a (00:0c:29:48:20:3a)
		0x3d	0x07	0x01000c2948203a	
4	Option: (12) Host Name	Option	Length	Type	Length: 15 Host Name: WIN-UKBDG8C76RL
		0x0c	0x0f	0x57494e2d554b42444738433736524c	
5	Option: (81) Client Fully Qualified Domain Name	Option	Length	Type	Length: 18 Flags: 0x00 A-RR result: 0 PTR-RR result: 0 Client name: WIN-UKBDG8C76RL
		0x51	0x12	0x00000057494e2d554b42444738433736524c	
6	Option: (60) Vendor class identifier	Option	Length	Type	Length: 8 Vendor class identifier: MSFT 5.0
		0x3c	0x08	0x4d53465420352e30	
7	Option: (55) Parameter Request List	Option	Length	Type	Parameter Request List Item: (1) Subnet Mask | Parameter Request List Item: (43) Vendor-Specific Information
		0x37	0x0c	0x010f03062c2e2f1f2179f92b	
8	Option: (255) End	0xff			Option End: 255

Total Length = 78 byte

ACK



```
0000  00 0c 29 48 20 3a 00 0c  29 c9 fd 17 08 00 45 00
0010  01 48 4c a3 40 00 80 11  00 00 a9 90 00 21 a9 90
0020  00 22 00 43 00 44 01 34  54 a9 02 01 06 00 1e 50
0030  dd e7 00 00 00 00 00 00  00 00 a9 90 00 22 00 00
0040  00 00 00 00 00 00 00 0c  29 48 20 3a 00 00 00 00
0050  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0060  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0070  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0080  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0090  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00a0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00b0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00c0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00d0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00e0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
00f0  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0100  00 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0110  00 00 00 00 00 00 63 82  53 63 35 01 05 3a 04 00
0120  00 00 3c 3b 04 00 00 00  69 33 04 00 00 00 78 36
0130  04 a9 90 00 21 01 04 ff  ff 00 00 51 03 00 ff ff
0140  ff 00 00 00 00 00 00 00  00 00 00 00 00 00 00 00
0150  00 00 00 00 00 00
```

0x02	0x01	0x06	0x00
0x1e50dde7			
0x0000		0	0x0000000000000000
0x00000000			
0xa9900022			
0x00000000			
0x00000000			
0x000c2948203a Padding: 0x00000000000000000000			
0x00000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000			
0x0000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000			
0x638253633501053a040000003c3b04000000693304000000783604a99000210104ffff0000510300ffffff00000000000000000000000000000000000000000000			

ACK Option Table

#	Options	Hexa Codes			Discretion
1	Magic cookie: DHCP	63825363			
2	Option: (53) DHCP Message Type (ACK)	Option	Length	Value	Length: 1 DHCP: ACK (5)
		0x35	0x01	0x05	
3	Option: (58) Renewal Time Value	Option	Length	Type	Length: 4 Renewal Time Value: 1 minute (60)
		0x3a	0x04	0x0000003c	
4	Option: (59) Rebinding Time Value	Option	Length	Type	Length: 4 Rebinding Time Value: 1 minute, 45 seconds (105)
		0x3b	0x04	0x00000069	
5	Option: (51) IP Address Lease Time	Option	Length	Type	Length: 4 IP Address Lease Time: 2 minutes (120)
		0x33	0x04	0x00000078	
6	Option: (54) DHCP Server Identifier (169.144.0.33)	Option	Length	Type	Length: 4 DHCP Server Identifier: 169.144.0.33
		0x36	0x04	0xa9900021	
7	Option: (1) Subnet Mask (255.255.0.0)	Option	Length	Type	Length: 4 Subnet Mask: 255.255.0.0
		0x01	0x04	0xffff0000	
8	Option: (81) Client Fully Qualified Domain Name	Option	Length	Type	Length: 3 Flags: 0x00 A-RR result: 255 PTR-RR result: 255
		0x51	0x03	0x00ffff	
9	Option: (255) End	0xff			Option End: 255
10	Padding	Padding = 21 byte 0x000000000000000000000000000000000000000000			

Total Length= 43+21= 64 byte