

sip:Server.work.com

sip:Server.home.net

Daniel<sip:Collins@station1.work.com>



Boss<Manager@pc1.home.net>



a

INVITE sip:manager@work.com SIP/2.0
Via: SIP/2.0/UDP station1.work.com;
branch=z9hG4bK123
Max-Forwards: 70
From: Daniel<sip:Collins@work.com>; tag=44551
Contact: sip:Collins@station1.work.com
To: Boss<sip:Manager@work.com>
Call-ID: 123456@station1.work.com
CSeq: 1 INVITE
Subject: Vacation
Content-Length: xxx
Content-Type: application/sdp
Content-Disposition: session
(message body)

b

SIP/2.0 302 Moved Temporarily
Via: SIP/2.0/UDP station1.work.com;
branch=z9hG4bK123
From: Daniel<sip:Collins@work.com>; tag=44551
To: Boss<sip:Manager@work.com>
Call-ID: 123456@station1.work.com
CSeq: 1 INVITE
Contact: sip:Manager@home.net

c

ACK sip:manager@work.com SIP/2.0
Via: SIP/2.0/UDP station1.work.com;
branch=z9hG4bK123
Max-Forwards: 70
From: Daniel<sip:Collins@work.com>; tag=44551
To: Boss<sip:Manager@work.com>
Call-ID: 123456@station1.work.com
CSeq: 1 ACK

