SIP

169.144.0.33

169.144.0.35

1808 5060

5060 27184

169.144.0.34

169.144.0.35

6001<sip:6001@localhost.localdomain>

169.144.0.33

sip:localhost.localdomain

169.144.0.34

6000<sip:6000@localhost.localdomain>

INVITE sip:6000@localhost.localdomain SIP/2.0
Via: SIP/2.0/UDP 169.144.0.35:1808;branch=z9hG4bK-d87543-a838f251c83a0a25-1--d87543-;rport
Max-Forwards: 70
Contact: <sip:6001@169.144.0.35:1808>
To: "6000"<sip:6000@localhost.localdomain>
From: "6001"<sip:6001@localhost.localdomain>;tag=7405f31f
Call-ID: Y2NjNGVlYTU0MzZmYTNmNWJmOGY5ZTI2OThmYjU5ZGE.
CSeq: 1 INVITE
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, NOTIFY, MESSAGE, SUBSCRIBE, INFO
Content-Type: application/sdp
User-Agent: X-Lite release 1006e stamp 34025
Content-Length: 325

SIP/2.0 407 Proxy Authentication Required
Via: SIP/2.0/UDP 169.144.0.35:1808;branch=z9hG4bK-d87543-a838f251c83a0a25-1--d87543-;received=169.144.0.35;rport=1808
From: "6001"<sip:6001@localhost.localdomain>;tag=7405f31f
To: "6000"<sip:6000@localhost.localdomain>;tag=as6363b96d
Call-ID: Y2NjNGVlYTU0MzZmYTNmNWJmOGY5ZTI2OThmYjU5ZGE.
CSeq: 1 INVITE
User-Agent: Asterisk PBX
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY
Supported: replaces
Proxy-Authenticate: Digest algorithm=MD5, realm="asterisk", nonce="7cfed55d"
Content-Length: 0

ACK sip:6000@localhost.localdomain SIP/2.0
Via: SIP/2.0/UDP 169.144.0.35:1808;branch=z9hG4bK-d87543-a838f251c83a0a25-1--d87543-;rport
To: "6000"<sip:6000@localhost.localdomain>;tag=as6363b96d
From: "6001"<sip:6001@localhost.localdomain>;tag=7405f31f
Call-ID: Y2NjNGVlYTU0MzZmYTNmNWJmOGY5ZTI2OThmYjU5ZGE.
CSeq: 1 ACK
Content-Length: 0

169.144.0.35
6001<sip:6001@localhost.localdomain>

169.144.0.33
sip:localhost.localdomain

169.144.0.34
6000<sip:6000@localhost.localdomain>

INVITE sip:6000@localhost.localdomain SIP/2.0
Via: SIP/2.0/UDP 169.144.0.35:1808;branch=z9hG4bK-d87543-4b4c9c5ce030c96e-1--d87543-;rport
Max-Forwards: 70
Contact: <sip:6001@169.144.0.35:1808>
To: "6000"<sip:6000@localhost.localdomain>
From: "6001"<sip:6001@localhost.localdomain>;tag=7405f31f
Call-ID: Y2NjNGVlYTU0MzZmYTNmNWJmOGY5ZTI2OThmYjU5ZGE.
CSeq: 2 INVITE
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, NOTIFY, MESSAGE, SUBSCRIBE, INFO
Content-Type: application/sdp
Proxy-Authorization: Digest username="6001",realm="asterisk",nonce="7cfed55d",uri="sip:6000@localhost.localdomain",response="455d12788dd490ae51bf5495a5d54c5f", algorithm=MD5
User-Agent: X-Lite release 1006e stamp 34025
Content-Length: 325

INVITE sip:6000@169.144.0.34:27184;rinstance=1ab2c8e4ba4f431f SIP/2.0
Via: SIP/2.0/UDP 169.144.0.33:5060;branch=z9hG4bK386c8be4;rport
From: "6001" <sip:6001@169.144.0.33>;tag=as7c56ccb5
To: <sip:6000@169.144.0.34:27184;rinstance=1ab2c8e4ba4f431f>
Contact: <sip:6001@169.144.0.33>
Call-ID: 0d2ee3223079212e1d0ff280206ffc71@169.144.0.33
CSeq: 102 INVITE
User-Agent: Asterisk PBX
Max-Forwards: 70
Date: Thu, 05 Dec 2024 11:17:55 GMT
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY
Supported: replaces
Content-Type: application/sdp
Content-Length: 285

SIP/2.0 100 Trying
Via: SIP/2.0/UDP 169.144.0.35:1808;branch=z9hG4bK-d87543-4b4c9c5ce030c96e-1--d87543-;received=169.144.0.35;rport=1808
From: "6001"<sip:6001@localhost.localdomain>;tag=7405f31f
To: "6000"<sip:6000@localhost.localdomain>
Call-ID: Y2NjNGVlYTU0MzZmYTNmNWJmOGY5ZTI2OThmYjU5ZGE.
CSeq: 2 INVITE
User-Agent: Asterisk PBX
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY
Supported: replaces
Contact: <sip:6000@169.144.0.33>
Content-Length: 0

SIP/2.0 180 Ringing
Via: SIP/2.0/UDP 169.144.0.33:5060;branch=z9hG4bK386c8be4;rport=5060
Contact: <sip:6000@169.144.0.34:27184;rinstance=1ab2c8e4ba4f431f>
To: <sip:6000@169.144.0.34:27184;rinstance=1ab2c8e4ba4f431f>;tag=c66c5468
From: "6001"<sip:6001@169.144.0.33>;tag=as7c56ccb5
Call-ID: 0d2ee3223079212e1d0ff280206ffc71@169.144.0.33
CSeq: 102 INVITE
User-Agent: X-Lite release 1006e stamp 34025
Content-Length: 0

SIP/2.0 180 Ringing
Via: SIP/2.0/UDP 169.144.0.35:1808;branch=z9hG4bK-d87543-4b4c9c5ce030c96e-1--d87543-;received=169.144.0.35;rport=1808
From: "6001"<sip:6001@localhost.localdomain>;tag=7405f31f
To: "6000"<sip:6000@localhost.localdomain>;tag=as3855d946
Call-ID: Y2NjNGVlYTU0MzZmYTNmNWJmOGY5ZTI2OThmYjU5ZGE.
CSeq: 2 INVITE
User-Agent: Asterisk PBX
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY
Supported: replaces
Contact: <sip:6000@169.144.0.33>
Content-Length: 0

SIP/2.0 200 OK
Via: SIP/2.0/UDP 169.144.0.33:5060;branch=z9hG4bK386c8be4;rport=5060
Contact: <sip:6000@169.144.0.34:27184;rinstance=1ab2c8e4ba4f431f>
To: <sip:6000@169.144.0.34:27184;rinstance=1ab2c8e4ba4f431f>;tag=c66c5468
From: "6001"<sip:6001@169.144.0.33>;tag=as7c56ccb5
Call-ID: 0d2ee3223079212e1d0ff280206ffc71@169.144.0.33
CSeq: 102 INVITE
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, NOTIFY, MESSAGE, SUBSCRIBE, INFO
Content-Type: application/sdp
User-Agent: X-Lite release 1006e stamp 34025
Content-Length: 187

SIP/2.0 200 OK
Via: SIP/2.0/UDP 169.144.0.35:1808;branch=z9hG4bK-d87543-4b4c9c5ce030c96e-1--d87543-;received=169.144.0.35;rport=1808
From: "6001"<sip:6001@localhost.localdomain>;tag=7405f31f
To: "6000"<sip:6000@localhost.localdomain>;tag=as3855d946
Call-ID: Y2NjNGVlYTU0MzZmYTNmNWJmOGY5ZTI2OThmYjU5ZGE.
CSeq: 2 INVITE
User-Agent: Asterisk PBX
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY
Supported: replaces
Contact: <sip:6000@169.144.0.33>
Content-Type: application/sdp
Content-Length: 285

169.144.0.35
6001<sip:6001@localhost.localdomain>

169.144.0.33
sip:localhost.localdomain

169.144.0.34
6000<sip:6000@localhost.localdomain>

ACK sip:6000@169.144.0.33 SIP/2.0
Via: SIP/2.0/UDP 169.144.0.35:1808;branch=z9hG4bK-d87543-892d17165d10e74c-1--d87543-;rport
Max-Forwards: 70
Contact: <sip:6001@169.144.0.35:1808>
To: "6000"<sip:6000@localhost.localdomain>;tag=as3855d946
From: "6001"<sip:6001@localhost.localdomain>;tag=7405f31f
Call-ID: Y2NjNGVlYTU0MzZmYTNmNWJmOGY5ZTI2OThmYjU5ZGE.
CSeq: 2 ACK
Proxy-Authorization: Digest username="6001",realm="asterisk",nonce="7cfed55d",uri="sip:6000@localhost.localdomain",response="455d12788dd490ae51bf5495a5d54c5f",algorithm=MD5
User-Agent: X-Lite release 1006e stamp 34025
Content-Length: 0

ACK sip:6000@169.144.0.34:27184;rinstance=1ab2c8e4ba4f431f SIP/2.0
Via: SIP/2.0/UDP 169.144.0.33:5060;branch=z9hG4bK36d4a38e;rport
From: "6001" <sip:6001@169.144.0.33>;tag=as7c56ccb5
To: <sip:6000@169.144.0.34:27184;rinstance=1ab2c8e4ba4f431f>;tag=c66c5468
Contact: <sip:6001@169.144.0.33>
Call-ID: 0d2ee3223079212e1d0ff280206ffc71@169.144.0.33
CSeq: 102 ACK
User-Agent: Asterisk PBX
Max-Forwards: 70
Content-Length: 0

BYE sip:6001@169.144.0.33 SIP/2.0
Via: SIP/2.0/UDP 169.144.0.34:27184;branch=z9hG4bK-d87543-334dc33c7e0d8a0f-1--d87543-;rport
Max-Forwards: 70
Contact: <sip:6000@169.144.0.34:27184;rinstance=1ab2c8e4ba4f431f>
To: "6001"<sip:6001@169.144.0.33>;tag=as7c56ccb5
From: <sip:6000@169.144.0.34:27184;rinstance=1ab2c8e4ba4f431f>;tag=c66c5468
Call-ID: 0d2ee3223079212e1d0ff280206ffc71@169.144.0.33
CSeq: 2 BYE
User-Agent: X-Lite release 1006e stamp 34025
Reason: SIP;description="User Hung Up"
Content-Length: 0

BYE sip:6001@169.144.0.35:1808 SIP/2.0
Via: SIP/2.0/UDP 169.144.0.33:5060;branch=z9hG4bK7a1aa84b;rport
From: "6000"<sip:6000@localhost.localdomain>;tag=as3855d946
To: "6001"<sip:6001@localhost.localdomain>;tag=7405f31f
Call-ID: Y2NjNGVlYTU0MzZmYTNmNWJmOGY5ZTI2OThmYjU5ZGE.
CSeq: 102 BYE
User-Agent: Asterisk PBX
Max-Forwards: 70
Content-Length: 0

SIP/2.0 200 OK
Via: SIP/2.0/UDP 169.144.0.33:5060;branch=z9hG4bK7a1aa84b;rport=5060
Contact: <sip:6001@169.144.0.35:1808>
To: "6001"<sip:6001@localhost.localdomain>;tag=7405f31f
From: "6000"<sip:6000@localhost.localdomain>;tag=as3855d946
Call-ID: Y2NjNGVlYTU0MzZmYTNmNWJmOGY5ZTI2OThmYjU5ZGE.
CSeq: 102 BYE
User-Agent: X-Lite release 1006e stamp 34025
Content-Length: 0

SIP/2.0 200 OK
Via: SIP/2.0/UDP 169.144.0.34:27184;branch=z9hG4bK-d87543-334dc33c7e0d8a0f-1--d87543-;received=169.144.0.34;rport=27184
From: <sip:6000@169.144.0.34:27184;rinstance=1ab2c8e4ba4f431f>;tag=c66c5468
To: "6001"<sip:6001@169.144.0.33>;tag=as7c56ccb5
Call-ID: 0d2ee3223079212e1d0ff280206ffc71@169.144.0.33
CSeq: 2 BYE
User-Agent: Asterisk PBX
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY
Supported: replaces
Contact: <sip:6001@169.144.0.33>
Content-Length: 0

SIP
M1

```
0000  56 69 61 3a 20 53 49 50 2f 32 2e 30 2f 55 44 50
0010  20 31 36 39 2e 31 34 34 2e 30 2e 33 35 3a 31 38
0020  30 38 3b 62 72 61 6e 63 68 3d 7a 39 68 47 34 62
0030  4b 2d 64 38 37 35 34 33 2d 61 38 33 38 66 32 35
0040  31 63 38 33 61 30 61 32 35 2d 31 2d 2d 64 38 37
0050  35 34 33 2d 3b 72 70 6f 72 74 0d 0a 4d 61 78 2d
0060  46 6f 72 77 61 72 64 73 3a 20 37 30 0d 0a 43 6f
0070  6e 74 61 63 74 3a 20 3c 73 69 70 3a 36 30 30 31
0080  40 31 36 39 2e 31 34 34 2e 30 2e 33 35 3a 31 38
0090  30 38 3e 0d 0a 54 6f 3a 20 22 36 30 30 30 22 3c
00a0  73 69 70 3a 36 30 30 30 40 6c 6f 63 61 6c 68 6f
00b0  73 74 2e 6c 6f 63 61 6c 64 6f 6d 61 69 6e 3e 0d
00c0  0a 46 72 6f 6d 3a 20 22 36 30 30 31 22 3c 73 69
00d0  70 3a 36 30 30 31 40 6c 6f 63 61 6c 68 6f 73 74
00e0  2e 6c 6f 63 61 6c 64 6f 6d 61 69 6e 3e 3b 74 61
00f0  67 3d 37 34 30 35 66 33 31 66 0d 0a 43 61 6c 6c
0100  2d 49 44 3a 20 59 32 4e 6a 4e 47 56 6c 59 54 55
0110  30 4d 7a 5a 6d 59 54 4e 6d 4e 57 4a 6d 4f 47 59
0120  35 5a 54 49 32 4f 54 68 6d 59 6a 55 35 5a 47 45
0130  2e 0d 0a 43 53 65 71 3a 20 31 20 49 4e 56 49 54
0140  45 0d 0a 41 6c 6c 6f 77 3a 20 49 4e 56 49 54 45
0150  2c 20 41 43 4b 2c 20 43 41 4e 43 45 4c 2c 20 4f
0160  50 54 49 4f 4e 53 2c 20 42 59 45 2c 20 52 45 46
0170  45 52 2c 20 4e 4f 54 49 46 59 2c 20 4d 45 53 53
0180  41 47 45 2c 20 53 55 42 53 43 52 49 42 45 2c 20
0190  49 4e 46 4f 0d 0a 43 6f 6e 74 65 6e 74 2d 54 79
01a0  70 65 3a 20 61 70 70 6c 69 63 61 74 69 6f 6e 2f
01b0  73 64 70 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a
01c0  20 58 2d 4c 69 74 65 20 72 65 6c 65 61 73 65 20
01d0  31 30 30 36 65 20 73 74 61 6d 70 20 33 34 30 32
01e0  35 0d 0a 43 6f 6e 74 65 6e 74 2d 4c 65 6e 67 74
01f0  68 3a 20 33 32 35 0d 0a 0d 0a
```

INVITE sip:6000@localhost.localdomain SIP/2.0
Via: SIP/2.0/UDP 169.144.0.35:1808;branch=z9hG4bK-d87543-a838f251c83a0a25-1--d87543-;rport
Max-Forwards: 70
Contact: <sip:6001@169.144.0.35:1808>
To: "6000"<sip:6000@localhost.localdomain>
From: "6001"<sip:6001@localhost.localdomain>;tag=7405f31f
Call-ID: Y2NjNGVlYTU0MzZmYTNmNWJmOGY5ZTI2OThmYjU5ZGE.
CSeq: 1 INVITE
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, NOTIFY, MESSAGE, SUBSCRIBE, INFO
Content-Type: application/sdp
User-Agent: X-Lite release 1006e stamp 34025
Content-Length: 325

RTP

V	P	X	CC	M	Payload type	Sequence number
10	0	0	0000	1	0000000	0x0127
Timestap 0x002f5210						
Synchronization Source Identifier 0x03025e41						
Payload 0xff...ff 160 byte						



RTCP

V	P	Count	Type	Length
10	0	01000	0xca	0x001e
Chunk 1 0x03...00 120 byte				

```
0030  5e 41 81 ca 00 1e 03 02  5e 41 01 3d 41 30 44 35
0040  30 35 41 37 35 31 43 37  34 38 46 45 42 44 45 46
0050  33 41 44 45 46 35 38 44  44 46 34 42 40 75 6e 69
0060  71 75 65 2e 7a 39 36 39  30 42 41 36 45 46 35 38
0070  36 34 33 45 36 2e 6f 72  67 08 31 10 78 2d 72 74
0080  70 2d 73 65 73 73 69 6f  6e 2d 69 64 41 34 38 35
0090  39 38 42 33 33 42 43 32  34 46 34 37 41 39 35 37
00a0  35 39 46 46 37 33 30 30  31 33 44 39 00 00
```