




Router 1	Router 2	Router 3
<pre> int f0/0 ip add 10.0.1.2 255.255.255.0 no shut int s1/0 ip add 10.0.2.3 255.255.255.0 mtu 700 no shut ip route 10.0.3.0 255.255.255.0 s1/0 </pre>	<pre> int s1/0 ip add 10.0.2.4 255.255.255.0 mtu 700 no shut int s1/1 ip add 10.0.3.5 255.255.255.0 mtu 300 no shut ip route 10.0.1.0 255.255.255.0 s1/0 p route 10.0.3.0 255.255.255.0 s1/1 </pre>	<pre> int s1/1 ip add 10.0.4.6 255.255.255.0 mtu 300 no shut int f0/0 ip add 10.0.3.7 255.255.255.0 no shut ip route 10.0.1.0 255.255.255.0 s1/1 </pre>

Packet1= 600

			620
7126	0	0	000
			000-599

Fragmentation 1

			300
7126	0	0	1000
			000-279

Fragmentation 1,1

			60
7126	0	0	135
			280-319

Fragmentation 1,2

			300
7126	0	0	140
			320-599

Fragmentation 1,3

Packet2= 680

			700
7126	0	0	075
			600-1279

Fragmentation 2

			300
7126	0	0	1150
			600-879

Fragmentation 2,1

			140
7126	0	0	1185
			880-999

Fragmentation 2,2



			300
7126	0	0	0200
			1000-1279

Fragmentation 2,3

			1300
7126	0	0	000
			0000-1279


ECHO

Request




ECHO Request

R2



R3




MTU 700 and
MTU 620






Wire MTU
300








6 Packets



Packet1= 600





Packet2= 680



ECHO

Reply



Total message 1300 MTU

MTU 700

▼ [2 IPv4 Fragments (1280 bytes): #3(600), #4(680)]
[\[Frame: 3, payload: 0-599 \(600 bytes\)\]](#)
[\[Frame: 4, payload: 600-1279 \(680 bytes\)\]](#)
[Fragment count: 2]
[Reassembled IPv4 length: 1280]
[Reassembled IPv4 data [...]: 08 00 6c b4 d6 1b 00 01 08 09 0a 0b 0c 0d 0e 0f 10 11 12]

MTU 300

▼ [6 IPv4 Fragments (1280 bytes): #3(280), #4(40), #5(280), #6(280), #7(120), #8(280)]
[\[Frame: 3, payload: 0-279 \(280 bytes\)\]](#)
[\[Frame: 4, payload: 280-319 \(40 bytes\)\]](#)
[\[Frame: 5, payload: 320-599 \(280 bytes\)\]](#)
[\[Frame: 6, payload: 600-879 \(280 bytes\)\]](#)
[\[Frame: 7, payload: 880-999 \(120 bytes\)\]](#)
[\[Frame: 8, payload: 1000-1279 \(280 bytes\)\]](#)
[Fragment count: 6]
[Reassembled IPv4 length: 1280]
[Reassembled IPv4 data [...]: 08 00 6c b4 d6 1b 00 01 08 09 0a 0b 0c 0d 0e 0f 10 11 12]