18:00:00 2 nov 2024



Time Format
Network Time Protocol

Router 1	Router 2	Router 3
ntp master 1 end clock set 18:00:00 2 nov 2024	ntp server 10.0.2.3 end	ntp server 10.0.3.5 end

Router 1	Router 2	Router 3
int f0/0 ip add 10.0.1.2 255.255.255.0 no shut int s1/0 ip add 10.0.2.3 255.255.255.0 mtu 700 no shut ip route 10.0.3.0 255.255.255.0 s1/0	int s1/0 ip add 10.0.2.4 255.255.255.0 mtu 700 no shut int s1/1 ip add 10.0.3.5 255.255.255.0 mtu 300 no shut ip route 10.0.1.0 255.255.255.0 s1/0 p route 10.0.3.0 255.255.255.0 s1/1	int s1/1 ip add 10.0.4.6 255.255.255.0 mtu 300 no shut int f0/0 ip add 10.0.3.7 255.255.255.0 no shut ip route 10.0.1.0 255.255.255.0 s1/1

Record route
PC1 to R1



Record route
R1 to R2



Record route
R2 to R3

IP OPTION
[Record route]

	0x07	0x0f	0x0c
0x0a000203			
0x0a000305			
0x00000000			
0x00			



Record route
R2 to R3





Time stamp
PC1 to R1

IP OPTION
[Time stamp]

0x44	0x1c	0x05	0x01
0x00000000			
0x00000000			
0x00000000			
0x00000000			
0x00000000			
0x00000000			



Time stamp
R1 to R2

IP OPTION
[Time stamp]

0x44	0x1c	0x0d	0x01
0x0a000203			
0x03f81217			
0x00000000			
0x00000000			
0x00000000			
0x00000000			



Time stamp
R2 to R3

IP OPTION
[Time stamp]

0x44	0x1c	0x15	0x01
0x0a000203			
0x03f81217			
0x0a000305			
0x03f81202			
0x00000000			
0x00000000			



Time stamp
R3 to PC2

IP OPTION
[Time stamp]

0x44	0x1c	0x1d	0x01
0x0a000203			
0x03f81217			
0x0a000305			
0x03f81202			
0x0a000407			
0x03f811f6			



Time Format

NTP(Network Time Protocol)

17	52.871819	10.0.2.4	10.0.2.3	NTP	80 NTP Version 4, client
18	52.880431	10.0.2.3	10.0.2.4	NTP	80 NTP Version 4, server

```
Network Time Protocol (NTP Version 4, client)
  Flags: 0x23, Leap Indicator: no warning, Version number: NTP Version 4, Mode: client
    00.. .... = Leap Indicator: no warning (0)
    ..10 0... = Version number: NTP Version 4 (4)
    .... .011 = Mode: client (3)
  [Response In: 18]
  Peer Clock Stratum: secondary reference (2)
  Peer Polling Interval: 6 (64 seconds)
  Peer Clock Precision: -24 (0.000000060 seconds)
  Root Delay: 0.011932 seconds
  Root Dispersion: 0.016235 seconds
  Reference ID: 10.0.2.3
  Reference Timestamp: Nov  2, 2024 18:07:42.302067503 UTC
  Origin Timestamp: Nov  2, 2024 18:07:42.296144407 UTC
  Receive Timestamp: Nov  2, 2024 18:07:42.302067503 UTC
  Transmit Timestamp: Nov  2, 2024 18:08:47.290027835 UTC
```

```
Network Time Protocol (NTP Version 4, server)
  Flags: 0x24, Leap Indicator: no warning, Version number: NTP Version 4, Mode: server
    00.. .... = Leap Indicator: no warning (0)
    ..10 0... = Version number: NTP Version 4 (4)
    .... .100 = Mode: server (4)
  [Request In: 17]
  [Delta Time: 0.008612000 seconds]
  Peer Clock Stratum: primary reference (1)
  Peer Polling Interval: 6 (64 seconds)
  Peer Clock Precision: -24 (0.000000060 seconds)
  Root Delay: 0.000000 seconds
  Root Dispersion: 0.000412 seconds
  Reference ID: uncalibrated local clock
  Reference Timestamp: Nov  2, 2024 18:08:34.267927228 UTC
  Origin Timestamp: Nov  2, 2024 18:08:47.290027835 UTC
  Receive Timestamp: Nov  2, 2024 18:08:47.296059982 UTC
  Transmit Timestamp: Nov  2, 2024 18:08:47.296140781 UTC
```