

gRPC Proxy Example Using HTTPS

Secure gRPC Proxy Setup with Tyk and HTTPS

- Leverages HTTPS (TLS) for encrypted transport
- Useful for production or public-facing services
- Required components:
 - gRPC server with TLS enabled
 - gRPC client (`grpcurl` or app)
 - SSL certificate
 - Tyk Gateway and Dashboard

gRPC client → Tyk Gateway (HTTPS) → gRPC server (H2C connection)

Prerequisites for Secure gRPC Proxy

- Start the [gRPC server](#) with TLS support
 - For example: `go run server.go -tls=true`
 - Expose at: `grpc.test.example.com:10000`
- Have a valid certificate for HTTPS
- Tyk Gateway & Dashboard running
- gRPC client installed (`grpcurl` or equivalent)

Configure Secure gRPC Proxy in Tyk

1. Create a new API in the Tyk Dashboard
2. Set Protocol to `HTTPS`
3. Uncheck `Strip Listen Path`
4. Upload the SSL certificate
5. Set Custom Domain (e.g., `tyk`)
6. Set Listen Path: `/routeguide.RouteGuide`
7. Set Target URL: `https://grpc.test.example.com:10000`
8. Save and reload Gateway

Verifying gRPC Proxy Over HTTPS

- **Command Example:**

```
grpcurl \
  -proto route_guide.proto \
  -d '{"latitude": 1, "longitude": 2}' \
  tyk:8080 \
  routeguide.RouteGuide/GetFeature
```

- **Expected Output:**

```
{
  "name": "Some Place",
  "location": { "latitude": 1, "longitude": 2 }
}
```