

C++ Programming Project

Expedia.com

[Stays](#)[Flights](#)[Cars](#)[Vacation packages](#)[Things to do](#)[Cruises](#)[Build a trip](#)[All-inclusive vacations](#)

Choose two or more items and save on your trip:

[Stays](#)[Flights](#)[Cars](#)[Roundtrip](#) ▼[1 room, 2 travellers](#) ▼[Economy](#) ▼

Departing
Sep 25



Returning
Sep 26

☐ I only need accommodations for part of my trip

[Search](#)

Functional Requirements

- In this project we will implement simple Expedia.com site
- In expedia a user have **several itineraries**, each itinerary consists of
 - 0 or more flights, hotels, cars, etc. E.g. 4 flights, 2 hotels and 2 cars.
 - For first MVP: Consider only flights (one way no transit) and hotels (but be extensible).
- An itinerary item (e.g. a flight) has:
 - Its own cost
 - Its info: E.g. A flight has request from user, and his selected flight details ■ E.g. Hotel cost: total nights x price per night
 - Itinerary cost is the **sum of all** internal items cost.
- For simplicity
 - Don't use files / Use dummy data when convenient
 - 2 types of users: Admin & customer. Focus of your code is on Customer part

Functional Requirements: User Interface

Menu:

- 1: Login
- 2: Sign Up

Enter number in range 1 - 2: 1

Enter user user_name & password: asmaa 222

Hello Asmaa Saad Ibrahim | User View

Menu:

- 1: View Profile
- 2: Make Itinerary
- 3: List my itineraries
- 4: Logout

Enter number in range 1 - 4: 2

Menu:

- 1: Add Flight
- 2: Add Hotel
- 3: Done
- 4: Cancel

Enter number in range 1 - 4:

Functional Requirements: User Interface

Enter number in range 1 - 4: 2

Menu:

- 1: Add Flight
- 2: Add Hotel
- 3: Done
- 4: Cancel

Enter number in range 1 - 4: 1

Enter From: Cairo

Enter From Date (dd-mm-yy): 10-05-20

Enter To: Vancouver

Enter To Date (dd-mm-yy): 13-06-20

Enter # of adults children (5-16) and infants: 3 2 1

Airline: Turksih Airlines Cost: 300 Departure Date 10-01-2022 Arrival date 10-02-2022

Airline: Turksih Airlines Cost: 320 Departure Date 12-01-2022 Arrival date 10-02-2022

Airline: AirCanada Airlines Cost: 200 Departure Date 25-01-2022 Arrival date 10-02-2022

Airline: AirCanada Airlines Cost: 250 Departure Date 29-01-2022 Arrival date 10-02-2022

Enter -1 to cancel or number in range 1 - 4: 3

Functional Requirements: User Interface

Menu:

- 1: Add Flight
- 2: Add Hotel
- 3: Done
- 4: Cancel

Enter number in range 1 - 4: 2

Enter From Date (dd-mm-yy): 10-05-20

Enter From Date (dd-mm-yy): 13-06-20

Enter Country: Canada

Enter City: Vancouver

Enter # of adults and children: 3 2

Hotel: Hilton Hotel Room Type: Interior View(6) Price per night: 200 From Date 29-01-2022 to 10-02-2022

Hotel: Hilton Hotel Room Type: City View(3) Price per night: 300 From Date 29-01-2022 to 10-02-2022

Hotel: Hilton Hotel Room Type: Deluxe View(8) Price per night: 500 From Date 29-01-2022 to 10-02-2022

Hotel: Marriott Hotel Room Type: City View(8) Price per night: 320 From Date 29-01-2022 to 10-02-2022

Hotel: Marriott Hotel Room Type: Interior View(8) Price per night: 220 From Date 29-01-2022 to 10-02-2022

Hotel: Marriott Hotel Room Type: Private View(5) Price per night: 600 From Date 29-01-2022 to 10-02-2022

Enter -1 to cancel or number in range 1 - 6: 4

Functional Requirements: User Interface

Menu:

- 1: Add Flight
- 2: Add Hotel
- 3: Done
- 4: Cancel

Enter number in range 1 - 4: 3

Select a payment choice:

- 1: [Debit Card]: Owner: Asmaa Saad Ibrahim Card number: 11-22-33
- 2: [Credit Card]: Owner: Asmaa Saad Ibrahim Card number: 22-11-0

Enter number in range 1 - 2: 1

Money withdraw successfully

Reservation confirmed

Itinerary reserved

Functional Requirements: User Interface

Menu:

- 1: View Profile
- 2: Make Itinerary
- 3: List my itineraries
- 4: Logout

Enter number in range 1 - 4: 3

Itinerary of 2 sub-reservations

Airline reservation with reservation: AirCanada Airlines: From Cairo on 10-05-20

To Vancouver on 13-06-20

Adults: 3 children: 2 infants: 1

Total Cost:200

Hotel reservation: Marriott Hotel: Vancouver @ Canada

10-05-20 to 13-06-20 : 3

Adults: 3 children 2

Total Cost:960

Total Itinerary cost: 1160

Functional Requirements: APIs

- Expedia doesn't know
 - What are details of flights, cars, hotels, etc. This is not in Expedia database (local files) ○ It call their APIs. As developers, we visit their sites to checkout their public APIs:
 - Checkout the functions available to call remotely
 - Also expedia wants to communicate with **ONE** of Payment APIs
 - For now, we consider 2: PayPal and Stripe
- In future more could be added
- Assume for simplicity local APIs to call for flights and hotels as following
 - During the homework we already introduced some of that to the make project easier

Functional Requirements: APIs

```
16 class AirCanadaCustomerInfo {
17 };
18
19 class AirCanadaFlight {
20 public:
21     double price;
22     string date_time_from;
23     string date_time_to;
24 };
25
26 class AirCanadaOnlineAPI {
27 public:
28     static vector<AirCanadaFlight> GetFlights(string from, string from_date,
29         string to, string to_date, int adults, int children) {
30         vector<AirCanadaFlight> flights;
31
32         flights.push_back( { 200, "25-01-2022", "10-02-2022" });
33         flights.push_back( { 250, "29-01-2022", "10-02-2022" });
34         return flights;
35     }
36     static bool ReserveFlight(const AirCanadaFlight& flight,
37         const AirCanadaCustomerInfo &info) {
38         return true;
39     }
40     static bool CancelReserveFlight(const AirCanadaFlight& flight,
41         const AirCanadaCustomerInfo &info) {
42         return true;
43     }
44 };
45
```

Functional Requirements: APIs

```
46 class TurkishFlight {
47 public:
48     double cost;
49     string datetime_from;
50     string datetime_to;
51 };
52
53 class TurkishCustomerInfo {
54 };
55
56 class TurkishAirlinesOnlineAPI {
57 public:
58     void SetFromToInfo(string datetime_from, string from,
59                       string datetime_to, string to) {
60     }
61     void SetPassengersInfo(int infants, int children, int adults) {}
62     vector<TurkishFlight> GetAvailableFlights() const {
63         vector<TurkishFlight> flights;
64
65         flights.push_back( { 300, "10-01-2022", "10-02-2022" });
66         flights.push_back( { 320, "12-01-2022", "10-02-2022" });
67         return flights;
68     }
69
70     static bool ReserveFlight(const TurkishCustomerInfo &info,
71                              const TurkishFlight& flight) {
72         return false;
73     }
74     static bool CancelReserveFlight(const TurkishCustomerInfo &info,
75                                     const TurkishFlight& flight) {
76         return false;
77     }
78 };
79
80
```

Functional Requirements: APIs

```
16 class HiltonRoom {
17 public:
18     string room_type;
19     int available;
20     double price_per_night;
21     string date_from;
22     string date_to;
23 };
24
25 class HiltonHotelAPI {
26 public:
27     static vector<HiltonRoom> SearchRooms(string country, string city, string from_date,
28         string to_date, int adults, int children, int needed_rooms) {
29         vector<HiltonRoom> rooms;
30         rooms.push_back( { "Interior View", 6, 200.0, "29-01-2022", "10-02-2022" });
31         rooms.push_back( { "City View", 3, 300.0, "29-01-2022", "10-02-2022" });
32         rooms.push_back( { "Deluxe View", 8, 500.0, "29-01-2022", "10-02-2022" });
33         return rooms;
34     }
35 };
```

Functional Requirements: APIs

```
37 class MarriottFoundRoom {
38 public:
39     string room_type;
40     int available;
41     double price_per_night;
42     string date_from;
43     string date_to;
44 };
45
46 class MarriottHotelAPI {
47 public:
48     static vector<MarriottFoundRoom> FindRooms(string from_date, string to_date,
49         string country, string city, int needed_rooms, int adults, int children) {
50         vector<MarriottFoundRoom> rooms;
51         rooms.push_back( { "City View", 8, 320.0, "29-01-2022", "10-02-2022" });
52         rooms.push_back( { "Interior View", 8, 220.0, "29-01-2022", "10-02-2022" });
53         rooms.push_back( { "Private View", 5, 600.0, "29-01-2022", "10-02-2022" });
54         return rooms;
55     }
56 };
57
58 //////////////////////////////////////////////////
```

Functional Requirements: APIs

```
5 class PayPalCreditCard {
6 public:
7     string name;
8     string address;
9     string id;
10    string expire_date;
11    int ccv;
12 };
13
14 class PayPalOnlinePaymentAPI {
15 public:
16     void SetCardInfo(const PayPalCreditCard* const card) {
17     }
18     bool MakePayment(double money) {
19         return true;
20     }
21 };
```

- Developers investigated PayPal provided payment API
 - Seems we create object of the API
 - Set info through the PayPalCreditCard
 - Then call MakePayment
 - Bool to indicate success

Functional Requirements: APIs

```
42 class StripeUserInfo {
43 public:
44     string name;
45     string address;
46 };
47
48 class StripeCardInfo {
49 public:
50     string id;
51     string expiry_date;
52 };
53
54 class StripePaymentAPI {
55 public:
56     bool static WithdrawMoney(StripeUserInfo user,
57                               StripeCardInfo card, double money) {
58         return true;
59     }
60 };
61
62 class SquarePaymentAPI {
63 public:
64     bool static WithdrawMoney(string JsonQuery) {
65         json::JSON obj = JSON::Load(JsonQuery);
66         return true;
67     }
68 };
```

- The interface is simpler
 - The request info is represented using a JSON query
 - See example

```
{
  "card_info" : {
    "CCV" : 333,
    "DATE" : "09-2021",
    "ID" : "11-22-33-44"
  },
  "money" : 20.500000,
  "user_info" : ["mostafa", "canada"]
}
```

