

**HABILEAD**  
tires

# إطارات هابيليد

أكثر العجلات تحملا وأقوى في الأداء  
والأنسب سعرا

كتيب  
إطارات  
هابيليد

## إطارات السيارات

### PASSENGER CAR TYRE

#### • PRACTICALMAX H/T RS21 SUV HIGHWAY TERRAIN TYRE



- Designed for city SUV with excellent high speed performance.
- Excellent handling performance and silence driving.
- Stability tread blocks provide super brake performance.
- Sipes design on shoulder provides attractive appearance and heat dissipation.
- Solid uniform tread blocks with ribs improve straight line stability.

# HABILEAD

# HABILEAD Tires إطارات هابليد

2

RIM	Size	Load Index	Speed Rate	Standard Rim	Max Load (Kg)	Pressure (Kpa)	Diameter (mm)	Section Width	EU LABEL DATE		
									R.R	W.G	NOISE
15	P235/75R15	105	H	6.50J	925	300	733	235	C	C	71
16	P235/60R16	100	H	7.00J	800	300	688	240	C	C	71
	P215/70R16	100	H	6.50J	800	300	708	221	C	C	71
	P225/70R16	103	H	6.50J	875	300	722	228	C	C	71
	P235/70R16	106	H	7.00J	950	300	736	240	C	C	71
	P245/70R16	111	H	7.00J	1090	340	750	248	C	C	71
	P255/70R16	111	H	7.50J	1090	300	764	360	C	C	71
	P265/70R16	112	H	8.00J	1120	300	778	267	C	C	71
	P265/75R16	116	H	7.50J	1250	300	804	267	C	C	71
17	P235/55R17	99	H	7.50J	775	300	690	245	C	C	71
	P225/60R17	99	H	6.50J	775	300	702	228	C	C	71
	P225/65R17	102	H	6.50J	850	300	724	228	C	C	71
	P235/65R17	108	H	7.00J	1000	340	738	240	C	C	71
	P245/65R17	111	H	7.00J	1090	340	750	248	C	C	71
	P265/65R17	112	H	8.00J	1120	300	776	272	C	C	71
	P265/70R17	115	H	8.00J	1215	300	804	272	C	C	71
18	P255/55R18	109	V	8.00J	1030	340	737	265	C	C	71
	P235/60R18	107	H	7.00J	975	340	739	240	C	C	71

# HABILEAD Tires إطارات هابليد

3

SportMax XAS H2000



DurableMax RS01



**15,000,000 UNIT OF PCR, AND MORE  
THAN 100 PATTERNS AND SIZES FOR ALL STEEL RADIAL  
TYRES, LIGHT TRUCK TYRES, CAR TYRES. THE STRONG  
PRODUCTION CAPACITY AND R&D CAPACITY WILL MEET  
YOUR REQUIREMENT FOR TYRE BUSINESS**



# HABILEAD Tires إطارات هابليد

4

## • DURABLEMAX RS01

### COMMERCIAL VAN TYRE

Design for commercial van and light truck.  
Two circumferential central ribs provide super wear resistance.  
Convex tread blocks provide excellent traction and prevent sideslip.  
The tread block on shoulders delivers excellent stability and handing.  
Special outline avoid eccentric wear



RIM	Size	P.R	Load Index	Speed Rate	Standard Rim	Max Load (Kg)	Pressure (Kpa)	Diameter (mm)	Section Width	EU LABLE DATA		
										R.R	W.G	NOIS E
13	165/70R13C	6	88/86	R	5.00J	560/530	375	562	170	C	C	70
14	185R14C	8	102/100	R	5.50J	850/800	450	650	188	C	C	70
	195R14C	8	106/104	R	5.50J	950/900	450	666	198	C	C	70
15	195/70R15C	8	104/102	R	6.00J	900/850	450	655	201	C	C	71
	215/70R15C	8	109/107	R	6.50J	1030/975	450	683	221	C	C	71
	225/70R15C	8	112/110	R	6.50J	1120/1060	450	697	228	C	C	71
	195R15C	8	106/104	R	5.50J	950/900	450	693	196	C	C	71
16	215/60R16C	8	108/106	T	6.50J	1000/950	475	664	221	C	C	71
	195/65R16C	8	104/102	R	6.00J	900/850	475	660	201	C	C	71
	205/65R16C	8	107/105	R	6.00J	975/925	475	672	209	C	C	71
	215/65R16C	8	109/107	R	6.50J	1030/975	475	686	221	C	C	71
	225/65R16C	8	112/110	R	6.50J	1120/1060	475	712	240	C	C	71



# HABILEAD Tires إطارات هابليد

5

235/65R16C	8	115/113	R	7.00J	1215/1150	475	712	240	C	C	71
185/75R16C	8	104/102	R	5.00J	900/850	475	684	184	C	C	71
195/75R16C	8	107/105	R	5.50J	975/925	475	698	196	C	C	71
205/75R16C	10	113/111	R	5.50J	1150/1090	525	714	203	C	C	71
215/75R16C	10	116/114	R	6.00J	1250/1180	525	728	216	C	C	71

PracticalMax H/T RS21



## • COMFORTMAX AS H202

### ALL SEASON ECONOMIC TYRE

- Designed for economic cars with high-cost performance.
- The special tread block provide super silence and excellent grip.
- The silica compound delivers low rolling resistance and fuel efficiency.
- Optimized outline provides comfortable driving experience.
- Stable and excellent performance for all season.



RIM	SIZE	XL	LOAD INDEX	SPEED RATE	STANDARD RIM	MAX LOAD (Kg)	MAX PRESSURE (Kpa)	OVERALL DIAMETER (mm)	SECTION WIDTH (mm)
12	145/70R12		69T	T	4.50	325	300	509	150
	155/70R12		73T	T	4.50	365	300	523	157
	165/70R12		77T	T	5.00	412	300	537	170
13	155/70R13		75T	T	4.50	387	300	548	157
	155/80R13		79T	T	4.50	437	300	578	157
	165/65R13		79T	T	5.00	412	300	544	170
	165/70R13		79T	T	5.00	437	300	562	170
	165/70R13	XL	83T	T	5.00	487	340	562	170
	175/70R13		82T	T	5.00	475	300	576	177
	185/70R13		86T	T	5.50	530	300	590	189
14	155/65R14		75T	T	4.50	387	300	558	157
	165/60R14		75T	T	5.00	387	300	554	170
	165/65R14		79H	H	5.00	437	300	570	170
	165/70R14		81T	T	5.00	462	300	588	170
	175/65R14		82H	H	5.00	475	300	584	177
	175/65R14	XL	86T	T	5.00	530	300	584	177
	175/70R14		84H	H	5.00	500	300	602	177





# HABILEAD Tires هابليد

## CERTIFICATION

8



Mr. Brian Chan  
Global Tire & Wheel, Inc.  
19565 E. Walnut Dr. South #B6  
City of Industry, CA 91748

400 Seventh Street, S.W.  
Washington, D.C. 20590

JUL 20 2005

Dear Mr. Chan:

This is in reply to your recent request for assignment of a new tire manufacturer's identification code for the Shandong Hongsheng Rubber Co., Ltd plant located in Guangrao, China.

We are assigning the two characters code "87" for this plant. Our records will indicate that the addresses of the main office and plant are as follows:

### Main Office

Shandong Hongsheng Rubber Co., Ltd.  
Dawang  
Guangrao, Shandong  
China 257335

### Plant

Shandong Hongsheng Rubber Co., Ltd.  
Dawang  
Guangrao, Shandong  
China 257335

The use of the DOT symbol molded into or onto a tire constitutes a certification by the manufacturer that the tire meets the applicable Federal safety standards. While it is not required that tires be tested prior to using the DOT symbol, the National Highway Traffic Safety Administration does maintain a compliance test program to enforce safety standards, and any tires that are found to be not in compliance with the Federal standards are subject to civil penalties of up to \$5,000 per tire but not to exceed \$15,000,000 for any related series of violations.



DOT AUTO SAFETY HOTLINE  
888-DASH-2-DOT  
888-327-4236



Vehicle Technology Division

THE NETHERLANDS  
(NEDERLAND)



COMMUNICATION



Concerning (1):

- approval granted
- approval extended
- approval refused
- approval withdrawn
- production definitively discontinued

of a type of pneumatic tyre for motor vehicles pursuant to Regulation number 54.

Approval number: E4-54R-0023657

Extension number: 11

- Manufacturer's name or trade mark(s) on the tyre type  
HUASHENG; JINXIN; TAITONG; HONGTU; KAPSEN; PARAGON; PASSION; BLACKSTONE; ROADSONIC; MACROSTY; SUNTRAC; NEXUS; XCEED; ORNET; KINETIC; KARO; COTSA; NAMA; ALPINA; AUFIDE; ROAD MAX; ZHE DONG; LUNXAN; YIF; UNITED; ODYXING; ADDO INDIA; SUPER G.T.; STALLION; TREADSTONE; RICHSTONE; RADAR; SPREUT; TREADSTONE; DOUBLE ROAD; KASCO; LONGMARCH SUPER; GTONE TIRE; BUNGRAH TIRE; HINTON TIRE; DONLUP; TANZA; **HUMINTON**; TOYOMOTO; M&M; GOLDEN SHINE; COUGAR TYRES; SAYAN; HUMSUNG; TORYO; SUNOTE; EAGLESTONE; TEXXAN; TUDOR; TERRAKING; BERMUDA; BAOLITE; JUVIL CRUISE; SATOYA; TARVOS; KRUZER; GREENTOUR; NORMAKS
- Tyre type designation by the manufacturer  
H5101; H5102; H5269; ST007; ST201; ST101; NX501; NXD01; NXA01; XD101; XD062ECO; XD304XLECO; OR101; OR062ECO; OR306XLECO; ST101; KD102; KR102; KR168; NF03; ND11; NA05; CPO; CD11; CA02; RM101; RM102; FM268; LX-H10; LX-R68; LX-A86; T035; T030; T025; J5176; J5102; J5268; AF78; AF72; AF18; OD101; OD102; OD901; ZH814; ZH812; ZH802; UT551; UT552; UT652; ATR204; ROAD GRIP 333; SGT888; STL101; TS501; TS502; TS505; RD401; RT502; R578; RDR2; ST210; ST230; ST340; TS501; TS502; TS505; DR812; KA716; KA701; KA728; LM216;

P.O. Box 777  
2700 AT Zwanenburg  
The Netherlands

Tel. +31 (0)79 345 83 02  
E-mail: rdw@rdw.nl  
www.rdw.nl

Vehicle Admission & Surveillance



Page 1 of 3



山东华盛橡胶有限公司  
SHANDONG HUASHENG RUBBER CO., LTD

中国山东省东营市广饶县稻庄镇  
DAOZHANG TOWN, GUANGRAO COUNTY, DONGYING CITY, SHANDONG PROVINCE, CHINA  
TEL: 0086-546-7799618 FAX: 0086-546-7792222

GSO CONFORMITY CERTIFICATE CCR No: 145416  
(PASSENGER CAR TYRES)

Name of Manufacturer: SHANDONG HUASHENG RUBBER CO., LTD  
Brand Name's: HABILEAD; KAPSEN; HUMSUNG; MESHLINE; ETERNITY  
Country of Production: China

TO: G.C.C Standardization Organization (GSO)

We hereby certify that the tyres manufactured by us: SHANDONG HUASHENG RUBBER CO., LTD, Type (Tyre Designation/Size): 225/70R16 103T  
Tube/Tubeless: Tubeless  
Temperature Rating: A  
Traction: AA  
Treadwear: 440

Produced in the week no. 10 in the year of 2015 till the week no. 9 in the year of 2016 will satisfy the GSO Technical Regulations No: 51/2007.52/2007.53/2007.1763/2006.1784/2006.

Note: All tyres are guaranteed for 12 months against manufacturing defects under normal operating conditions and with recommended inflation pressure.




هونجشينج

HABILEAD

195/65 R15

[C1] 91V

H202



27, Jun 2015

# إطارات هابليد HABLEAD Tires

9

اختر هابليد تختار النجاح

## HABLEAD

tires



## إطارات هابليد

### أكثر العجلات تحملاً

### ضمان 100 ألف كيلو



صنعاء عصر امام الخارجية ت: 01530038