# HABILEAD

إطــارات هابليــد







## PRACTICALMAX H/T RS21 SUV HIGHWAY TERRAIN TYRE

- Desinged for city SUV with excellent high speed performance.
- Excellent handing performance and silence driving.
- Stability tread blocks provide super brake performance.
- Sipes design on shoulder provides attractive appearance and heat dissipation.
- Solid uniform tread blocks with ribs improve straight line stability.





	Size	Load Index	Speed Rate	Standard Rim	Max Load (Kg)	Pressure (Kpa)	Diameter (mm)	Section Width	EU LABLE DATE			
RIM									R.R	W.G	NOISE	
15	P235/75R15	105	Н	6.50J	925	300	733	235	С	С	71	
	P235/60R16	100	Н	7.00J	800	300	688	240	С	С	71	
	P215/70R16	100	Н	6.50J	800	300	708	221	С	С	71	
	P225/70R16	103	Н	6.50J	875	300	722	228	С	С	71	
10	P235/70R16	106	Н	7.00J	950	300	736	240	С	С	71	
16	P245/70R16	111	Н	7.00J	1090	340	750	248	С	С	71	
	P255/70R16	111	Н	7.50J	1090	300	764	360	С	С	71	
	P265/70R16	112	Н	8.00J	1120	300	778	267	С	С	71	
	P265/75R16	116	Н	7.503	1250	300	804	267	С	С	71	
	P235/55R17	99	Н	7.503	775	300	690	245	С	С	71	
	P225/60R17	99	Н	6.50J	775	300	702	228	С	С	71	
	P225/65R17	102	Н	6.50J	850	300	724	228	С	С	71	
17	P235/65R17	108	Н	7.003	1000	340	738	240	С	С	71	
	P245/65R17	111	Н	7.00J	1090	340	750	248	С	С	71	
	P265/65R17	112	Н	8.00J	1120	300	776	272	С	С	71	
	P265/70R17	115	Н	8.003	1215	300	804	272	С	С	71	
10	P255/55R18	109	٧	8.003	1030	340	737	265	С	С	71	
18	P235/60R18	107	Н	7.00J	975	340	739	240	С	С	71	



**SportMax XAS H2000** 



**DurableMax RS01** 



3,000,000 unit of TBR and 15,000,000 unit of PCR, and more than 100 Patterns and size for all steel radial tyres, Light truck tyres, Car tyres.

The strong production capacity and R&D capacity will meet your requirement for tyre business.



# DURABLEMAX RS01 COMMERCIAL VAN TYRE



#### PracticalMax H/T RS21



- Design for commercial van and light truck.
- Two circumferential central ribs provide super wear resistance.
- Convex tread blocks provide excellent traction and prevent sideslip.
- The tread block on shoulders delivers excellent stability and handing.
- Special outline avoid eccentric wear



RIM	Size	P.R	Load Index	Speed	Standard	Max Load	Pressure	Diameter	Section	EU LABLE DATA		
Klivi				Rate	Rim	(Kg)	(Kpa)	(mm)	Width	R.R	W.G	NOIS E
13	165/70R13C	6	88/86	R	5.00J	560/530	375	562	170	С	С	70
44	185R14C	8	102/100	R	5.50J	850/800	450	650	188	С	С	70
14	195R14C	8	106/104	R	5.50J	950/900	450	666	198	С	С	70
	195/70R15C	8	104/102	R	6.003	900/850	450	655	201	С	С	71
4.5	215/70R15C	8	109/107	R	6.503	1030/975	450	683	221	С	С	71
15	225/70R15C	8	112/110	R	6.503	1120/1060	450	697	228	С	С	71
	195R15C	8	106/104	R	5.50J	950/900	450	693	196	С	С	71
	215/60R16C	8	108/106	Т	6.503	1000/950	475	664	221	С	С	71
	195/65R16C	8	104/102	R	6.00J	900/850	475	660	201	С	С	71
16	205/65R16C	8	107/105	R	6.00J	975/925	475	672	209	С	С	71
	215/65R16C	8	109/107	R	6.503	1030/975	475	686	221	С	С	71
	225/65R16C	8	112/110	R	6.503	1120/1060	475	712	240	С	С	71
	235/65R16C	8	115/113	R	7.00J	1215/1150	475	712	240	С	С	71
	185/75R16C	8	104/102	R	5.00J	900/850	475	684	184	С	С	71
	195/75R16C	8	107/105	R	5.50J	975/925	475	698	196	С	С	71
	205/75R16C	10	113/111	R	5.50J	1150/1090	525	714	203	С	С	71
	215/75R16C	10	116/114	R	6.00J	1250/1180	525	728	216	С	С	71



## COMFORTMAX AS H202 ALL SEASON ECONOMIC TYRE

- Designed for economic cars with high-cost performance.
- The special tread block provide super silence and excellent grip.
- The silica compound delivers low rolling resistance and fuel efficiency.
- Optimized outline provides comfortable driving experience.
- Stable and excellent performance for all season.





RIM	SIZE	XL	LOAD INDEX	SPEED RATE	STAND ARD RIM	MAX LOAD (Kg)	MAX PRESSURE (Kpa)	OVERALL DIAMETER (mm)	SECTION WIDTH (mm)
	145/70R12		69T	Т	4.50	325	300	509	150
12	155/70R12		73T	Т	4.50	365	300	523	157
	165/70R12		77T	Т	5.00	412	300	537	170
	155/70R13		75T	T	4.50	387	300	548	157
	155/80R13		79T	Т	4.50	437	300	578	157
	165/65R13		79T	Т	5.00	412	300	544	170
13	165/70R13		79T	Т	5.00	437	300	562	170
	165/70R13	XL	83T	Т	5.00	487	340	562	170
	175/70R13		82T	Т	5.00	475	300	576	177
	185/70R13		86T	Т	5.50	530	300	590	189
	155/65R14		75T	Т	4.50	387	300	558	157
	165/60R14		75T	Т	5.00	387	300	554	170
	165/65R14		79H	Н	5.00	437	300	570	170
	165/70R14		81T	Т	5.00	462	300	588	170
	175/65R14		82H	Н	5.00	475	300	584	177
	175/65R14	XL	86T	Т	5.00	530	300	584	177
	175/70R14		84H	Н	5.00	500	300	602	177





GO South Cont. V.W.

AL 20 HE

This is no right to your success to quest for entigration of a new tire manufacturer's identification code for the Shandong Hongsberg Rubber Co., Lad plant Scotted in Guargian, China.

We are insegring the two characters code  $^{18}87^{\circ}$  for this plant. Our records will indicate this the addresses of the main effice and plant are a follows:

Main.Office

Standing Hospitaing Hobber Co., Ltd. Dawing Cumprist Shandong China. 257335

Shouting Hingshore Rolling Co., Ltd. Dynamy Georgias, Shaplong Chine, 257333

He was of the ESCT applied standard and it made a lost assistance a correlation by the association for this team most is applicable feedom safety standards. While it is he set imported that time he treated power to using the ESCT quebods, the Makinoud Highway Yorkin Salaty Adversamation does insistant a segregation of the Escope and the Salaty standards, and any time that are found to by not in compliance for group going on tentifiers underly considered, and any time that are found to by not in compliance with the Polished standards are subject to civil possible of one SESCO give two the entitle of the SESCO give two the entitle consideration possible of one on the second standard standards and second standards are subject to civil possible of one or second standards.





#### 山东华盛橡胶有限公司

由来事業を有限できません。 SHANDONG HUASHENG RUBBER COLLTD 中国山东省京書市「読書報車検 DACMUNG TOWN, GOVERNO COUNTY COMPOSED OF TO SMOOTHS PROVINCE CHINA 11. 00H-045770011 FAX NOS-045770077

#### GSO CONFORMITY CERTIFICATE CCR No: 145416

#### TO: G.C.C Standardinative Organization (GSO)







#### RDW

#### OFFICE LAND





outer Excellentour?


Totals Abetican & Seniofferor

#### هونجشينج

#### HABILEAD

195/65 R15

C1 91V H202



# HABILEAD









# HABILEAD

إطــارات هابليــد

هابليد خيار النجاح ....

TO BE

الإطارات الأكثر تحملًا .. خمان 100 ألف كيلو

