
## Round 2 Assignment Output

## Image 1

| Variable explorer Help Plots Files  |
|---|
| Console 1/A ×   |
| In [1]: runfile('C:/Users/MohammedThowfiq/Desktop/Freshworks Round 2 Assignment/app.py', wdir='C:/Users/MohammedThowfiq/Desktop/Freshworks Round 2 Assignment') |
| General Test  |
|   |
| Create mode   |
|   |
| Create Operation Done   |
| Error Status : Key's datatype should be String  |
| Error Status : Key   test   already exist , value - {'employee': 'Mohammed', 'status': 'fresher', 'role': 'App Developer'}                                      |
| Create Operation Done   |
| Error Status : Key's datatype should be String  |
| Error Status : Value's datatype should be JSON object (Dict)  |
| Create Operation Done   |
|   |
| Read mode   |
|   |
| For key   test   value - {'employee': 'Mohammed', 'status': 'fresher', 'role': 'App Developer'}   |
| Key   10   not found for client - Thowfiq   |
| Error Status : Sanmania - Client_file_doesnot_exist   |
| For key   Executive   value - {'Registered_firm': {'firm': 'Strictly Android Apps', 'location': 'chennai', 'products': {'Product-1': 'COVIZER',                 |
| IPython console History   |

## Image 2



## Image 3

