



Select a spec

default

Api Documentation ^{1.0}

[Base URL: localhost:8080/]
<https://localhost:8080/v2/api-docs>

Api Documentation
[Terms of service](#)
[Apache 2.0](#)

account-controller Account Controller >

basic-error-controller Basic Error Controller >

transaction-controller Transaction Controller v

PUT /Transaction/{transaction_id} updateTransaction

Parameters

Cancel

Name	Description
------	-------------

Name	Description
transaction * required (body)	transaction Example Value Model <pre>{ "amount": 18000, "date": "2021-12-15", "fromAccount": 0, "fromAccountName": "string", "otherBank": "string", "sameBankTransaction": true, "status": "string", "time": "2021-12-01T10:32:54.843Z", "toAccount": 0 }</pre> <div>Cancel</div>

	Parameter content type application/json
transaction_id * required integer(\$int64) (path)	transaction_id <div>185</div>

Execute

Clear

Responses	Response content type */*
-----------	---------------------------

Curl

```
curl -X PUT
"https://localhost
:8080/Transaction/
185" -H "accept:
*/*" -H "Content-
Type:
application/json"
```

Request URL

https://localhost:8080/Transaction/185

Server response

Code	Details
200	<div><div>Response body</div><pre>{ "message": "success", "status": 200, "httpStatus": "200 OK", "success": true, "exception": false, "body": "success" }</pre><div>Download</div></div> <div><div>Response headers</div><pre>connection: keep-alive content-type: application/json date: Wed, 01 Dec 2021 10:33:59 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre></div>

Responses

Code	Description
200	<div><div>OK</div><div><div>Example Value</div><div>Model</div><pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true }</pre></div></div>
201	<div><div>Created</div></div>

Code	Description
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

DELETE

/Transaction/{transactionId} deleteTransaction

Parameters

Cancel

Name	Description
transactionId * required integer(\$int32) (path)	transactionId

154

Execute

Clear

Responses

Response content type

/

Curl

curl -X DELETE
"https://localhost:8080/Transaction/154" -H "accept: */*"

Request URL

https://localhost:8080/Transaction/154

Server response

Code	Details
------	---------

Code

Details

200

Response body

```
{
  "message": "success",
  "status": 200,
  "httpStatus": "200 OK",
  "success": true,
  "exception": false,
  "body": "success"
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 01 Dec 2021 10:32:48 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

200

OK

Example Value

Model

```
{
  "body": {},
  "exception": true,
  "httpStatus": "string",
  "message": "string",
  "status": 0,
  "success": true
}
```

204

No Content

401

Unauthorized

403

Forbidden

GET

/transactions

getAllTransaction

Parameters

Cancel

No parameters

Execute

Clear

Responses

Response content type

/

Curl

```
curl -X GET
"https://localhost:80
80/transactions" -H
"accept: */*"
```

Request URL

https://localhost:8080/transactions

Server response

Code Details

Code

Details

200

Response body

```
{
  "message": "Transaction Fetched",
  "status": 200,
  "httpStatus": "200 OK",
  "success": true,
  "exception": false,
  "body": [
    {
      "transaction_id": 132,
      "fromAccount": 1000,
      "toAccount": 1000,
      "fromAccountName": "Mohammed",
      "toAccountName": "Ahmed",
      "sameBankTransaction": true,
      "otherBank": "Non",
      "amount": 100,
      "date": "2021-12-01",
      "time": "2021-12-01T07:43:40.514",
      "transactionType": "Payment",
      "status": "Active"
    },
    {
      "transaction_id": 154,
      "fromAccount": 1000,
      "toAccount": 1000,
      "fromAccountName": "Mohammed",
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 01 Dec 2021 10:31:02 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

200

OK

Example Value Model

```
{
  "body": {},
  "exception": true,
  "httpStatus": "string",
  "message": "string",
  "status": 0,
  "success": true
}
```

Code	Description
401	Unauthorized
403	Forbidden
404	Not Found

POST

/transactions

MakeTransaction

Parameters

Cancel

Name	Description
transaction * required (body)	transaction

Example Value

Model

```
{
  "amount": 150,
  "date": "2021-12-12",
  "fromAccount": 1540,
  "fromAccountName": "jeff",
  "otherBank": "Non",
  "sameBankTransaction": true,
  "status": "Active",
  "time": "2021-12-01T10:26:55.389Z",
  "toAccount":
```

Cancel

Parameter content type

application/json

execute

clear

Responses

Response content type

/

Curl

```
curl -X POST
"https://localhost
:8080/transactions
" -H "accept: */*"
-H "Content-Type:
application/json"
-d '{"amount":
```



Request URL

https://localhost:8080/transactions

Server response

Code

Details

201

Response body

```
{
  "message": "transaction was made",
  "status": 201,
  "httpStatus": "201 CREATED",
  "success": true,
  "exception": false,
  "body": "success"
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 01 Dec 2021 10:30:34 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

Code	Description
200	<i>OK</i>
<div><div>Example Value</div><div>Model</div><pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true}</pre></div>	
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET

/transactions/{transaction_id}

getTransactionByTransactionID

Parameters

Cancel

Name	Description
transaction_id * required integer(\$int64) (path)	transaction_id

185

Execute

Clear

Responses

Response content type

/

Curl

```
curl -X GET
"https://localhost:80
80/transactions/185"
-H "accept: */*"

```

Request URL

https://localhost:8080/transactions/185

Server response

Code	Details
------	---------

200

Response body

```
{
  "message": "Success",
  "status": 200,
  "httpStatus": "200 OK",
  "success": true,
  "exception": false,
  "body": {
    "transaction_id": 185,
    "fromAccount": 1000,
    "toAccount": 1000,
    "fromAccountName": "Mohammed",
    "toAccountName": "Ahmed",
    "sameBankTransaction": true,
    "otherBank": "Non",
    "amount": 100,
    "date": "2021-12-01",
    "time": "2021-12-01T07:43:40.514",
    "transactionType": "Payment",
    "status": "Active"
  }
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 01 Dec 2021 10:26:52 GMT
keep-alive: timeout=60
transfer-encoding: chunked

```

Responses

Code	Description
------	-------------

Code	Description
200	<i>OK</i>
<div>Example Value Model</div> <div><pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true }</pre></div>	
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET

/transactionsByOtherBank/{bankName} getTransactionByOtherBank

Parameters

Cancel

Name	Description
bankName * required string (path)	bankName <div>Non</div>

Execute

Clear

Responses

Response content type */*

Curl

```
curl -X GET
"https://localhost:80
80/transactionsByOthe
rBank/Non" -H
"accept: */*"
```

Request URL

https://localhost:8080/transactionsByOtherBank/Non

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{ "message": "Accounts Fetched", "status": 200, "httpStatus": "200 OK", "success": true, "exception": false, "body": [{ "transaction_id": 132, "fromAccount": 1000, "toAccount": 1000, "fromAccountName": "Mohammed", "toAccountName": "Ahmed", "sameBankTransaction": true, "otherBank": "Non", "amount": 100, "date": "2021-12-01", "time": "2021-12-01T07:43:40.514", "transactionType": "Payment", "status": "Active" }, { "transaction_id": 154, "fromAccount": 1000, "toAccount": 1000, "fromAccountName": "Mohammed",</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>connection: keep-alive content-type: application/json date: Wed, 01 Dec 2021 10:26:28 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre></div></div>

Responses

Code	Description
------	-------------

Code	Description
200	<i>OK</i>
<div>Example Value Model</div> <pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true}</pre>	
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /transactionsByTypeAndDate/{type}/{date} getTransactionByOtherBank

Parameters

Cancel

Name	Description
date * required string(\$date) (path)	date <div>2021-12-13</div>
type * required string (path)	type <div>Payment</div>

Execute

Clear

Responses

Response content type

/

Curl

```
curl -X GET
"https://localhost
:8080/transactions
ByTypeAndDate/Paym
ent/2021-12-13" -H
"accept: */*"

```

Request URL

https://localhost:8080/transactionsByTypeAndDate/Payment/2021-12-13

Server response

Code

Details

200

Response body

```
{
  "message": "Accounts Fetched",
  "status": 200,
  "httpStatus": "200 OK",
  "success": true,
  "exception": false,
  "body": [
    {
      "transaction_id": 196,
      "fromAccount": 1000,
      "toAccount": 2000,
      "fromAccountName": "Mohammed",
      "toAccountName": "Ahmed",
      "sameBankTransaction": true,
      "otherBank": "Non",
      "amount": 100,
      "date": "2021-12-13",
      "time": "2021-12-01T10:07:07.15",
      "transactionType": "Payment",
      "status": "Active"
    }
  ]
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 01 Dec 2021 10:25:38 GMT
keep-alive: timeout=60
transfer-encoding: chunked

```

Responses

Code

Description

Code	Description
200	<i>OK</i>
<div>Example Value Model</div> <pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true}</pre>	
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET /transactionsDate/{date} getTransactionByDate

Parameters

Cancel

Name	Description
date * required string(\$date) (path)	date <div>2021-12-13</div>

Execute

Clear

Responses

Response content type */*

Curl


```
curl -X GET
"https://localhost:80
80/transactionsDate/2
021-12-13" -H
"accept: */*"
```

Request URL

https://localhost:8080/transactionsDate/2021-12-13

Server response

Code

Details

200

Response body

```
{
  "message": "Accounts Fetched",
  "status": 200,
  "httpStatus": "200 OK",
  "success": true,
  "exception": false,
  "body": [
    {
      "transaction_id": 196,
      "fromAccount": 1000,
      "toAccount": 2000,
      "fromAccountName": "Mohammed",
      "toAccountName": "Ahmed",
      "sameBankTransaction": true,
      "otherBank": "Non",
      "amount": 100,
      "date": "2021-12-13",
      "time": "2021-12-01T10:07:07.15",
      "transactionType": "Payment",
      "status": "Active"
    }
  ]
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 01 Dec 2021 10:25:55 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

Code	Description
200	<i>OK</i>
<div><div>Example Value</div><div>Model</div><pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true}</pre></div>	
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET

/usertransactions/{User} getUserTransactionByUserName

Parameters

Cancel

Name	Description
<div>User * required</div> <div>string</div> <div>(path)</div>	<div>User</div> <div>Mohammed</div>

Execute

Clear

Responses

Response content type */*

Curl

```
curl -X GET
"https://localhost:80
80/usertransactions/M
ohammed" -H "accept:
*/*"
```

Request URL

https://localhost:8080/usertransactions/Mohammed

Server response

Code

Details

200

Response body

```
{
  "message": "Accounts Fetched",
  "status": 200,
  "httpStatus": "200 OK",
  "success": true,
  "exception": false,
  "body": [
    {
      "transaction_id": 132,
      "fromAccount": 1000,
      "toAccount": 1000,
      "fromAccountName": "Mohammed",
      "toAccountName": "Ahmed",
      "sameBankTransaction": true,
      "otherBank": "Non",
      "amount": 100,
      "date": "2021-12-01",
      "time": "2021-12-01T07:43:40.514",
      "transactionType": "Payment",
      "status": "Active"
    },
    {
      "transaction_id": 154,
      "fromAccount": 1000,
      "toAccount": 1000,
      "fromAccountName": "Mohammed",
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 01 Dec 2021 10:26:12 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

Code	Description
200	<i>OK</i>
	<div><div>Example Value</div><div>Model</div><pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true}</pre></div>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

Models

>