Jason Downing
Email: jason_downing@student.uml.edu
Foundations of Computer Science
Homework #1 - Basics + Using Latex
Problems: 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9
9/28/2016

0.1   Examine the following formal descriptions of sets so that you under-
stand which members they contain. Write a short informal English descrip-
tion of each set.

  $a.$ $\{1, 3, 5, 7, ...\}$
  This is a set of all real odd numbers.

  $b.$ $\{..., -4, -2, 0, 2, 4, ...\}$
  This is a set of all positive and negative even numbers.

  $c.$ $\{n| \ n \ = \ 2m \ for \ some \ m \ in \ N\}$
  This is a set of all even positive numbers.

  $d.$ $\{n| \ n \ = \ 2m \ for \ some \ m \ in \ N, \ and \ n \ = \ 3k \ for \ some \ k \ in \ N\}$
  This is a set of all positive numbers which are also a multiple of six.

  $e.$ $\{w| \ w \ = \ is \ a \ string \ of \ 0s \ and \ 1s \ and \ w \ equals \ the \ reverse \ of \ w\}$
  This is a set of all binary palindrome strings, which are strings that are
  the same when read forward or backwards.

  $f.$ $\{n| \ n \ is \ an \ integer \ and \ n \ = \ n \ + \ 1\}$
  This is an empty set: ø

0.2   Write formal descriptions of the following sets.
  a. The set containing the numbers 1, 10, and 100
     $\{1, 10, 100\}$

  b. The set containing all integers that are greater than 5
     $\{n \in \mathbb{Z} \mid n > 5\}$

  c. The set containing all natural numbers that are less than 5
     $\{n \in \mathbb{N} \mid n < 5\}$

d. The set containing the string aba

$\{aba\}$

e. The set containing the empty string

$\{\epsilon\}$

f. The set containing nothing at all

$\{\o\}$

0.3   Let A be the set $\{$x, y, z$\}$ and B be the set $\{$x, y$\}$
a. Is A a subset of B?
No, A is not a subset of B because "z" is not in B, and to be a subset of
another set all elements of A must be contained in B.

b. Is B a subset of A?
Yes, B is a subset of A because all elements in B are contained in A.

c. What is A ∪ B?
$A \cup B = \{x, y, z\}$

d. What is A ∩ B?
$A \cap B = \{x, y\}$

e. What is A × B?
$A \times B = \{(x, x), (x, y), (y, x), (y, y), (z, x), (z, y)\}$

f. What is the power set of B?
$P(B) = \{\o, \{x\}, \{y\}, \{x, y\}\}$

0.4   If A has a elements and B has b elements, how many elements are
in A × B? Explain your answer

For every element in A, there are B ordered pairs. This means that there
will be A * B elements

0.5   If C is a set with c elements, how many elements are in the
      power set of C? Explain your answer.

If $|C| = c$, then $P(C) = 2^C$. This is because if a set has n members,
then the power set will have 2^n members.

As an example, consider set A: $\{1, 2, 3\}$:

subsets: $\{1\}$, $\{2\}$, $\{3\}$, $\{1,2\}$, $\{1,3\}$, $\{2,3\}$ as well as $\{1,2,3\}$
and the empty set of $\{\}$

When we combine all of these sets, we get the powerset:
$P(A) = \{\{\}, \{1\}, \{2\}, \{3\}, \{1,2\}, \{1,3\}, \{2,3\}, \{1,2,3\}\}$

There are 3 elements in set A with 8, and $2^3 = 8$, which shows
that $P(C) = 2^C$.

0.6
    a. The value of $f(2)$ is 7.
    b. The domain of f is X and the range is Y.
    c. The value of $g(2, 10)$ is 6.
    d. The domain of g is $X \times Y$ and the range is Y.
    e. $g(4, f(4))$ is equal to $g(4, 7)$ which equals 8.

0.7   For each part, give a relation that satisfies the condition.
    a. Reflexive and symmetric but not transitive
       Set A contains $\{1, 2, 3\}$
       $R = \{(1, 1), (2, 2), (3, 3), (2, 1), (1, 2)\}$

    b. Reflexive and transitive but not symmetric
       Set B contains $\{1, 2, 3\}$
       $R = \{(1, 2), (2, 1), (2, 2), (1, 1)\}$

    c. Symmetric and transitive but not reflexive
       Set C contains 1, 2, 3
       $R = \{(1, 2), (2, 1), (1, 1), (2, 2)\}$

0.8

Node 1 has a degree of 3
Node 2 has a degree of 3
Node 3 has a degree of 3
Node 4 has a degree of 3
Note: before we $3 \rightarrow 4$ was added, node 3
had a degree of 2 and node 4 has a degree of 2.

The graph looks like:

0.9 Write a formal description of the following graph.

G = (V, E) where V = {1, 2, 3, 4, 5, 6} and
E = {(1,4), (1,5), (1,6), (2,4), (2,5), (2,6), (3,4), (3,5),(3,6)}

Drawn in Latex this would be: