

Alsaiti Growth

Manual setup tasks — the things that need an account owner

The build is finished. Everything below needs somebody with access to an account or a phone, which is why it could not be done in code. Each task is self-contained: do them in any order, though task 1 is genuinely urgent and tasks 2 and 3 unlock the most.

Where things stand

Web dashboard & marketing site	Live and working
AI receptionist voice (ElevenLabs)	Live — verified playing on the real site
Backend functions	12 of 13 deployed and healthy
Lead alert emails	Written and tested, not yet deployed — task 3
Phone calls / CRM sync	Honest simulations until credentials exist — tasks 4 and 5
Phone app	Builds and renders clean; wants one real-device check — task 7

The tasks at a glance

#	Task	Needs	Time
1	Security housekeeping	Supabase dashboard	5 min
2	Turn on sign-ups	Supabase dashboard	2 min
3	Switch on lead alert emails	Resend account + terminal	15 min
4	Real phone calls	Funded Telnyx account	30 min
5	Real CRM connection	HubSpot developer account	20 min
6	Check the voice on an iPhone	An iPhone	5 min
7	Check the phone app on a device	A phone + laptop	10 min
8	Read the Spanish and Arabic copy	A native speaker	20 min

Project reference: [jnxvwdcvnwigowafdxvl](#) | Dashboard: [supabase.com/dashboard/project/jnxvwdcvnwigowafdxvl](#)

The tasks

1 Security housekeeping

DO THIS FIRST

ABOUT 5 MIN

Two credentials were pasted into a chat during setup. Neither is in the code, but both should be rotated on principle — anyone holding them has full control of the backend.

What to do

- Go to supabase.com/dashboard/account/tokens and revoke the access token beginning `sbp_f909`. Its job is done; nothing needs it any more.
- Go to **Project Settings** → **API** and reset the **service_role** key. The functions read it from the environment automatically, so nothing needs updating afterwards.
- While you are there, change the demo account password: `demo@alsaiti.ai`.

How to know it worked

The old token stops working when you try to use it, and the site keeps running normally — the functions pick up the new service key on their own.

If this is skipped

Anyone who ever saw those messages keeps full read and write access to the database.

2 Turn on sign-ups

BLOCKS NEW ACCOUNTS

ABOUT 2 MIN

New users cannot create an account right now. This was confirmed directly against the project: sign-ups are disabled. Email confirmation is already switched on correctly, so the verification and password-reset screens will work the moment sign-ups are allowed.

What to do

- Open **Authentication** → **Sign In / Providers** → **Email**.
- Turn on **Allow new users to sign up**.
- Leave **Confirm email** switched on — that is what makes the verification screen work.

How to know it worked

Create an account on the live site with a real address. You should land on a “Check your inbox” screen and receive a confirmation email.

If this is skipped

Nobody except the existing demo account can sign in, so the product cannot be handed to a client.

3

Switch on lead alert emails

BIGGEST WIN

ABOUT 15 MIN

The alert emails are written, tested and wired into the app — every new lead already tries to send one. It only needs an email provider and one deploy. Until then the app says so honestly rather than pretending an alert went out.

What to do

- Create a free account at **resend.com** and verify the sending domain (`alsaitigrowth.com`). Verification is a few DNS records and is the slow part — do it first.
- Copy the API key, then run the two commands below from the project folder.

```
supabase secrets set RESEND_API_KEY=re_XXXXXXX \
ALERT_FROM_EMAIL="Alsaiti Growth <alerts@alsaitigrowth.com>" \
--project-ref jnxvdcvnwigowafdxvl
```

```
supabase functions deploy lead-notify --project-ref jnxvdcvnwigowafdxvl
```

- SendGrid works too — set `SENDGRID_API_KEY` instead.
- Only this one function needs deploying. The other twelve are untouched.

How to know it worked

Sign in on the live site with a real account and create a lead. An alert should arrive at that account's email address within a few seconds. In Settings, the amber note about needing an email provider will change.

If this is skipped

Leads are still captured and visible in the dashboard, but nobody is told about them in real time.

4

Real phone calls

NEEDS FUNDING

ABOUT 30 MIN

The phone screens, number ordering and call handling are all built and deployed. They report “needs credentials” truthfully until a real carrier account exists.

What to do

- Create an account at **telnyx.com** and add funds — numbers cannot be ordered on a zero balance, and this is the usual thing that blocks it.
- Create an API key, and note the public key used to sign webhooks.
- Set both secrets:

```
supabase secrets set TELNYX_API_KEY=KEY... \
TELNYX_PUBLIC_KEY=... --project-ref jnxvdcvnwigowafdxvl
```

How to know it worked

Open the Phone screen and search for numbers. Real Telnyx inventory should appear instead of the demo message. A number only shows as Active after a genuine inbound test call — that is deliberate, so nothing ever claims to be live when it is not.

If this is skipped

The Phone screen stays a labelled demo. Nothing is broken; it simply cannot take real calls.

5

Real CRM connection

OPTIONAL FOR LAUNCH

ABOUT 20 MIN

The connection wizard, credential checking and sync engine are built. The live connector is implemented for HubSpot, so start there.

What to do

- Create a developer app at **developers.hubspot.com**.
- Set the redirect URL to:
`https://jnxvwdcvnwigowafdxvl.supabase.co/functions/v1/crm-callback`
- Copy the Client ID and Client Secret, then:

```
supabase secrets set HUBSPOT_CLIENT_ID=... \  
HUBSPOT_CLIENT_SECRET=... --project-ref jnxvwdcvnwigowafdxvl
```

- The other providers follow the same pattern when you want them: PIPEDRIVE_, GOOGLE_, HIGHLEVEL_, SALESFORCE_, ZOHO_, MICROSOFT_ with _CLIENT_ID and _CLIENT_SECRET.

How to know it worked

Press Connect on HubSpot. A real HubSpot approval page should open. After approving, the card shows “Test required” — run the test and it becomes Connected only if the test genuinely passes.

If this is skipped

CRM sync stays a clearly labelled simulation. Leads are safe in the dashboard either way.

6

Check the voice on an iPhone

5 MINUTE CHECK

ABOUT 5 MIN

Safari on iPhone only lets audio play if it starts from a tap. The receptionist fetches its voice about a second after you press Start call, which used to fall foul of that rule and drop back to the robotic system voice. The fix is in and verified on desktop, but the rule it works around is iPhone-specific, so it deserves one real check.

What to do

- Open the live site on an iPhone, in Safari.
- Turn the ringer switch on (not silent) and turn the volume up.
- Go to the AI receptionist and press **Start call**.

How to know it worked

The greeting should sound like a natural human voice. If it sounds robotic or flat, the fallback is being used — note which iOS and Safari version, and send that back.

If this is skipped

It may sound robotic on iPhones while sounding perfect everywhere else.

7

Check the phone app on a device

10 MINUTE CHECK

ABOUT 10 MIN

The app compiles into a full bundle and every screen has been rendered and checked automatically, but it has not been opened on real hardware since a fair amount changed: new colours, a new Settings screen, and the voice controls moving into it.

What to do

- On the laptop, in the `alsaiti-go` folder, run `npx expo start`.
- Scan the QR code with Expo Go, with the phone on the same Wi-Fi.
- Look at the **More** tab (language, voice, notifications) and the **Voice** tab.

How to know it worked

Everything should be green and cream rather than blue, the Settings screen should switch language and voice, and Hear this voice should speak.

If this is skipped

A visual problem could reach a client demo unnoticed.

If Expo Go says it cannot connect, the laptop's IP has probably changed. Restart with `REACT_NATIVE_PACKAGER_HOSTNAME=<current-ip> npx expo start`.

8

Read the Spanish and Arabic copy

QUALITY

ABOUT 20 MIN

The app is fully translated into Spanish and Arabic, including everything the AI receptionist says on a call. The translations are complete and consistent, but they were not written by a native speaker and this is customer-facing speech.

What to do

- Switch language in **Settings** → **Appearance**.
- Walk through the dashboard, then run a call on the AI receptionist screen and read the transcript.
- Pay closest attention to what the receptionist says out loud — the greeting, the questions, and the pricing answer.

How to know it worked

It should read as though a person wrote it, not a translation.

If this is skipped

A client hears slightly stilted phrasing in their own language.

Useful reference

Live site	mohammedkarim-mk.github.io/alsaiti_voice_claude_fresh_start_pack--3-
Supabase project	jnxvwdcvnwigowafdxvl (region eu-west-2)
Demo login	The “Try live demo” button — no password needed
Web app source	docs/index.html (one file, no build step)
Phone app source	alsaiti-go/App.js
Backend functions	supabase/functions/
Secret names	supabase/functions/.env.example lists every one

Installing the Supabase CLI

Tasks 3 to 5 use it. Once installed, sign in once and the commands in this document will work as written.

```
npm install -g supabase
supabase login
```

A note on what “demo” means here

Where something cannot be real yet — a CRM without credentials, a phone number without a carrier — the app says so plainly on screen rather than showing a green tick. That is deliberate. Nothing claims to be connected until it genuinely is, so what a client sees is always the truth.

Questions about any step can go back to whoever sent this — each task above is independent, so a blocked one never holds up the others.