


TEKNIX

VERTICAL TRANSPORT SOLUTION

In Collaboration With
SRH Aufzüge GmbH



VERTIX

Empowered by
Innovation & Technology

www.teknixelevators.com



Finest German
Craftmanship

The all new Next Generation Enviro-Friendly Vertex range of elevators from Teknix in collaboration with SRH aufzüge GmbH brings you the ultimate German Technology and Craftsmanship with all the essential features and giving you a unparalleled comfort ride.



SIMPLICITY
AT WORK

Teknix was born with a simple concept: to build most innovative vertical transportation system with values deep rooted at its heart, With SRH Aufzüge GmbH, joining hands with Teknix, we together strive to provide the most innovative products with Industry leading Services & world class customer care.

Every product, whether custom-built to client specifications or part of a larger vertical Transportation line, is subject to stringent testing by our in-house R&D. Our commitment and dedication to give our customers a superior and reliable product with Excellent quality and service.

Teknix SRH manufacturing unit, based in Bangalore, India, spread over 65,000 Sq. ft & our international manufacturing units based in Suzhou, China & Bremen, Germany spread over a total area of 20,25,000 Sq.ft of floor area with complete in-house manufacturing centre, R&D Centre, Customer Service Centre & Full fledged Elevator Testing Tower & the most advance manufacturing equipments like Sheet metal Manufacturing Line from Salvagnini,- Italy, Bodor, -Switzerland, Dener- Turkey, Amada- multistation punching system from Japan & many more

In Germany as a member of VFA-Interlifte.V. SRH Aufzüge has participated in Drafting of the EU standards and norms for elevators. SRH Aufzüge GmbH has established its network all over the globe, with a global manufacturing unit based in Germany as well as in P. R. China by the brand name of Sicher Elevator. With Teknix joining hands with SRH Aufzüge GmbH for the India market we now have technology for elevators with speed up to 8 m/s and German research and development, leading to the best of the vertical transport solution available in India today.



DESIGNED IN GERMANY, MANUFACTURED GLOBALLY


Unique Value Proposition for your property, giving you unmatched design flexibility on elevator car, doors, shaft dimensions & Surfaces. Made the German way, with safety at its core & Promise of Quality, Consistency, Reliability & Competency.



Vertix

Gearless Elevator

The all new Vertix is a world class Gear-less Machine room less elevator that fulfills all your needs for the vertical transportation for your project.



Machine Room Less

Resulting in reduction of huge civil cost and offers more usable space.



State Of The Art Control system

Highly reliable and efficient integrated controllers with advanced direct landing technology and self diagnostic systems for ultimate performance and minimum down time of the elevator.



Direct Landing System

Vertix Comes with Direct Landing system which completely expels the need for creeping speed and gives a complete S-curve ride.



SMT

Surface Mount Technology enhances the reliability and Scalability.



PWM

Uses PWM Dead time compensation technology and dynamic PWM Carrier Modulation technology to reduce noise and motor energy loss.



Rotary Encoder Based Leveling

VERTIX Uses rotary encoder to give real time RPM feedback to the controller which helps in precise levelling as well as for smoothest start/stop of the elevator for enhanced passenger safety.



Close Loop

Integrated drive system Vertix range of elevators equipped with Multi-computer based close loop integrated drive system which helps in smoothest start/stop for extra comfort.



Hibernation Function

When on idle standby mode, Vertix elevator goes into hibernation function, where in the power consumption reduces by 80%, and starts up immediately on call registration.



SERVO PERMANENT MAGNET MOTOR

SERVO PMSM for the smoothest start & stop with lowest power consumption.



Microcontroller With IOT

Microcontroller inbuilt with IOT based operating system, helping reduce repetitive breakdowns and helps in predicting the future breakdowns & enhance the health of the elevator.



PWM Technology

Our machine comes in built with PWM Dead time Compensation Technology & Dynamic PWM carrier Modulation technology to reduce motor noise & motor Energy losses.



Continuous Automatic Lubrication

Continuous Automatic Lubrication system for smoothest ride every time.



PMS Door motor

Permanent magnet synchronous motor based door operating for ultra low power consumption & longer life.



Ultra Fast Processor

Extremely fast integrated control system developed on Cortex M4 MCU, to give the most reliable & ultra high speed processing.



Sorbothane

Sorbothane (a NASA approved polymer) based Guide shoes for super silent & Vibration free elevator movement.



Highly Reliable Safety System

Vertex controller is designed with Actel Class FPGA chip based safety circuit. This type of circuit is normally used in airplane industry for failure-proof safety activation.



Monomer Cast Polyamide Transmission Sheave

Vertex elevators are pre-fitted with monomer cast polyamide sheaves which reduce the noise levels due to friction & thereby increasing the life of ropes by upto 50%.

SAFETY SYSTEMS

UCM Device

Protects against unintended car Movement caused by failure of brakes & Snapping of ropes.

Solenoid Controlled Overspeed Protection Device

Directional over speed protection, Protects the occupants against accident incase of rope snapping.

Electromechanical Twin Crimper

Based locking gear for 100% safety of passengers incase of mishap.

Anti Squeeze door system

VERTIX comes with Anti-squeeze door system as a standard which is an add on safety to the light curtains, incase of malfunctioning of light curtain, the motor returns the doors on sensing the pressure of a object or a body in between the doors.

Under Door Protection

Under door protection with toe fascia for safety incase of breakdowns

Teknix Rescue Device

Automatic rescue device as a standard which brings the elevator to the nearest floor incase of power failure.



Dual Disc Brakes

VERTIX gearless machines are equipped with dual vented disc brakes for a safe and smooth breaking of the elevator.



Smartsense Braking

In case of Motor power loss, the SMARTSENSE system automatically applies brakes & stops the elevator from Descending.



Over run protection system

Protects the occupants incase of elevator overshoot or undershoot with three stage terminal limit cut off system for extra occupant safety.



Infrared Light Curtain

Infrared curtain with Criss Cross beams to form a invisible safety net at the entrance of the elevator and quickly responds to any person or object coming into the detection plane



QUAD Mount system

Machine Mount system fixed with Quadfix for extra safety in events of earthquake



Car Door Lock Assembly


Car door lock assembly for extra safety of the children in event of mantrap

HUMAN INTERFACE DEVICE

H

EG

G







FINISHES





TYPE : MRL / MMR	Powered by Servo Permanent Magnet Gearless Machine
Capacity	408kgs(6pax) – 1250kg (18pax)
Speed	1m/s – 2m/s
Landings	2 - 20
Operation	Full Collective Selective
Door width	600mm – 1500mm
Door Height	2000 - 2200
Door Opening	Center Opening/ Telescopic Opening
Spacious Car	Vertex is designed keep space utilization in mind giving maximum usable space in the elevators as per the regional codes
Silence	Vertex is Equipped with Servo PMS motor for ultra silent ride

SUSTAINABLE DRIVE SOLUTIONS FOR A GREENER TOMMOROW

Green Solutions for your green building

We at Teknix believe energy saving is a need of the hour , We do our bit by developing products which are low on energy consumption & extremely low on carbon footprint.

Extremly Low power consuming motors makes us only IGBC certified companies to be a part of the Green building product list.

Hibernation mode – Elevators designed by Teknix come with Hibernation mode as a standard which reduce the energy consumption to the bare minimum.




**Automatic Fan/
Light**




**Auto Car Display cut off
in Hibernation mode**



**Green LED lights with
extremely low
power consumption**



HOISTWAY ELEVATION



HOISTWAY PLAN

CAPACITY		CAR INSIDE		HOISTWAY		CLEAR OPENING	
PERSON	LOAD (KG)	A	B	C	D	E	F
6	408	1150	950	1600	1500	700	2000
8	544	1300	1100	1800	1600	800	2000
10	680	1350	1300	1800	1900	800	2000
13	884	1400	1500	2100	2000	900	2000
15	1020	1000	2400	1800	3000	1000	2000
20	1360	1300	2400	2000	3000	1000	2000

SPEED IN M/SEC		UP TO 1.00M/SEC	>1.00 M/SEC TO 1.50 M/SEC	>1.50 M/SEC TO 2.50 M/SEC	>2.00 M/SEC TO 2.50 M/SEC	>2.50 M/SEC TO 3.50 M/SEC
PIT	H	1500	2000	2500	2700	2900
OVERHEAD	G	4600	5000	5400	5800	6000

SRH Aufzüge GmbH is an integrated multinational enterprise which develops, researches & manufactures elevators, control systems & other core components as well as parking system.





Advanced Equipments



TEKNIX ELEVATORS PVT. LTD.

Head office

#125, Gala Square, 4th Floor R.V Road,
VV Puram, Near Lalbagh Westgate, Bangalore – 560004
Ph : 080- 41253500/ 41483500 / 9148788011 | Toll Free : 1800- 1200-903

Manufacturing Unit

No.15/132/98/B Survey no. 1/4 , Kolur,
Off Mysore road, Near Big Banyan Tree
Tavrekere Hobli, Bangalore 560060 | Ph : +91- 9071211445

BRANCH OFFICES

Hyderabad

#30, Indus Space Centre, 3rd floor 100 feet road,
Kavuri Hills, Madhapur Main Road, Hyderabad 500081
Ph : 040 – 46012184 / 7624916882

Rajkot

Mo.61, 3rd Floor, Samrudhi Bhavan,
Gondal Road, Rajkot-360001, Gujarat.

Hubli

+91-6360287258

Vijaywada

+91- 6360286988

Vishakapatnam

+91- 6360287035

Mangalore

INTERNATIONAL BRANCHES

Nepal

Elevator Solutions Nepal Pvt Ltd.(TEKNIX)
Nagapokhari, Kathamandu, Nepal.
+977 1 4433280 | Mob : +977-98020 80880
Email : info@elevatorsolutionsnepal.com.np

Maldives

Vertical Solutions Pvt Ltd
M. Hazaarumaage, Fareedheemagu, 20191
Male, Maldives | Ph : 3343833

* 24x7 service is provided for emergency evacuations only. Breakdown services would be provided in regular working hours of regular working days.

*180 mins guaranteed service response is the response time from the time of lodging the complaint on toll free number and it is the time required for the representative to reach the place of installation. 180 mins guaranteed service would be considered only in case the complain is lodged within the working hours of working days.