

Pocket Ledger

Personal expense tracker dashboard: complete source code

File: index.html · 718 lines · Repository: mohan196/git-test · Generated 28 Sep 2026

Technology stack

Front end	HTML5, hand-written CSS (custom properties, Grid, Flexbox, media queries) and plain JavaScript. No framework.
Charts	Chart.js 4.4.1, loaded from cdnjs.cloudflare.com: stacked bar, donut, line and bar charts with tooltips.
Fonts	Google Fonts: Bricolage Grotesque (headings), IBM Plex Sans (text), IBM Plex Mono (numbers).
Back end	None. The page is fully static and runs entirely in the browser.
Storage	Browser localStorage, key "pocket-ledger-v1": expenses, budgets and currency saved as JSON.

Features

- Summary cards: spent this month (vs. last month), budget remaining with status, daily average with projection, top category
- Six-month stacked bar chart of spending by category
- Donut chart of the month's category split, with amounts and percentages
- Running total vs. budget pace, compared with the previous month
- Per-category budgets with editable limits and On track / Near limit / Over budget labels
- Spending by day of week
- EMI & SIP panel: EMIs paid, SIPs invested, their share of outflow and 6-month SIP total
- Add-expense form; transactions table with category filter, search and delete
- Month and currency selectors (INR, USD, EUR, GBP); light and dark themes; phone layout

Expense categories

 Housing	 Food & Dining	 Transport	 Utilities
 Shopping	 Health	 Entertainment	 Other
 SIP	 EMI		

Code layout

Lines	1–11	Document head: fonts and Chart.js
Lines	12–206	CSS: theme, layout and components
Lines	209–341	HTML: page structure
Lines	342–715	JavaScript: data, charts and interactions

To run it, open index.html in any modern browser. An internet connection is needed to load Chart.js and the fonts.

Document head: fonts and Chart.js

```
1 <!doctype html>
2 <html lang="en">
3 <head>
4 <meta charset="utf-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1, viewport-fit=cover">
6 <!-- ARTIFACT-START -->
7 <title>Pocket Ledger</title>
8 <link rel="preconnect" href="https://fonts.googleapis.com">
9 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
10 <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Bricolage+Grotesque:opsz,wght@12..96,
  500;12..96,700&family=IBM+Plex+Sans:wght@400;500;600&family=IBM+Plex+Mono:wght@400;500&display=swap">
11 <script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/4.4.1/chart.umd.min.js"></script>
```

CSS: theme, layout and components

```
12 <style>
13 :root {
14   --bg: #f3f5f2;
15   --surface: #fcfcfb;
16   --surface-2: #eefled;
17   --ink: #121715;
18   --ink-2: #4c5652;
19   --muted: #7a8480;
20   --line: #dfe4df;
21   --grid: #e9ece8;
22   --accent: #1d4d45;
23   --accent-ink: #ffffff;
24   --good: #0ca30c; --good-ink: #0a6b0a;
25   --warn: #fab219; --warn-ink: #8a5a00;
26   --bad: #d03b3b; --bad-ink: #b02a2a;
27   --c1: #2a78d6; --c2: #eb6834; --c3: #1baf7a; --c4: #eda100;
28   --c5: #e87ba4; --c6: #008300; --c7: #4a3aa7; --c8: #e34948;
29   --c9: #0091b5; --c10: #9c5a0c;
30   --ghost: #b8c0bc;
31   --display: "Bricolage Grotesque", "Segoe UI", system-ui, sans-serif;
32   --sans: "IBM Plex Sans", "Segoe UI", system-ui, sans-serif;
33   --mono: "IBM Plex Mono", ui-monospace, "SFMono-Regular", Menlo, monospace;
34 }
35 @media (prefers-color-scheme: dark) {
36   :root:not([data-theme="light"]) {
37     color-scheme: dark;
38     --bg: #101312; --surface: #1a1d1c; --surface-2: #232826;
39     --ink: #f1f4f2; --ink-2: #bcc5c1; --muted: #8b9591;
40     --line: #2e3432; --grid: #262b29;
41     --accent: #7fcdcd; --accent-ink: #0d1f1b;
42     --good-ink: #5fd35f; --warn-ink: #fab219; --bad-ink: #f07a7a;
43     --c1: #3987e5; --c2: #d95926; --c3: #199e70; --c4: #c98500;
44     --c5: #d55181; --c6: #008300; --c7: #9085e9; --c8: #e66767;
45     --c9: #1a9cc4; --c10: #b0712a;
46     --ghost: #4d5552;
47   }
48 }
49 :root[data-theme="dark"] {
50   color-scheme: dark;
51   --bg: #101312; --surface: #1a1d1c; --surface-2: #232826;
52   --ink: #f1f4f2; --ink-2: #bcc5c1; --muted: #8b9591;
53   --line: #2e3432; --grid: #262b29;
54   --accent: #7fcdcd; --accent-ink: #0d1f1b;
55   --good-ink: #5fd35f; --warn-ink: #fab219; --bad-ink: #f07a7a;
56   --c1: #3987e5; --c2: #d95926; --c3: #199e70; --c4: #c98500;
57   --c5: #d55181; --c6: #008300; --c7: #9085e9; --c8: #e66767;
58   --c9: #1a9cc4; --c10: #b0712a;
59   --ghost: #4d5552;
60 }
61
62 * { box-sizing: border-box; }
63 html, body { margin: 0; }
64 body {
65   background: var(--bg);
66   color: var(--ink);
67   font: 400 14px/1.5 var(--sans);
68   padding-inline: 16px;
69   padding-block: 20px 48px;
70 }
71 .wrap { max-width: 1280px; margin: 0 auto; display: grid; gap: 16px; }
72 .num { font-family: var(--mono); font-variant-numeric: tabular-nums; }
73
```

```

74  /* Header */
75  header.top { display: flex; flex-wrap: wrap; align-items: end; justify-content: space-between; gap: 16px;
↳ padding-block: 4px 8px; }
76  .brand h1 { font: 700 clamp(26px, 4vw, 36px)/1.05 var(--display); margin: 0; letter-spacing: -0.02em; tex
↳ t-wrap: balance; }
77  .brand p { margin: 4px 0 0; color: var(--ink-2); }
78  .controls { display: flex; flex-wrap: wrap; gap: 8px; align-items: center; }
79  label.inline { display: flex; flex-direction: column; gap: 2px; font-size: 11px; text-transform: uppercase
↳ e; letter-spacing: 0.06em; color: var(--muted); }
80  select, input, button { font: inherit; color: inherit; }
81  select, input {
82    background: var(--surface); border: 1px solid var(--line); border-radius: 8px;
83    padding: 7px 10px; min-height: 36px; color: var(--ink);
84  }
85  select:focus-visible, input:focus-visible, button:focus-visible { outline: 2px solid var(--accent); outli
↳ ne-offset: 2px; }
86  .btn {
87    border: 1px solid var(--line); background: var(--surface); color: var(--ink);
88    border-radius: 8px; padding: 7px 14px; min-height: 36px; cursor: pointer; font-weight: 500;
89  }
90  .btn:hover { background: var(--surface-2); }
91  .btn.primary { background: var(--accent); color: var(--accent-ink); border-color: var(--accent); }
92  .btn.primary:hover { filter: brightness(1.08); }
93  .btn.danger-armed { border-color: var(--bad); color: var(--bad-ink); }
94
95  .notice {
96    display: flex; flex-wrap: wrap; gap: 8px 16px; align-items: center; justify-content: space-between;
97    background: var(--surface-2); border: 1px dashed var(--line); border-radius: 10px; padding: 10px 14px;
↳ color: var(--ink-2);
98  }
99  .notice strong { color: var(--ink); }
100
101  /* KPI tiles */
102  .kpis { display: grid; grid-template-columns: repeat(4, minmax(0, 1fr)); gap: 16px; }
103  .kpi { background: var(--surface); border: 1px solid var(--line); border-radius: 12px; padding: 16px 18px
↳ ; display: grid; gap: 6px; align-content: start; }
104  .kpi .label { font-size: 11px; text-transform: uppercase; letter-spacing: 0.07em; color: var(--muted); fo
↳ nt-weight: 600; }
105  .kpi .value { font: 500 clamp(22px, 2.6vw, 30px)/1.1 var(--mono); font-variant-numeric: tabular-nums; let
↳ ter-spacing: -0.02em; }
106  .kpi .sub { color: var(--ink-2); font-size: 13px; display: flex; gap: 6px; align-items: center; flex-wrap
↳ : wrap; }
107  .meter { height: 6px; border-radius: 3px; background: var(--surface-2); overflow: hidden; }
108  .meter > span { display: block; height: 100%; border-radius: 3px; background: var(--accent); }
109
110  .pill { display: inline-flex; align-items: center; gap: 5px; padding: 1px 8px 1px 6px; border-radius: 999
↳ px; font-size: 12px; font-weight: 600; border: 1px solid currentColor; line-height: 1.6; white-space: nowra
↳ p; }
111  .pill::before { content: ""; width: 7px; height: 7px; border-radius: 50%; background: var(--dot); }
112  .pill.good { color: var(--good-ink); --dot: var(--good); }
113  .pill.warn { color: var(--warn-ink); --dot: var(--warn); }
114  .pill.bad { color: var(--bad-ink); --dot: var(--bad); }
115  .delta.up { color: var(--bad-ink); } .delta.down { color: var(--good-ink); }
116
117  /* Panels */
118  .grid { display: grid; grid-template-columns: repeat(12, minmax(0, 1fr)); gap: 16px; }
119  .panel { background: var(--surface); border: 1px solid var(--line); border-radius: 12px; padding: 16px 18
↳ px; display: grid; gap: 12px; align-content: start; min-width: 0; }
120  .panel h2 { font: 600 16px/1.3 var(--display); margin: 0; letter-spacing: -0.01em; }
121  .panel .head { display: flex; justify-content: space-between; align-items: baseline; gap: 12px; flex-wrap
↳ : wrap; }
122  .panel .hint { color: var(--muted); font-size: 12px; }
123  .span-8 { grid-column: span 8; } .span-7 { grid-column: span 7; } .span-5 { grid-column: span 5; } .span-
↳ 4 { grid-column: span 4; }
124  .stack { display: grid; gap: 16px; align-content: start; min-width: 0; }
125  .chart-box { position: relative; height: 280px; }
126  .chart-box.short { height: 200px; }
127  .chart-box.tall { height: 400px; }
128  .chart-box.mid { height: 340px; }
129
130  .legend { display: flex; flex-wrap: wrap; gap: 6px 14px; font-size: 12px; color: var(--ink-2); }
131  .legend span { display: inline-flex; align-items: center; gap: 6px; }
132  .swatch { width: 10px; height: 10px; border-radius: 3px; background: var(--c); flex: none; }
133  .swatch.line { height: 2px; border-radius: 1px; width: 14px; }
134  .swatch.dash { height: 0; width: 14px; border-top: 2px dashed var(--c); background: none; }
135
136  /* Donut */
137  .donut-wrap { position: relative; height: 220px; }
138  .donut-center { position: absolute; inset: 0; display: grid; place-content: center; text-align: center; p

```

```

    ointer-events: none; }
139 .donut-center .v { font: 500 20px/1.1 var(--mono); font-variant-numeric: tabular-nums; }
140 .donut-center .l { font-size: 11px; color: var(--muted); text-transform: uppercase; letter-spacing: 0.07e
    m; }
141 .cat-list { display: grid; gap: 2px; margin: 0; padding: 0; list-style: none; }
142 .cat-list li { display: grid; grid-template-columns: auto 1fr auto auto; gap: 10px; align-items: center;
    padding: 5px 4px; border-radius: 6px; }
143 .cat-list li:hover { background: var(--surface-2); }
144 .cat-list .amt { font-family: var(--mono); font-variant-numeric: tabular-nums; }
145 .cat-list .pct { font-family: var(--mono); font-variant-numeric: tabular-nums; color: var(--muted); width
    : 3.5em; text-align: right; }
146
147 /* Budgets */
148 .budgets { display: grid; gap: 12px; margin: 0; padding: 0; list-style: none; }
149 .budgets li { display: grid; gap: 5px; }
150 .budgets .row { display: flex; justify-content: space-between; align-items: center; gap: 8px; flex-wrap:
    wrap; }
151 .budgets .name { display: inline-flex; align-items: center; gap: 8px; font-weight: 500; }
152 .budgets .fig { font-family: var(--mono); font-variant-numeric: tabular-nums; font-size: 13px; color: var
    (--ink-2); display: inline-flex; align-items: center; gap: 4px; }
153 .budgets input { width: 92px; min-height: 28px; padding: 2px 6px; font-family: var(--mono); font-size: 13
    px; text-align: right; }
154 .bar { position: relative; height: 8px; border-radius: 4px; background: var(--surface-2); overflow: hidde
    n; }
155 .bar > span { position: absolute; inset: 0 auto 0 0; border-radius: 4px; background: var(--c); }
156 .bar.over > span { background: repeating-linear-gradient(135deg, var(--c) 0 6px, color-mix(in srgb, var(-
    c) 60%, var(--surface)) 6px 9px); }
157
158 /* EMI & SIP */
159 .commit-tiles { display: grid; grid-template-columns: 1fr 1fr; gap: 10px; }
160 .commit { background: var(--surface-2); border-radius: 10px; padding: 10px 12px; display: grid; gap: 2px;
    }
161 .commit .label { display: inline-flex; align-items: center; gap: 6px; font-size: 11px; text-transform: up
    percase; letter-spacing: 0.06em; color: var(--muted); font-weight: 600; }
162 .commit .v { font-size: 18px; font-weight: 500; }
163 .commit .s { font-size: 12px; color: var(--ink-2); }
164 .commit-note { margin: 0; font-size: 13px; color: var(--ink-2); }
165 .commit-list { list-style: none; margin: 0; padding: 0; display: grid; gap: 2px; }
166 .commit-list li { display: grid; grid-template-columns: auto 1fr auto; gap: 8px; align-items: center; pad
    ding: 4px 2px; border-bottom: 1px solid var(--grid); font-size: 13px; }
167 .commit-list li:last-child { border-bottom: 0; }
168 .commit-list .d { color: var(--muted); font-size: 12px; }
169 .commit-list .a { font-family: var(--mono); font-variant-numeric: tabular-nums; }
170
171 /* Form */
172 form.add { display: grid; grid-template-columns: 1fr 1fr; gap: 10px; }
173 form.add .full { grid-column: 1 / -1; }
174 form.add label { display: grid; gap: 4px; font-size: 12px; color: var(--ink-2); font-weight: 500; }
175 form.add input, form.add select { width: 100%; }
176 .form-msg { font-size: 13px; min-height: 1.5em; color: var(--ink-2); }
177 .form-msg.err { color: var(--bad-ink); }
178
179 /* Transactions */
180 .filters { display: flex; flex-wrap: wrap; gap: 6px; }
181 .chip { display: inline-flex; align-items: center; gap: 6px; border: 1px solid var(--line); background: v
    ar(--surface); color: var(--ink-2); border-radius: 999px; padding: 3px 10px; font-size: 12px; cursor: point
    er; min-height: 28px; }
182 .chip[aria-pressed="true"] { background: var(--ink); color: var(--bg); border-color: var(--ink); }
183 .chip .swatch { width: 8px; height: 8px; border-radius: 50%; }
184 .table-scroll { overflow-x: auto; max-height: 460px; overflow-y: auto; border-top: 1px solid var(--line);
    }
185 table { width: 100%; border-collapse: collapse; font-size: 13px; }
186 th, td { text-align: left; padding: 8px 6px; border-bottom: 1px solid var(--grid); white-space: nowrap; }
187 th { position: sticky; top: 0; background: var(--surface); font-size: 11px; text-transform: uppercase; le
    tter-spacing: 0.06em; color: var(--muted); font-weight: 600; }
188 td.amt, th.amt { text-align: right; font-family: var(--mono); font-variant-numeric: tabular-nums; }
189 td.note { white-space: normal; min-width: 140px; color: var(--ink-2); }
190 .cat-tag { display: inline-flex; align-items: center; gap: 6px; }
191 .del { border: 0; background: none; color: var(--muted); cursor: pointer; font-size: 16px; line-height: 1
    ; padding: 4px 8px; border-radius: 6px; }
192 .del:hover { color: var(--bad-ink); background: var(--surface-2); }
193 .empty { color: var(--muted); padding: 16px 4px; text-align: center; }
194 .foot { display: flex; justify-content: space-between; gap: 8px; flex-wrap: wrap; color: var(--ink-2); fo
    nt-size: 13px; }
195
196 @media (max-width: 1000px) {
197     .span-8, .span-7, .span-5, .span-4 { grid-column: 1 / -1; }
198     .kpis { grid-template-columns: repeat(2, minmax(0, 1fr)); }
199 }

```

```

200 @media (max-width: 460px) {
201   .kpi { grid-template-columns: 1fr; }
202   form.add { grid-template-columns: 1fr; }
203   .chart-box, .chart-box.tall, .chart-box.mid { height: 260px; }
204 }
205 @media (prefers-reduced-motion: reduce) { * { transition: none !important; animation: none !important; }
206 }
207 <!-- ARTIFACT-HEAD-END -->
208 </head>

```

HTML: page structure

```

209 <body>
210 <!-- ARTIFACT-BODY-START -->
211 <div class="wrap">
212   <header class="top">
213     <div class="brand">
214       <h1>Pocket Ledger</h1>
215       <p>Where your money went, by month and by category.</p>
216     </div>
217     <div class="controls">
218       <label class="inline" for="monthSel">Month
219       <select id="monthSel"></select>
220     </label>
221       <label class="inline" for="curSel">Currency
222       <select id="curSel">
223         <option value="INR">₹ INR</option>
224         <option value="USD">$ USD</option>
225         <option value="EUR">€ EUR</option>
226         <option value="GBP">£ GBP</option>
227       </select>
228     </label>
229   </div>
230 </header>
231
232   <div class="notice" id="sampleNotice" hidden>
233     <span><strong>You're looking at sample data.</strong> Add your own expenses below, or clear the sample
234     to start fresh. Everything is saved in this browser only.</span>
235     <button class="btn" id="clearBtn" type="button">Clear sample data</button>
236   </div>
237   <section class="kpi" aria-label="Month summary">
238     <div class="kpi">
239       <span class="label">Spent this month</span>
240       <span class="value" id="kSpent"></span>
241       <span class="sub" id="kSpentSub"></span>
242     </div>
243     <div class="kpi">
244       <span class="label">Budget remaining</span>
245       <span class="value" id="kLeft"></span>
246       <div class="meter" aria-hidden="true"><span id="kMeter" style="width:0%"></span></div>
247       <span class="sub" id="kLeftSub"></span>
248     </div>
249     <div class="kpi">
250       <span class="label">Daily average</span>
251       <span class="value" id="kDaily"></span>
252       <span class="sub" id="kDailySub"></span>
253     </div>
254     <div class="kpi">
255       <span class="label">Top category</span>
256       <span class="value" id="kTop" style="font-family:var(--display);font-weight:600;letter-spacing:-0.01e
257       m"></span>
258       <span class="sub" id="kTopSub"></span>
259     </div>
260   </section>
261   <section class="grid">
262     <div class="panel span-8">
263       <div class="head"><h2>Six-month spending by category</h2><span class="hint">Hover a bar for the break
264       down</span></div>
265       <div class="legend" id="catLegend"></div>
266       <div class="chart-box tall"><canvas id="trendChart" aria-label="Stacked bar chart of monthly spending
267       by category"></canvas></div>
268     </div>
269     <div class="panel span-4">
270       <div class="head"><h2>Where it went</h2><span class="hint" id="donutHint"></span></div>
271       <div class="donut-wrap">
272         <canvas id="donutChart" aria-label="Donut chart of spending share by category"></canvas>

```

```

271         <div class="donut-center"><span class="v num" id="donutTotal"></span><span class="l">total</span><
    ↵ /div>
272     </div>
273     <ul class="cat-list" id="catList"></ul>
274 </div>
275
276     <div class="panel span-7">
277         <div class="head"><h2>Running total vs. budget pace</h2><span class="hint">Cumulative spend through t
    ↵ he month</span></div>
278         <div class="legend">
279             <span><i class="swatch line" style="--c:var(--c1)"></i>This month</span>
280             <span><i class="swatch line" style="--c:var(--ghost)"></i>Previous month</span>
281             <span><i class="swatch dash" style="--c:var(--muted)"></i>Budget pace</span>
282         </div>
283         <div class="chart-box mid"><canvas id="paceChart" aria-label="Line chart of cumulative spending again
    ↵ st budget pace"></canvas></div>
284     </div>
285     <div class="panel span-5">
286         <div class="head"><h2>Category budgets</h2><span class="hint">Edit a limit to change it</span></div>
287         <ul class="budgets" id="budgetList"></ul>
288     </div>
289
290     <div class="stack span-4">
291         <div class="panel">
292             <h2>Add an expense</h2>
293             <form class="add" id="addForm" novalidate>
294                 <label for="fAmount">Amount
295                 <input id="fAmount" type="number" inputmode="decimal" min="0" step="0.01" placeholder="0.00" re
    ↵ quired>
296                 </label>
297                 <label for="fDate">Date
298                 <input id="fDate" type="date" required>
299                 </label>
300                 <label class="full" for="fCat">Category
301                 <select id="fCat"></select>
302                 </label>
303                 <label class="full" for="fNote">Note
304                 <input id="fNote" type="text" maxlength="80" placeholder="e.g. Weekly groceries">
305                 </label>
306                 <button class="btn primary full" type="submit">Add expense</button>
307                 <div class="form-msg full" id="formMsg" role="status"></div>
308             </form>
309         </div>
310         <div class="panel">
311             <div class="head"><h2>EMI & SIP</h2><span class="hint" id="commitHint"></span></div>
312             <div class="commit-tiles">
313                 <div class="commit"><span class="label"><i class="swatch" style="--c:var(--c10)"></i>EMIs paid</s
    ↵ pan><span class="v num" id="emiTotal"></span><span class="s" id="emiSub"></span></div>
314                 <div class="commit"><span class="label"><i class="swatch" style="--c:var(--c9)"></i>SIPs invested
    ↵ </span><span class="v num" id="sipTotal"></span><span class="s" id="sipSub"></span></div>
315                 </div>
316                 <p class="commit-note" id="commitNote"></p>
317                 <ul class="commit-list" id="commitList"></ul>
318             </div>
319         <div class="panel">
320             <div class="head"><h2>By day of week</h2><span class="hint">Selected month</span></div>
321             <div class="chart-box short"><canvas id="dowChart" aria-label="Bar chart of spending by day of week
    ↵ "></canvas></div>
322         </div>
323     </div>
324
325     <div class="panel span-8">
326         <div class="head">
327             <h2>Transactions</h2>
328             <input id="search" type="search" placeholder="Search notes" aria-label="Search notes" style="min-he
    ↵ ight:32px;padding:4px 10px">
329         </div>
330         <div class="filters" id="filters" role="group" aria-label="Filter by category"></div>
331         <div class="table-scroll">
332             <table>
333                 <thead><tr><th>Date</th><th>Category</th><th>Note</th><th class="amt">Amount</th><th><span class=
    ↵ "sr" hidden>Actions</span></th></tr></thead>
334                 <tbody id="txBody"></tbody>
335             </table>
336         </div>
337         <div class="foot"><span id="txCount"></span><span id="txSum" class="num"></span></div>
338     </div>
339 </section>
340 </div>

```

JavaScript: data, charts and interactions

```

342 <script>
343 (() => {
344   const CATS = [
345     { id: "housing", name: "Housing", v: "--c1", budget: 18000 },
346     { id: "food", name: "Food & Dining", v: "--c2", budget: 12000 },
347     { id: "transport", name: "Transport", v: "--c3", budget: 6000 },
348     { id: "utilities", name: "Utilities", v: "--c4", budget: 4500 },
349     { id: "shopping", name: "Shopping", v: "--c5", budget: 6000 },
350     { id: "health", name: "Health", v: "--c6", budget: 3000 },
351     { id: "fun", name: "Entertainment", v: "--c7", budget: 3500 },
352     { id: "other", name: "Other", v: "--c8", budget: 2500 },
353     { id: "sip", name: "SIP", v: "--c9", budget: 8000 },
354     { id: "emi", name: "EMI", v: "--c10", budget: 12200 },
355   ];
356   const CAT = Object.fromEntries(CATS.map(c => [c.id, c]));
357   const KEY = "pocket-ledger-v1";
358   const LOCALES = { INR: "en-IN", USD: "en-US", EUR: "en-IE", GBP: "en-GB" };
359
360   const pad = n => String(n).padStart(2, "0");
361   const ymd = d => `${d.getFullYear()}-${pad(d.getMonth() + 1)}-${pad(d.getDate())}`;
362   const ym = d => `${d.getFullYear()}-${pad(d.getMonth() + 1)}`;
363   const today = new Date();
364   const uid = () => Math.random().toString(36).slice(2, 10);
365
366   // ----- Sample data (deterministic) -----
367   function mulberry32(a) { return () => { a |= 0; a = a + 0x6D2B79F5 | 0; let t = Math.imul(a ^ a >>> 15, 1
368   | a); t = t + Math.imul(t ^ t >>> 7, 61 | t) ^ t; return ((t ^ t >>> 14) >>> 0) / 4294967296; }; }
369   function buildSample() {
370     const r = mulberry32(42);
371     const rand = (lo, hi) => Math.round((lo + r() * (hi - lo)) / 10) * 10;
372     const out = [];
373     for (let m = 5; m >= 0; m--) {
374       const first = new Date(today.getFullYear(), today.getMonth() - m, 1);
375       const dim = new Date(first.getFullYear(), first.getMonth() + 1, 0).getDate();
376       const lastDay = m === 0 ? today.getDate() : dim;
377       const add = (day, cat, amount, note) => {
378         if (day > lastDay) return;
379         out.push({ id: uid(), date: ymd(new Date(first.getFullYear(), first.getMonth(), day)), cat, amount,
380         note });
381       };
382       const any = () => 1 + Math.floor(r() * dim);
383       add(1, "housing", 18000, "Rent");
384       add(5, "utilities", rand(1600, 2700), "Electricity bill");
385       add(10, "utilities", 799, "Home internet");
386       add(12, "utilities", 399, "Mobile recharge");
387       for (let i = 0; i < 5; i++) add(any(), "food", rand(700, 2300), ["Groceries", "Vegetables & fruit", "
388       Supermarket run", "Milk & bakery"][i % 4]);
389       for (let i = 0, n = 5 + Math.floor(r() * 5); i < n; i++) add(any(), "food", rand(220, 1300), ["Dinner
390       out", "Lunch with team", "Food delivery", "Coffee & snacks", "Weekend brunch"][i % 5]);
391       for (let i = 0, n = 8 + Math.floor(r() * 6); i < n; i++) add(any(), "transport", rand(80, 420), ["Cab
392       ride", "Auto", "Metro card top-up", "Parking"][i % 4]);
393       add(any(), "transport", rand(1500, 2400), "Fuel");
394       if (r() > 0.4) add(any(), "transport", rand(1500, 2400), "Fuel");
395       for (let i = 0, n = 2 + Math.floor(r() * 4); i < n; i++) add(any(), "shopping", rand(450, 3400), ["Cl
396       othes", "Household items", "Online order", "Shoes", "Gift"][i % 5]);
397       for (let i = 0, n = 1 + Math.floor(r() * 2); i < n; i++) add(any(), "health", rand(300, 2400), ["Phar
398       macy", "Doctor visit", "Gym membership"][i % 3]);
399       add(3, "fun", 649, "Streaming subscription");
400       for (let i = 0, n = 1 + Math.floor(r() * 4); i < n; i++) add(any(), "fun", rand(250, 1600), ["Movie t
401       ickets", "Concert", "Games", "Books"][i % 4]);
402       add(5, "emi", 9800, "Car loan EMI");
403       add(15, "emi", 2400, "Phone EMI");
404       add(7, "sip", 5000, "Nifty 50 index fund SIP");
405       add(10, "sip", 3000, "Flexi-cap fund SIP");
406       for (let i = 0, n = 1 + Math.floor(r() * 3); i < n; i++) add(any(), "other", rand(200, 1400), ["Hairc
407       ut", "Donation", "Stationery", "Laundry"][i % 4]);
408     }
409     return out;
410   }
411
412   // ----- State -----
413   function load() {
414     try { const s = JSON.parse(localStorage.getItem(KEY)); if (s && Array.isArray(s.expenses)) return s; }
415     catch (e) {}
416     return { expenses: buildSample(), budgets: Object.fromEntries(CATS.map(c => [c.id, c.budget])), currenc

```

```

    y: "INR", sample: true };
407 }
408 function save() { try { localStorage.setItem(KEY, JSON.stringify(state)); } catch (e) {} }
409 const state = load();
410 CATS.forEach(c => { if (typeof state.budgets[c.id] !== "number") state.budgets[c.id] = c.budget; });
411 if (state.sample && !state.expenses.some(e => e.cat === "emi")) { state.expenses = buildSample(); save();
    }
412 let month = ym(today);
413 let filterCat = "all";
414 let query = "";
415
416 let fmt, fmtShort;
417 function setCurrency() {
418     const loc = LOCALES[state.currency] || "en-US";
419     fmt = new Intl.NumberFormat(loc, { style: "currency", currency: state.currency, maximumFractionDigits:
    0 });
420     fmtShort = new Intl.NumberFormat("en-US", { style: "currency", currency: state.currency, notation: "com
    pact", maximumFractionDigits: 1 });
421 }
422 const money = v => fmt.format(v);
423
424 // ----- Helpers -----
425 const $ = id => document.getElementById(id);
426 const css = v => getComputedStyle(document.documentElement).getPropertyValue(v).trim();
427 const color = c => css(CAT[c].v);
428 const inMonth = key => state.expenses.filter(e => e.date.startsWith(key));
429 const sum = arr => arr.reduce((a, e) => a + e.amount, 0);
430 const monthDate = key => { const [y, m] = key.split("-").map(Number); return new Date(y, m - 1, 1); };
431 const shiftMonth = (key, n) => { const d = monthDate(key); return ym(new Date(d.getFullYear(), d.getMonth
    () + n, 1)); };
432 const monthLabel = (key, style = "long") => monthDate(key).toLocaleDateString("en-US", { month: style, ye
    ar: "numeric" });
433 const daysIn = key => { const d = monthDate(key); return new Date(d.getFullYear(), d.getMonth() + 1, 0).g
    etDate(); };
434 const byCat = list => { const o = Object.fromEntries(CATS.map(c => [c.id, 0])); list.forEach(e => { o[e.c
    at] = (o[e.cat] || 0) + e.amount; }); return o; };
435 const esc = s => String(s).replace(/&<"'"/g, ch => ({ "&": "&amp;", "<": "&lt;", ">": "&gt;", "'": "&qu
    ot;", "\"": "&#39;" }[ch]));
436 const totalBudget = () => CATS.reduce((a, c) => a + (state.budgets[c.id] || 0), 0);
437 const status = pct => pct > 1 ? ["bad", "Over budget"] : pct >= 0.8 ? ["warn", "Near limit"] : ["good", "
    On track"];
438
439 // ----- Controls -----
440 function fillMonths() {
441     const keys = new Set(state.expenses.map(e => e.date.slice(0, 7)));
442     keys.add(ym(today));
443     const sorted = [...keys].sort().reverse();
444     if (!sorted.includes(month)) month = sorted[0];
445     $("monthSel").innerHTML = sorted.map(k => `<option value="${k}"${k === month ? " selected" : ""}>${mont
    hLabel(k)}</option>`).join("");
446 }
447 $("monthSel").addEventListener("change", e => { month = e.target.value; render(); });
448 $("curSel").value = state.currency;
449 $("curSel").addEventListener("change", e => { state.currency = e.target.value; save(); setCurrency(); ren
    der(); });
450 $("fCat").innerHTML = CATS.map(c => `<option value="${c.id}">${c.name}</option>`).join("");
451 $("fDate").value = ymd(today);
452 $("catLegend").innerHTML = CATS.map(c => `<span><i class="swatch" style="--c:var(${c.v})"></i>${c.name}</
    span>`).join("");
453
454 $("addForm").addEventListener("submit", e => {
455     e.preventDefault();
456     const amount = parseFloat($("fAmount").value);
457     const date = $("fDate").value;
458     const msg = $("formMsg");
459     if (!(amount > 0)) { msg.className = "form-msg full err"; msg.textContent = "Enter an amount greater th
    an zero."; $("fAmount").focus(); return; }
460     if (!/^\\d{4}-\\d{2}-\\d{2}$/.test(date)) { msg.className = "form-msg full err"; msg.textContent = "Pick a
    date for this expense."; $("fDate").focus(); return; }
461     const cat = $("fCat").value;
462     const note = $("fNote").value.trim() || CAT[cat].name;
463     state.expenses.push({ id: uid(), date, cat, amount: Math.round(amount * 100) / 100, note });
464     save();
465     month = date.slice(0, 7);
466     msg.className = "form-msg full";
467     msg.textContent = `Added ${money(amount)} to ${CAT[cat].name}.`;
468     $("fAmount").value = ""; $("fNote").value = "";
469     render();
470 });

```

```

471
472 let clearArmed = false;
473 $("clearBtn").addEventListener("click", () => {
474   const b = $("clearBtn");
475   if (!clearArmed) { clearArmed = true; b.textContent = "Click again to clear"; b.classList.add("danger-a
476   rmed"); setTimeout(() => { clearArmed = false; b.textContent = "Clear sample data"; b.classList.remove("dan
477   ger-armed"); }, 4000); return; }
478   state.expenses = []; state.sample = false; save(); month = ym(today); render();
479   });
480
481 // ----- Charts -----
482 const charts = {};
483 function baseOpts() {
484   const ink2 = css("--ink-2"), grid = css("--grid"), surface = css("--surface"), ink = css("--ink"), line
485   = css("--line");
486   return {
487     responsive: true, maintainAspectRatio: false, animation: { duration: 400 },
488     plugins: {
489       legend: { display: false },
490       tooltip: {
491         backgroundColor: surface, titleColor: ink, bodyColor: ink2, borderColor: line, borderWidth: 1,
492         padding: 10, cornerRadius: 8, boxPadding: 4, usePointStyle: true,
493         titleFont: { family: "IBM Plex Sans", weight: "600" }, bodyFont: { family: "IBM Plex Mono" },
494       },
495       scales: {
496         x: { grid: { display: false }, border: { color: line }, ticks: { color: ink2, font: { family: "IBM
497         Plex Sans", size: 12 } } },
498         y: { beginAtZero: true, grid: { color: grid }, border: { display: false }, ticks: { color: ink2, fo
499         nt: { family: "IBM Plex Mono", size: 11 }, callback: v => fmtShort.format(v), maxTicksLimit: 6 } },
500       },
501     };
502   }
503   function makeChart(id, cfg) { if (charts[id]) charts[id].destroy(); charts[id] = new Chart($(id), cfg); }
504   function renderTrend() {
505     const keys = Array.from({ length: 6 }, (_, i) => shiftMonth(month, i - 5));
506     const surface = css("--surface");
507     const datasets = CATS.map((c, i) => ({
508       label: c.name,
509       data: keys.map(k => byCat(inMonth(k))[c.id]),
510       backgroundColor: color(c.id),
511       borderColor: surface,
512       borderWidth: { top: 2, left: 0, right: 0, bottom: 0 },
513       borderRadius: i === CATS.length - 1 ? { topLeft: 4, topRight: 4 } : 0,
514       borderSkipped: "bottom",
515       maxBarThickness: 44,
516       stack: "s",
517     }));
518     const opts = baseOpts();
519     opts.scales.x.stacked = true; opts.scales.y.stacked = true;
520     opts.interaction = { mode: "index", intersect: false };
521     opts.plugins.tooltip.itemSort = (a, b) => b.raw - a.raw;
522     opts.plugins.tooltip.filter = item => item.raw > 0;
523     opts.plugins.tooltip.callbacks = {
524       label: ctx => ` ${ctx.dataset.label}: ${money(ctx.raw)} `,
525       footer: items => `Total: ${money(items.reduce((a, i) => a + i.raw, 0))} `,
526     };
527     opts.plugins.tooltip.footerFont = { family: "IBM Plex Mono", weight: "600" };
528     opts.plugins.tooltip.footerColor = css("--ink");
529     makeChart("trendChart", { type: "bar", data: { labels: keys.map(k => monthDate(k).toLocaleDateString("e
530     n-US", { month: "short" }) + (k === month ? " ●" : "")), datasets }, options: opts });
531   }
532   function renderDonut(cats, total) {
533     const surface = css("--surface");
534     const order = CATS.filter(c => cats[c.id] > 0);
535     makeChart("donutChart", {
536       type: "doughnut",
537       data: { labels: order.map(c => c.name), datasets: [{ data: order.map(c => cats[c.id]), backgroundColo
538       r: order.map(c => color(c.id)), borderColor: surface, borderWidth: 2, hoverOffset: 6, borderRadius: 3 } ] },
539       options: {
540         responsive: true, maintainAspectRatio: false, cutout: "70%", layout: { padding: 6 },
541         plugins: {
542           legend: { display: false },
543           tooltip: { ...baseOpts().plugins.tooltip, callbacks: { label: ctx => ` ${money(ctx.raw)} · $((ct
544           x.raw / total) * 100).toFixed(1)}% ` } },

```

```

542     },
543     },
544     });
545     $("donutTotal").textContent = money(total);
546     $("donutHint").textContent = monthLabel(month, "short");
547     const sorted = [...CATS].sort((a, b) => cats[b.id] - cats[a.id]);
548     $("catList").innerHTML = sorted.map(c => `<li><i class="swatch" style="--c:var(${c.v})"></i><span>${c.name}</span><span class="amt">${money(cats[c.id])}</span><span class="pct">${total ? Math.round(cats[c.id] /
    total * 100) : 0}%</span></li>`).join("");
549 }
550
551 function renderPace() {
552     const dim = daysIn(month);
553     const isCurrent = month === ym(today);
554     const lastDay = isCurrent ? today.getDate() : dim;
555     const cum = key => {
556         const n = daysIn(key); const daily = Array(n).fill(0);
557         inMonth(key).forEach(e => { daily[Number(e.date.slice(8, 10)) - 1] += e.amount; });
558         let run = 0; return daily.map(v => (run += v));
559     };
560     const cur = cum(month).map((v, i) => (i < lastDay ? v : null));
561     const prevRaw = cum(shiftMonth(month, -1));
562     const prev = Array.from({ length: dim }, (_, i) => prevRaw[Math.min(i, prevRaw.length - 1)]);
563     const tb = totalBudget();
564     const pace = Array.from({ length: dim }, (_, i) => Math.round(tb * (i + 1) / dim));
565     const c1 = css("--c1"), ghost = css("--ghost"), muted = css("--muted"), surface = css("---surface");
566     const opts = baseOpts();
567     opts.interaction = { mode: "index", intersect: false };
568     opts.scales.x.ticks.maxTicksLimit = 10;
569     opts.scales.x.ticks.autoSkip = true;
570     opts.plugins.tooltip.callbacks = {
571         title: items => monthDate(month).toLocaleDateString("en-US", { month: "short" }) + " " + items[0].label,
572     };
573     label: ctx => ctx.raw == null ? null : ` ${ctx.dataset.label}: ${money(ctx.raw)} `,
574     opts.plugins.tooltip.filter = item => item.raw != null;
575     makeChart("paceChart", {
576         type: "line",
577         data: {
578             labels: Array.from({ length: dim }, (_, i) => i + 1),
579             datasets: [
580                 { label: "This month", data: cur, borderColor: c1, backgroundColor: c1 + "22", fill: "origin", border
                    width: 2, tension: 0.25, pointRadius: cur.map((v, i) => i === lastDay - 1 ? 5 : 0), pointBackgroundColo
                    r: c1, pointBorderColor: surface, pointBorderWidth: 2, pointHoverRadius: 5, order: 1 },
581                 { label: "Previous month", data: prev, borderColor: ghost, borderWidth: 2, tension: 0.25, pointRa
                    dius: 0, pointHoverRadius: 4, fill: false, order: 2 },
582                 { label: "Budget pace", data: pace, borderColor: muted, borderDash: [5, 4], borderWidth: 1.5, poi
                    ntRadius: 0, pointHoverRadius: 0, fill: false, order: 3 },
583             ],
584         },
585         options: opts,
586     });
587 }
588
589 function renderDow(list) {
590     const names = ["Mon", "Tue", "Wed", "Thu", "Fri", "Sat", "Sun"];
591     const vals = Array(7).fill(0);
592     list.forEach(e => { const [y, m, d] = e.date.split("-").map(Number); vals[(new Date(y, m - 1, d).getDay
        () + 6) % 7] += e.amount; });
593     const opts = baseOpts();
594     opts.scales.y.ticks.maxTicksLimit = 4;
595     opts.plugins.tooltip.callbacks = { label: ctx => ` ${money(ctx.raw)} ` };
596     makeChart("dowChart", { type: "bar", data: { labels: names, datasets: [{ label: "Spent", data: vals, ba
        ckgroundColor: css("---c1"), borderRadius: { topLeft: 4, topRight: 4 }, borderSkipped: "bottom", maxBarThick
        ness: 28 }] }, options: opts });
597 }
598
599 // ----- KPI / budgets / table -----
600 function renderKpis(list, cats, total) {
601     const prevTotal = sum(inMonth(shiftMonth(month, -1)));
602     $("kSpent").textContent = money(total);
603     if (prevTotal > 0) {
604         const d = (total - prevTotal) / prevTotal;
605         const isCurrent = month === ym(today);
606         $("kSpentSub").innerHTML = `<span class="delta ${d > 0 ? "up" : "down"} num">${d > 0 ? "▲" : "▼"} ${M
            ath.abs(d * 100).toFixed(0)}%</span> vs ${money(prevTotal)} ${isCurrent ? "all of" : "in"} ${monthDate(shif
            tMonth(month, -1)).toLocaleDateString("en-US", { month: "short" })}`;
607     } else $("kSpentSub").textContent = `${list.length} transactions`;
608 }

```

```

609     const tb = totalBudget(); const pct = tb ? total / tb : 0; const [cls, lbl] = status(pct);
610     $("kLeft").textContent = money(tb - total);
611     $("kMeter").style.width = Math.min(100, pct * 100).toFixed(1) + "%";
612     $("kMeter").style.background = `var(--${cls})`;
613     $("kLeftSub").innerHTML = `<span class="pill ${cls}">${lbl}</span><span class="num">${Math.round(pct *
    100)}% of ${money(tb)}</span>`;
614
615     const isCurrent = month === ym(today);
616     const days = isCurrent ? today.getDate() : daysIn(month);
617     $("kDaily").textContent = money(days ? total / days : 0);
618     if (isCurrent) {
619         const proj = days ? total / days * daysIn(month) : 0;
620         $("kDailySub").innerHTML = `Projected month: <span class="num">${money(proj)}</span>`;
621     } else $("kDailySub").textContent = `Across ${days} days`;
622
623     const top = [...CATS].sort((a, b) => cats[b.id] - cats[a.id])[0];
624     if (total > 0) {
625         $("kTop").textContent = top.name;
626         $("kTopSub").innerHTML = `<i class="swatch" style="--c:var(${top.v})"></i><span class="num">${money(c
    ats[top.id])}</span> · ${Math.round(cats[top.id] / total * 100)}% of spending`;
627     } else { $("kTop").textContent = "-"; $("kTopSub").textContent = "No spending yet"; }
628 }
629
630 function renderBudgets(cats) {
631     $("budgetList").innerHTML = CATS.map(c => {
632         const b = state.budgets[c.id] || 0, s = cats[c.id]; const pct = b ? s / b : (s ? 2 : 0); const [cls,
    lbl] = status(pct);
633         return `<li>
634             <div class="row">
635                 <span class="name"><i class="swatch" style="--c:var(${c.v})"></i>${c.name} <span class="pill ${cl
    s}">${lbl}</span></span></div>
636                 <span class="fig">${money(s)} /
637                 <input type="number" min="0" step="100" id="bud-${c.id}" data-cat="${c.id}" value="${b}" aria-l
    abel="${c.name} monthly budget"></span>
638             </div>
639             <div class="bar${pct > 1 ? " over" : ""}" style="--c:var(${c.v})" role="img" aria-label="${c.name}:
    ${Math.round(pct * 100)}% of budget used"><span style="width:${Math.min(100, pct * 100).toFixed(1)}%"></sp
    an></div>
640             </li>`;
641     }).join("");
642     $("budgetList").querySelectorAll("input").forEach(inp => inp.addEventListener("change", e => {
643         const v = Math.max(0, parseFloat(e.target.value) || 0);
644         state.budgets[e.target.dataset.cat] = v; save(); render();
645     }));
646 }
647
648 function renderCommitments(list, total) {
649     const emi = list.filter(e => e.cat === "emi"), sip = list.filter(e => e.cat === "sip");
650     const emiSum = sum(emi), sipSum = sum(sip);
651     const keys = Array.from({ length: 6 }, (_, i) => shiftMonth(month, i - 5));
652     const sip6 = keys.reduce((a, k) => a + sum(inMonth(k).filter(e => e.cat === "sip")), 0);
653     $("commitHint").textContent = monthLabel(month, "short");
654     $("emiTotal").textContent = money(emiSum);
655     $("emiSub").textContent = `${emi.length} payment${emi.length === 1 ? "" : "s"}`;
656     $("sipTotal").textContent = money(sipSum);
657     $("sipSub").textContent = `${sip.length} fund${sip.length === 1 ? "" : "s"}`;
658     $("commitNote").innerHTML = total
        ? `EMI and SIP take <strong class="num">${Math.round((emiSum + sipSum) / total * 100)}%</strong> of t
    his month's outflow. SIPs over the last 6 months: <strong class="num">${money(sip6)}</strong>.`
        : "No EMI or SIP payments this month.";
659     const items = [...emi, ...sip].sort((a, b) => a.date.localeCompare(b.date));
660     $("commitList").innerHTML = items.map(e => `<li><i class="swatch" style="--c:var(${CAT[e.cat].v})"></i>
    <span>${esc(e.note)} <span class="d">· ${Number(e.date.slice(8, 10))} ${monthDate(month).toLocaleDateString
    ("en-US", { month: "short" })}</span></span><span class="a">${money(e.amount)}</span></li>`).join("");
661 }
662
663 function renderFilters() {
664     const chips = [{ id: "all", name: "All" }, ...CATS];
665     $("filters").innerHTML = chips.map(c => `<button type="button" class="chip" data-cat="${c.id}" aria-pre
    ssed="${filterCat === c.id}">${c.v ? `<i class="swatch" style="--c:var(${c.v})"></i>` : ""}${c.name}</butto
    n>`).join("");
666     $("filters").querySelectorAll(".chip").forEach(b => b.addEventListener("click", () => { filterCat = b.d
    ataset.cat; renderFilters(); renderTable(); }));
667 }
668
669 function renderTable() {
670     let list = inMonth(month).filter(e => (filterCat === "all" || e.cat === filterCat) && (!query || e.note
    .toLowerCase().includes(query)));
671     list.sort((a, b) => b.date.localeCompare(a.date) || b.amount - a.amount);

```

```

674     $("tbody").innerHTML = list.length ? list.map(e => {
675         const [y, m, d] = e.date.split("-").map(Number);
676         const ds = new Date(y, m - 1, d).toLocaleDateString("en-US", { weekday: "short", month: "short", day:
        ↵ "numeric" });
677         return `<tr><td>${ds}</td><td><span class="cat-tag"><i class="swatch" style="--c:var(${CAT[e.cat].v})
        ↵ "></i>${CAT[e.cat].name}</span></td><td class="note">${esc(e.note)}</td><td class="amt">${money(e.amount)}<
        ↵ /td><td><button class="del" data-id="${e.id}" aria-label="Delete ${esc(e.note)}" title="Delete">x</button><
        ↵ /td></tr>`;
678     }).join("") : `<tr><td colspan="5" class="empty">No expenses match. Add one with the form, or change th
        ↵ e filter.</td></tr>`;
679     $("tbody").querySelectorAll(".del").forEach(b => b.addEventListener("click", () => {
680         state.expenses = state.expenses.filter(e => e.id !== b.dataset.id); save(); render();
681     }));
682     $("txCount").textContent = `${list.length} transaction${list.length === 1 ? "" : "s"}`;
683     $("txSum").textContent = `Total ${money(sum(list))}`;
684 }
685
686 function render() {
687     fillMonths();
688     $("sampleNotice").hidden = !state.sample;
689     const list = inMonth(month), cats = byCat(list), total = sum(list);
690     renderKpis(list, cats, total);
691     renderTrend();
692     renderDonut(cats, total);
693     renderPace();
694     renderBudgets(cats);
695     renderCommitments(list, total);
696     renderDow(list);
697     renderFilters();
698     renderTable();
699 }
700
701 function start() {
702     setCurrency();
703     if (window.Chart) { Chart.defaults.font.family = "IBM Plex Sans, system-ui, sans-serif"; }
704     render();
705 }
706
707 // Re-render charts when the theme changes so they pick up the new tokens.
708 const rerender = () => { if (window.Chart) render(); };
709 try { matchMedia("(prefers-color-scheme: dark)").addEventListener("change", rerender); } catch (e) {}
710 new MutationObserver(rerender).observe(document.documentElement, { attributes: true, attributeFilter: ["d
        ↵ ata-theme" ] });
711
712 if (document.fonts && document.fonts.ready) document.fonts.ready.then(() => { if (charts.trendChart) rend
        ↵ er(); });
713 start();
714 })();
715 </script>
716 <!-- ARTIFACT-BODY-END -->
717 </body>
718 </html>

```