

Timestamp	Developer Name	Is CSS Class name case sensitive?	What is Selectors? Give some types?	Email Id	Difference between Absolute position, Relative position and Fixed position?	What is the use of background-repeat property in CSS?	Difference between MEDIA=print and MEDIA=screen?	Regarding Attribute selector, Which of the statement is true?	Regarding Overflow, Which of the statement is true?	Difference between Float Left and Float Right? [Item 1]	Difference between Float Left and Float Right? [J]	Difference between Float Left and Float Right? [J]	Difference between Float Left and Float Right? [Item 1]	Difference between Float Left and Float Right? [Item 1]	Difference between Float Left and Float Right? [J]	Difference between Float Left and Float Right?	Is it possible to specify different margins for different sides?	Is it possible to specify different paddings for different sides?	Difference between Margin and Padding?	What is use of the "Opacity"?	What is use of the "Z-index"?
4/16/2012 19:33:26	M.S. Ramachandran	No	Selecting the elements are called selectors. We can select elements by its Id, class, attributes.	ramachandran.muruga@dccl.in	absolute position : It starts from left: 0px and top:0px relative position means it'll be positioned relatively to the last element fixed position means it'll be fixed in a window even when we scroll it remains in the same position.	don know	don know	A[title=="attribute"]	Scroll-bar is added to see the rest of the content The rest of content will be removed from DOM object							if we use float left the elements will be arranged from left. if we set float right the elements will be arranged from right	TRUE	TRUE	Margin is the space between the boundary and the element padding is the space within the element	opacity is used to increase/decrease the transparency of the web page. opacity ranges from 0 - 1	Z index is used to pop up the screen
12/17/2020 21:01:24	Nilesh	Yes	Selectors Selectors are used to select an element or attributes. There are different types of selectors like: Universal selector, type selector, attribute selector, class selector etc. Universal selector is used to select all an element from the class. We use asterisk(*) for the indication of universal selection. Attribute selector can be used to select an element on the attribute basis. Class selector can be used to select an element on the basis of class name like -> intro class or .address class.	njaswantra@ebintl.com	Position	test	test	A[title]								test	TRUE	TRUE	test	test	test
4/16/2012 19:50:08	Anoj Kumar	Yes		anoj.sivraj@dccl.in	Background-repeat property is used to define the repetition for an image. If we have set the background-repeat property for an image then that particular image will be repeatedly use in background for any particular element. Absolute position -- In this positioning method, image will be fitted as per the actual image.		No idea	A[title=="attribute"]	Scroll-bar is added to see the rest of the content							Floating is used for the image position. If we have settled the float property to left the image will be display in left side. If we have settled the float property to right the image will be display in right side. We can also set the float property as "none".	TRUE	TRUE	Margin is used to set the margin for an element from Top, right, bottom and left side. We can set the margin value in px, pt and cm. Ex - margin (10px) means all four margin values are 10px(top, right, bottom, left) Padding is used to define how padding should be for an element from top, right, bottom and left. We denotes padding also in the form of px, pt and cm. Ex - padding (10px 20px) means top and bottom padding is 10px while left and right padding is 20px.	Opacity means clarity or opaqueness. It is used for the clarity purpose. By using the Opacity we can define the clarity of the image.	Z-index is used in the case of positions. Suppose we have use the positioning like relative or absolute or fixed, in this case Z-index is used to how much portion of the window is overflows.