



Host static website by using S3 bucket

- 1) Create a new S3 bucket
- 2) Choose a unique bucket name



- 3) Disable block public access



- 4) Upload index.html file

Objects (12)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

Name	Type	Last modified	Size	Storage class
Console Home - Console Home us-east-1 - Google Chrome 2025-04-27 03-20-47.mp4	mp4	January 7, 2026, 15:02:58 (UTC+05:30)	30.4 MB	Standard
image.png	png	January 7, 2026, 15:02:59 (UTC+05:30)	80.4 KB	Standard
README.md	md	January 7, 2026, 15:03:01 (UTC+05:30)	16.0 B	Standard
Screenshot 2025-04-27 142533.png	png	January 7, 2026, 15:03:02 (UTC+05:30)	128.9 KB	Standard
Screenshot 2025-04-27 152103.png	png	January 7, 2026, 15:03:03 (UTC+05:30)	464.2 KB	Standard
selfweb.css	css	January 7, 2026, 15:03:04 (UTC+05:30)	51.9 KB	Standard
selfweb.html	html	January 7, 2026, 15:03:04 (UTC+05:30)	11.2 KB	Standard
selfweb.js	js	January 7, 2026, 15:03:05 (UTC+05:30)	671.0 B	Standard
WhatsApp Image 2025-04-27 at 13.39.53_7f6e7b39.jpg	jpg	January 7, 2026, 15:03:06 (UTC+05:30)	53.6 KB	Standard

5) Enable static website hosting

Object Lock
Disabled

Requester pays
When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. [Learn more](#)

Static website hosting
Use this bucket to host a website or redirect requests. [Learn more](#)

We recommend using AWS Amplify Hosting for static website hosting
Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. [Learn more about Amplify Hosting](#) or [View your existing Amplify apps](#)

S3 static website hosting
Enabled

Hosting type
Bucket hosting

Bucket website endpoint
When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)

<http://mohandhonnar-portfolio.s3-website-us-east-1.amazonaws.com>

6) Add public bucket policy

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PublicReadForStaticWebsite",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3::mohandhonnar-portfolio/*"
    }
  ]
}
```

[Edit](#) [Delete](#)

[Copy](#)

- 7) Copy website endpoint URL
- 8) Open URL in browser

