Angular 2 API Reference on bellow points

- 1. Directives
- 2. Pipes
- 3. Decorator
- 4. Class
- 5. Interface
- 6. Function
- 7.Enum
- 8. Type Alias
- 9. Const

1 Directives

@angular/common

- 1. NgClass
- 2. NgFor
- 3. Nglf
- 4. NgPlural
- 5. NgPluralCase
- 6. NgStyle
- 7. NgSwitch
- 8. NgSwitchCase
- 9. NgSwitchDefault
- 10. NgTemplateOutlet

@angular/forms

- CheckboxControlValueAccessor
- 2. CheckboxRequiredValidator
- 3. DefaultValueAccessor
- 4. FormArrayName
- 5. FormControlDirective
- 6. FormControlName
- 7. FormGroupDirective
- 8. FormGroupName
- 9. MaxLengthValidator
- 10. MinLengthValidator
- 11. NgControlStatus
- 12. NgControlStatusGroup
- 13. NgForm
- 14. NgModel
- 15. NgModelGroup
- 16. NgSelectOption
- 17. PatternValidator
- 18. RadioControlValueAccessor
- 19. RequiredValidator
- 20. SelectControlValueAccessor
- 21. SelectMultipleControlValueAccessor

@angular/router

- 1. RouterLink
- 2. RouterLinkActive
- 3. RouterLinkWithHref
- 4. RouterOutlet

2.Pipes

@angular/common

- 1. AsyncPipe
- 2. CurrencyPipe
- 3. DatePipe
- 4. DecimalPipe
- 5. I18nPluralPipe
- 6. I18nSelectPipe
- 7. JsonPipe
- 8. LowerCasePipe
- 9. PercentPipe
- 10. SlicePipe
- 11. UpperCasePipe

3.Decorator

@angular/core

- 1. Component
- 2. ContentChild
- 3. ContentChildren
- 4. Directive
- 5. Host
- 6. Inject
- 7. Injectable
- 8. Optional
- 9. Self
- 10. SkipSelf
- 11. Type
- 12. ViewChild
- 13. ViewChildren

4.Class

@angular/common

- 1. CommonModule
- 2. HashLocationStrategy
- 3. Location
- 4. LocationStrategy
- 5. NgLocalization
- 6. PathLocationStrategy
- 7. PlatformLocation

@angular/common/testing

- 1. MockLocationStrategy
- 2. SpyLocation

@angular/core

- 1. AfterContentChecked
- 2. AfterContentInit
- 3. AfterViewChecked
- 4. AfterViewInit
- 5. AnimationAnimateMetadata
- 6. AnimationEntryMetadata
- 7. AnimationGroupMetadata

- 8. AnimationKeyframe
- 9. AnimationKeyframesSequenceMetadata
- 10. AnimationMetadata
- 11. AnimationPlayer
- 12. AnimationSequenceMetadata
- 13. AnimationStateDeclarationMetadata
- 14. AnimationStateMetadata
- 15. AnimationStateTransitionMetadata
- 16. AnimationStyleMetadata
- 17. AnimationStyles
- 18. AnimationTransitionEvent
- 19. AnimationWithStepsMetadata
- 20. ApplicationInitStatus
- 21. ApplicationModule
- 22. ApplicationRef
- 23. ChangeDetectorRef
- 24. CollectionChangeRecord
- 25. Compiler
- 26. CompilerFactory
- 27. ComponentFactory
- 28. ComponentFactoryResolver
- 29. ComponentRef
- 30. DebugElement

- 31. DebugNode
- 32. DefaultIterableDiffer
- 33. DoCheck
- 34. ElementRef
- 35. EmbeddedViewRef
- 36. ErrorHandler
- 37. EventEmitter
- 38. Injector
- 39. IterableDiffers
- 40. KeyValueChangeRecord
- 41. KeyValueDiffers
- 42. ModuleWithComponentFactories
- 43. NgModuleFactory
- 44. NgModuleFactoryLoader
- 45. NgModuleRef
- 46. NgProbeToken
- 47. NgZone
- 48. On Changes
- 49. OnDestroy
- 50. Onlnit
- 51. OpaqueToken
- 52. PlatformRef
- 53. Query

- 54. QueryList
- 55. ReflectiveInjector
- 56. ReflectiveKey
- 57. RenderComponentType
- 58. Renderer
- 59. ResolvedReflectiveFactory
- 60. RootRenderer
- 61. Sanitizer
- 62. SimpleChange
- 63. SystemJsNgModuleLoader
- 64. SystemJsNgModuleLoaderConfig
- 65. TemplateRef
- 66. Testability
- 67. TestabilityRegistry
- 68. Version
- 69. ViewContainerRef
- 70. ViewRef
- 71. WrappedValue

@angular/core/testing

- 1. ComponentFixture
- 2. InjectSetupWrapper
- 3. TestBed
- 4. TestComponentRenderer

@angular/forms

- 1. AbstractControl
- 2. AbstractControlDirective
- 3. AbstractFormGroupDirective
- 4. ControlContainer
- 5. FormArray
- 6. FormBuilder
- 7. FormControl
- 8. FormGroup
- 9. FormsModule
- 10. NgControl
- 11. ReactiveFormsModule
- 12. Validators

@angular/http

- 1. BaseRequestOptions
- 2. BaseResponseOptions
- 3. BrowserXhr
- 4. Connection
- 5. ConnectionBackend
- 6. CookieXSRFStrategy
- 7. Headers

- 8. Http
- 9. HttpModule
- 10. JSONPBackend
- 11. JSONPConnection
- 12. Jsonp
- 13. JsonpModule
- 14. QueryEncoder
- 15. Request
- 16. RequestOptions
- 17. Response
- 18. ResponseOptions
- 19. URLSearchParams
- 20. XHRBackend
- 21. XHRConnection
- 22. XSRFStrategy

@angular/http/testing

- 1. MockBackend
- 2. MockConnection

@angular/platform-browser

- 1. AnimationDriver
- 2. BrowserModule
- 3. By

- 4. DomSanitizer
- 5. EventManager
- 6. HammerGestureConfig
- 7. NgProbeToken
- 8. Title

@angular/platform-browser/testing

1. BrowserTestingModule

@angular/platform-browser-dynamic/testing

1. BrowserDynamicTestingModule

@angular/platform-server

1. ServerModule

@angular/platform-server/testing

1. ServerTestingModule

@angular/platform-webworker

- 1. ClientMessageBroker
- 2. ClientMessageBrokerFactory
- 3. FnArg
- 4. MessageBus
- 5. ReceivedMessage
- 6. ServiceMessageBroker

- 7. ServiceMessageBrokerFactory
- 8. UiArguments
- 9. WorkerAppModule

@angular/router

- 1. DefaultUrlSerializer
- 2. NavigationCancel
- 3. NavigationEnd
- 4. NavigationError
- 5. NavigationStart
- 6. NoPreloading
- 7. PreloadAllModules
- 8. PreloadingStrategy
- 9. RouteReuseStrategy
- 10. Router
- 11. RouterModule
- 12. RouterOutletMap
- 13. RouterPreloader
- 14. RoutesRecognized
- 15. UrlHandlingStrategy
- 16. UrlSegment
- 17. UrlSegmentGroup
- 18. UrlSerializer

@angular/router/testing

- 1. RouterTestingModule
- 2. SpyNgModuleFactoryLoader

@angular/upgrade

- 1. UpgradeAdapter
- 2. UpgradeAdapterRef

@angular/upgrade/static

- 1. UpgradeComponent
- 2. UpgradeModule

5.Interface

@angular/common

- 1. LocationChangeEvent
- 2. LocationChangeListener
- 3. PopStateEvent

@angular/core

- 1. Attribute
- 2. ClassDefinition
- 3. ClassProvider
- 4. ExistingProvider
- 5. FactoryProvider

- 6. ForwardRefFn
- 7. GetTestability
- 8. HostBinding
- 9. HostListener
- 10. Input
- 11. IterableDiffer
- 12. IterableDifferFactory
- 13. KeyValueDiffer
- 14. KeyValueDifferFactory
- 15. ModuleWithProviders
- 16. NgModule
- 17. Output
- 18. Pipe
- 19. PipeTransform
- 20. ResolvedReflectiveProvider
- 21. SchemaMetadata
- 22. SimpleChanges
- 23. TrackByFn
- 24. TypeProvider
- 25. ValueProvider
- 26. WtfScopeFn

@angular/forms

1. AsyncValidatorFn

- 2. ControlValueAccessor
- 3. Form
- 4. Validator
- 5. ValidatorFn

@angular/http

1. RequestOptionsArgs

@angular/platform-browser

- 1. SafeHtml
- 2. SafeResourceUrl
- 3. SafeScript
- 4. SafeStyle
- 5. SafeUrl

@angular/platform-webworker

- 1. MessageBusSink
- 2. MessageBusSource

@angular/router

- 1. ActivatedRoute
- 2. ActivatedRouteSnapshot
- 3. CanActivate
- 4. CanActivateChild
- 5. CanDeactivate
- 6. CanLoad

- 7. ExtraOptions
- 8. NavigationExtras
- 9. Resolve
- 10. Route
- 11. RouterState
- 12. RouterStateSnapshot
- 13. UrlTree

6.Function

@angular/core

- 1. Class
- 2. animate
- 3. asNativeElements
- 4. assertPlatform
- 5. createPlatform
- 6. createPlatformFactory
- 7. destroyPlatform
- 8. enableProdMode
- 9. forwardRef
- 10. getDebugNode
- 11. getModuleFactory

- 12. getPlatform
- 13. group
- 14. isDevMode
- 15. keyframes
- 16. resolveForwardRef
- 17. sequence
- 18. setTestabilityGetter
- 19. state
- 20. style
- 21. transition
- 22. trigger

@angular/core/testing

- 1. async
- 2. discardPeriodicTasks
- 3. fakeAsync
- 4. flushMicrotasks
- 5. getTestBed
- 6. inject
- 7. resetFakeAsyncZone
- 8. tick
- 9. withModule

@angular/platform-browser

- 1. disableDebugTools
- 2. enableDebugTools

@angular/platform-webworker

1. bootstrapWorkerUi

@angular/router

1. provideRoutes

@angular/router/testing

1. setupTestingRouter

@angular/upgrade/static

- 1. downgradeComponent
- 2. downgradeInjectable

7.Enum

@angular/core

- 1. ChangeDetectionStrategy
- 2. SecurityContext
- 3. ViewEncapsulation

@angular/http

- 1. ReadyState
- 2. RequestMethod

- 3. ResponseContentType
- 4. ResponseType

8. Type Alias

@angular/core

- 1. CompilerOptions
- 2. Provider

@angular/core/testing

- 1. MetadataOverride
- 2. TestModuleMetadata

@angular/http

1. ResponseOptionsArgs

@angular/router

- 1. Data
- 2. DetachedRouteHandle
- 3. Event
- 4. LoadChildren
- 5. LoadChildrenCallback
- 6. Params
- 7. ResolveData

8. Routes

9.Const

@angular/common

- 1. APP_BASE_HREF
- 2. LOCATION_INITIALIZED
- 3. VERSION
- 4. @angular/core
- 5. ANALYZE_FOR_ENTRY_COMPONENTS
- 6. APP_BOOTSTRAP_LISTENER
- 7. APP_ID
- 8. APP_INITIALIZER
- 9. AUTO_STYLE
- 10. COMPILER_OPTIONS
- 11. CUSTOM_ELEMENTS_SCHEMA
- 12. LOCALE_ID
- 13. NO_ERRORS_SCHEMA
- 14. PACKAGE_ROOT_URL
- 15. PLATFORM_INITIALIZER
- 16. TRANSLATIONS

- 17. TRANSLATIONS_FORMAT
- 18. VERSION
- 19. platformCore
- 20. wtfCreateScope
- 21. wtfEndTimeRange
- 22. wtfLeave
- 23. wtfStartTimeRange

@angular/core/testing

- 1. ComponentFixtureAutoDetect
- 2. ComponentFixtureNoNgZone

@angular/forms

- 1. NG_ASYNC_VALIDATORS
- 2. NG_VALIDATORS
- 3. NG_VALUE_ACCESSOR
- 4. VERSION

@angular/http

1. VERSION

@angular/platform-browser

- 1. DOCUMENT
- 2. EVENT MANAGER PLUGINS

- 3. HAMMER_GESTURE_CONFIG
- 4. VERSION
- 5. platformBrowser

@angular/platform-browser/testing

1. platformBrowserTesting

@angular/platform-browser-dynamic

- 1. RESOURCE_CACHE_PROVIDER
- 2. VERSION
- 3. platformBrowserDynamic

@angular/platform-browser-dynamic/testing

1. platformBrowserDynamicTesting

@angular/platform-server

- 1. VERSION
- 2. platformDynamicServer
- 3. platformServer

@angular/platform-server/testing

1. platformServerTesting

@angular/platform-webworker

- 1. PRIMITIVE
- 2. VERSION
- 3. WORKER_APP_LOCATION_PROVIDERS
- 4. WORKER_UI_LOCATION_PROVIDERS
- 5. platformWorkerApp
- 6. platformWorkerUi

@angular/platform-webworker-dynamic

- 1. VERSION
- 2. platformWorkerAppDynamic

@angular/router

- 1. PRIMARY_OUTLET
- 2. ROUTER_CONFIGURATION
- 3. ROUTER_INITIALIZER
- 4. VERSION

@angular/upgrade

1. VERSION