

GOVERNMENT COLLEGE OF ENGINEERING ERODE



அரசினர் பொறியியல் கல்லூரி, ஈரோடு
Government College of Engineering, Erode
(Approved by AICTE, New Delhi and Affiliated to Anna University, Chennai)



B.E Electronics and Communication Engineering

PERSONAL BLOG ON IBM CLOUD STATIC WEB APPS

Name of the Students:

P. VISHAL
A. MOHAMED ASFAQUE
B. MOHAN RAJ

University Register no:

au731121106053
aut21ecetr66
aut21ecetr65

Under the mentor of

Dr. M. Sathyakala

Assistant professor, Dept. of IT Department of Information Technology (IT)

Department of Electronics and Communication Engineering

Government College of Engineering

Erode, PO, near Vasavi College, TamilNadu-638316,

Affiliated to Anna University, Chennai

Creating a Personal Blog on IBM Cloud Static Web Apps in Cloud Computing

Introduction

In today's digital age, having an online presence is essential. Whether you're a developer, a writer, or just passionate about a particular topic, creating a personal blog can help you share your thoughts and expertise with the world. With the advent of cloud computing, hosting a website has become easier and more efficient. In this project, we'll explore how to create a personal blog using IBM Cloud's Static Web Apps service, which leverages cloud computing technologies to host static websites seamlessly.

Prerequisites

- Basic understanding of HTML, CSS, and JavaScript.
- An IBM Cloud account. If you don't have one, you can sign up [here](<https://cloud.ibm.com/registration>).
- Basic knowledge of using the IBM Cloud dashboard.

Step 1: Set Up Your Blogging Environment

1. Create a New Static Web App:

- Log in to your IBM Cloud account.
- Go to the IBM Cloud dashboard and create a new Static Web App.
- Configure the basic settings such as the app name, region, and source repository (GitHub, GitLab, or Bitbucket).

2. Set Up Your Repository:

- Create a new repository on GitHub, GitLab, or Bitbucket to store your blog's source code.
- Add necessary HTML, CSS, and JavaScript files for your blog's layout and design.

Step 2: Design Your Blog

1. Create the Basic Layout:

- Design a clean and user-friendly layout for your blog using HTML and CSS.
- Ensure the layout is responsive to different screen sizes (desktop, tablet, mobile).

2. Add Blog Posts:

- Create separate HTML files for each blog post.
- Include metadata such as post title, author, date, and categories in your HTML files.
- Use CSS to style your blog posts and make them visually appealing.

Step 3: Implement Cloud Computing Features

1. Integrate Cloud Storage:

- Use IBM Cloud Object Storage to store media files such as images and videos for your blog posts.
- Implement a mechanism to upload and retrieve media files from the cloud storage.

2. Implement CDN (Content Delivery Network):

- Leverage IBM Cloud CDN to distribute your blog content globally, ensuring faster loading times for users across different regions.

3. Enable HTTPS:

- Set up SSL/TLS certificates to enable secure HTTPS connections for your blog using IBM Cloud services.

Step 4: Add Dynamic Features (Optional)

1. Implement Contact Form:

- Create a contact form using HTML and JavaScript to allow readers to get in touch with you.
- Use serverless functions (such as IBM Cloud Functions) to handle form submissions.

2. Integrate Comments Section:

- Implement a comments section for each blog post using third-party services like Disqus or create a custom solution using serverless functions and a NoSQL database like IBM Cloudant.

Step 5: Deploy and Test Your Blog

1. Deploy Your Static Web App:

- Connect your blog repository to your IBM Cloud Static Web App.
- Trigger a build and deploy your blog to see how it looks in the live environment.

2. Test Across Devices:

- Test your blog on different devices and browsers to ensure a seamless user experience.

Designing and developing the static travel blog website.

index.html

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Travel Diaries</title>
  <link rel="stylesheet" href="styles.css">
</head>

<body>
  <header>
    <h1>Travel Diaries</h1>
    <nav>
      <ul>
        <li><a href="#home">Home</a></li>
```

```
<li><a href="#about">About</a></li>
<li><a href="#blog">Blog</a></li>
<li><a href="#contact">Contact</a></li>
</ul>
</nav>
</header>
<section id="home">
<div class="hero1">
<h2>Explore the World with Us</h2>
<p>Discover amazing places, cultures, and adventures.</p>
</div>
</section>

</section>
<!--=====Banner=====-->
<section class="banner">
<div class="banner-text-item">
<div class="banner-heading">
<h1>Find your Next tour!</h1>
</div>
<form class="form">
<input type="text" list="mylist" placeholder="Where would you like to go?">
<datalist id="mylist">
<option>OOTY,NILGIRIS</option>
<option>AGAR, UTTAR PRADESH</option>
<option>VARANASI, UTTAR PRADESH</option>
<option>LADAKH, JAMMU AND KASHMIR</option>
<option>KOLKATA ,WEST BENGAL</option>
<option>THE KERALA BACKWATERS</option>
</datalist>
<input type="date" class="date">
<a href="#" class="book">book</a>
</form>
</div>
</section>

<section id="about">
<div class="content">
<h2>About Us</h2>
<p id="uni">Welcome to Explore the world website - Your Gateway to Extraordinary Adventures!

```

Discover the world with ease and excitement at Explore the world website. We are your ultimate travel companion, dedicated to curating unforgettable journeys for wanderlust souls. Whether you're a solo explorer, a couple seeking romance, or a family in pursuit of memorable moments, our website is your passport to unparalleled travel experiences.</p>

<p>Why Choose Us?</p>

- Tailored Travel Experiences
- Handpicked Destinations
- Seamless Booking
- Local Expertise
- Customer Care

</div>

</section>

<section id="blog">

<div class="content">

<h2>Latest Posts</h2>

<dl>

<dt>OOTY,NILGIRIS</dt>

<dd>Ooty, nestled in the Nilgiris, paints memories of mist-kissed mountains, vibrant botanical gardens, and the soothing melody of tea plantations. A train ride on the Nilgiri Mountain Railway, a walk through the fragrant tea estates, and the taste of freshly brewed Nilgiri tea – these moments are etched in the heart forever."Ooty Special" refers to something unique or specific to the town of Ooty, which is a popular hill station located in the Nilgiri Hills of Tamil Nadu, India. Ooty, officially known as Udagamandalam, is renowned for its scenic beauty, pleasant weather, and various attractions.</dd>

<dt>AGAR,UTTAR PRADESH</dt>

<dd>Agar, Uttar Pradesh, is a charming town known for its simplicity and warmth. The memories of Agar are like fragments of a beautiful dream—vibrant marketplaces filled with colorful textiles, the aroma of street food wafting through the air, and the smiles of locals that make you feel at home. Walking through its narrow lanes, one can't help but be captivated by the town's rich history, echoed in its ancient temples and heritage buildings. Agar, Uttar Pradesh, is not just a place; it's an experience etched in the heart, reminding you of the beauty in life's simple pleasures.</dd>

<dt>VARANASI, UTTAR PRADESH</dt>

<dd>Varanasi, Uttar Pradesh, is a city that lingers in the soul long after you leave. Its vibrant ghats along the Ganges River, adorned with flickering oil lamps and echoing with the chants of priests, create an enchanting atmosphere. The narrow, bustling lanes are a maze of spirituality and culture, where every corner tells a story of ancient wisdom and tradition. The taste of hot chai and the scent of marigold flowers blend in the air, making every moment in Varanasi a sensory delight. From the mesmerizing Ganga Aarti to the peaceful boat rides at sunrise, Varanasi's memories are a poetic symphony of spirituality and life, etched in the memory forever.</dd>

<dt>LADAKH, JAMMU AND KASHMIR</dt>

<dd>Ladakh, Jammu, and Kashmir, evoke memories of breathtaking landscapes—towering snow-capped mountains, serene monasteries perched on hillsides, and vast expanses of pristine lakes. The crisp mountain air, adorned with the scent of juniper, fills your lungs with freshness. The warm smiles of the Ladakhi people and the melodic sound of prayer flags rustling in the wind create an atmosphere of unmatched peace. Whether it's the adrenaline rush from exploring high mountain passes or the tranquility of a quiet moment by Pangong Lake, Ladakh's memories are a tapestry of adventure, spirituality, and awe-inspiring natural beauty, eternally etched in the heart.</dd>

<dt>KOLKATA ,WEST BENGAL</dt>

<dd>Kolkata, West Bengal, is a city that pulsates with life. Memories of Kolkata are flavored with the aroma of street food, the melodious tunes of Rabindra Sangeet, and the rich cultural heritage reflected in its colonial architecture. The city's iconic yellow taxis and the Howrah Bridge are symbols of its vibrant spirit. From Durga Puja celebrations that light up the streets to intellectual discussions in its coffee houses, Kolkata's memories are a blend of art, literature, and a warm sense of community, leaving a sweet, lasting impression on every visitor.</dd>

<dt>THE KERALA BACKWATERS</dt>

<dd>The Kerala backwaters are a tranquil paradise, where memories are woven with the gentle ripples of water and the soothing melody of nature. Each moment spent cruising these serene waterways on traditional houseboats is a blissful escape. The emerald green landscape, lined with coconut palms, reflects in the clear waters, creating a mesmerizing tableau. The chirping of birds and the occasional splash of a fish add to the symphony of peace. The memories of the Kerala backwaters are like a serene painting come to life, leaving an indelible mark of tranquility and beauty in the heart.</dd>


```
</dl>
</dd>
</div>
</section>

<section id="contact">
    <div class="content">
        <h2>Contact Us</h2>
        <p> Mob No : 9876543210 <br>
            Email id :abc@gmail.com
        </p>
        
    </div>
</section>
</body>
</html>
```

index.css

```
body {
    font-family: Arial, sans-serif;
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}
```

```
header { background-
    color: #333;
    color: white;
    padding: 1rem;
    text-align: center;
}
```

```
nav ul {
    list-style:
    none; padding:
    0; }
```

```
nav ul li {
    display: inline;
    margin: 0 20px; }
```

```
nav ul li a {
```

```
color: white; text-decoration: none;  
}  
  
.hero { background-image: url('travel-hero.jpg'); background-size: cover; color: white; text-align: center; padding: 150px 0; }  
  
.content { max-width: 800px; margin: 0 auto; padding: 20px; }  
  
footer { background-color: #333; color: white; text-align: center; padding: 1rem; position: fixed; bottom: 0; width: 100%; }  
  
/* Add media queries for responsiveness */  
@media (max-width: 768px) {  
    header {  
        padding: 0.5rem; }  
  
    nav ul li {  
        margin: 0 10px; }  
  
.hero { padding: 100px 0; }  
}  
h1,h2 {  
    text-align: center; font-family: sans-serif; }  
p {
```


```
text-align: center; font-size: 100 px;
}
#uni{
    text-align: left; font-size: 500 px;
    font-family: Arial, Helvetica, sans-serif; color:black; } ol{ color:red;
}

}
dt:hover{
    color: white;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
    font-size: larger; background-color: red;
}
} dd{ font: size 20em;;
}
```

JEKYLL - A STATIC-SITE GENERATOR TO MANAGE BLOG CONTENT



JEKYLL TEMPLATE GENERATOR USING HTML AND CODE



```
templates > index.html > html > body
124      <!-- destination section starts here -->
125      <section class="dest" id="destination-sec">
126          <div class="content">
127              <div class="item head">Destination to top your travel list.</div>
128              <div class="item img1">
129                  <p class="para">Indonesia</p>
130              </div>
131              <div class="item img2">
132                  <p class="para">Greece</p>
133              </div>
134              <div class="item img3">
135                  <p class="para">Japan</p>
136              </div>
137              <div class="item img4">
138                  <p class="para">Morocco</p>
139              </div>
140              <div class="item img5">
141                  <p class="para">Africa</p>
142              </div>
143              <div class="item img6">
144                  <p class="para">Cuba</p>
145              </div>
146          </div>
147      </section>
148      <!-- destination section ends here -->
149
150      <!-- ***** -->
151
152      <!-- contact section starts here-->
153      <section class="contact" id="contact-sec">
```

```
● PS D:\CAD> & d:/CAD/venv/Scripts/Activate.ps1
● (venv) PS D:\CAD> & d:/CAD/venv/Scripts/python.exe d:/CAD/app.py
  * Serving Flask app 'app'
  * Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
  * Running on http://127.0.0.1:5000
Press CTRL+C to quit
  * Restarting with stat
```

 app.py

```
app.py > ...
1  from flask import Flask,render_template
2
3  app = Flask(__name__)
4
5
6  @app.route('/')
7  @app.route('/home')
8  def hello_world():
9      return render_template('index.html')
10
11
12 # Run the Flask app
13 if __name__ == '__main__':
14     app.run(debug=True)
15
16
17
```

> TIMELINE

> TRUNK CHECK

> OUTLINE

> TRUNK HELP & FEEDBACK

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS SEARCH TERMINAL OUTPUT

- PS D:\CAD> & d:/CAD/venv/Scripts/Activate.ps1

● (venv) PS D:\CAD> & d:/CAD

* Serving Flask app

* Debug mode: on

WARNING: This is a deve

* Running on http://127.0.0.1:8000

Press CTRL+C to quit

* Restarting with stat

▶ Python + × ⏹ ⏷ ... ✎

Share Code Link Search Terminal Output

Ln 17, Col 1 Spaces: 4 UTF-8 CRLF ⚡ Python 3.12.0 ('venv': venv) ⚡ Go Live Blackbox ⚡ Trunk: Initializing ⚡

```
● PS D:\CAD & d:/CAD/venv/Scripts/Activate.ps1
● (venv) PS D:\CAD & d:/CAD/venv/Scripts/python.exe d:/CAD/app.py
  * Serving Flask app 'app'
  * Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
  * Running on http://127.0.0.1:5000
Press CTRL+C to quit
  * Restarting with stat
```

The screenshot shows a dark-themed code editor interface, likely Visual Studio Code, with the following details:

- Top Bar:** File, Edit, Selection, View, Go, Run, Terminal, Help.
- Search Bar:** CAD
- Left Sidebar (Explorer):** Shows a file tree with the following structure:
 - CAD
 - _pycache_
 - _site
 - .jekyll-cache
 - .vscode
 - jekyll-site
 - static
 - css
 - style.css
 - images
 - templates
 - index.html
 - B
 - venv
 - app.py
 - README.md
 - Timeline
 - Trunk Check
 - Outline
 - Trunk Help & Feedback
- Code Editor:** The current file is index.html, located at templates > index.html > html > body. The code is a Jekyll template for a homepage.


```
<!-- navbar ends -->
</header>
<!-- header ends -->

<!-- ***** -->
<!-- home section -->
<div class="home">

    <div class="content">
        <p>Every mile is a new chapter</p>
        <div class="line"></div>
        <h1>Explore, Dream, Discover</h1>
    </div>
</div>
<!-- home section ends here -->

<!-- ***** -->
<!-- about section starts -->
<section class="about" id="about-sec">

    <div class="content">
        <div class="words_box">
            <h3 class="item">Who am I</h3>
        </div>
    </div>
</section>
```
- Bottom Bar:** PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL (selected), PORTS, SEARCH TERMINAL OUTPUT.
- Terminal:** Shows command-line output for activating a Python environment and running a Flask application. It includes a warning about using the development server in production.
- Status Bar:** Ln 11, Col 7, Spaces: 4, UTF-8, CRLF, HTML, Go Live, Blackbox, Trunk: Initializing.



```
templates > index.html > html > body
61             <h1 class="item">SHANU S G</h1>
62             <div class="line item"></div>
63             <p>My name is Shantu S G. Over the last five years, I've been capturing and chronicling my global
64                 escapades and continuous journeys. Travel, for me, is more than just visiting new places; it's a way
65                 of life. It's about embracing the unknown, understanding diverse cultures, and creating lasting
66                 memories. Every trip is an opportunity to learn, grow, and connect with the world.</p>
67         </div>
68         <div class="img box"></div>
69     </div>
70
71 </section>
72 <!-- about section ends here -->
73
74 <!-- ***** -->
75
76 <!-- blog section starts here -->
77
78 <section class="blog" id="blog-sec">
79     <div class="content">
80         <div class="item one head">Top picks from latest blogs</div>
81         <div class="item two blogs ">
82             <p class="para">How to travel on a Budget</p>
83         </div>
84         <div class="item three blogs ">
85             <p class="para">Best hotels in Singapore</p>
86         </div>
87         <div class="item four blogs ">
88             <p class="para">How to use credit card</p>
89         </div>
90         <div class="item five more"><button>See more</button></div>
```

```
PS D:\CAD> & d:/CAD/venv/Scripts/Activate.ps1
(venv) PS D:\CAD> & d:/CAD/venv/Scripts/python.exe d:/CAD/app.py
 * Serving Flask app 'app'
 * Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
 * Running on http://127.0.0.1:5000
Press CTRL+C to quit
 * Restarting with stat
```

Ln 11, Col 7 Spaces: 4 UTF-8 CRLF HTML ⚡ Go Live Blackbox 🌐 Trunk: Initializing 📱

File Edit Selection View Go Run Terminal Help 🔍 CAD

EXPLORER ... index.html x

templates > index.html > html > body

```
97    <!-- tips section starts here -->
98    <section class="tips" id="tips-sec">
99        <div class="content">
100            <div class="item head">Your Ultimate Travel Tips</div>
101            <div class="item cont">
102                <div class="one item">Are you planning your next adventure? Whether you're a seasoned traveler or
103                    embarking on your very first journey, these essential travel tips will help you make the most of
104                    your trip and ensure a unforgettable experience.
105                    the journey itself is as important as the destination, so enjoy the moment and capture it in your
106                    unique voice
107                    <ul>
108
109                        <li style="font-size: 2.5vmin; list-style-position:inside;"> Always have a backup power bank
110
111                        <li style="font-size: 2.5vmin; list-style-position:inside;">keep a digital copy of your
112                            essential documents</li>
113
114                    </ul>
115                    <div class="two item"></div>
116
117                    <div class="item more"><button>more tips</button></div>
118
119    </section>
120    <!-- tips section ends here -->
121
122    <!-- ***** -->
123
124    <!-- destination section starts here -->
125    <section class="dest" id="destination-sec">
126        <div class="content">
127            <div class="item head">Destination to top your travel list</div>
```

B

index.html

> venv

app.py

README.md

> TIMELINE

> TRUNK CHECK

> OUTLINE

> TRUNK HELP & FEEDBACK

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS SEARCH TERMINAL OUTPUT

Python + ⚡

● PS D:\CAD> & d:/CAD/venv/Scripts/Activate.ps1

● (venv) PS D:\CAD> & d:/CAD/venv/Scripts/python.exe d:/CAD/app.py

* Serving Flask app 'app'

* Debug mode: on


WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.

* Running on http://127.0.0.1:5000

Press CTRL+C to quit

* Restarting with stat


Ln 11, Col 7 Spaces: 4 UTF-8 CRLF HTML ⚡ Go Live Blackbox Trunk: Initializing



```
templates > index.html > html > body
150     <!-- **** contact section starts here -->
151
152     <!-- contact section starts here-->
153     <section class="contact" id="contact-sec">
154         <div class="contact-box box">
155
156             <h1>Let's connect</h1>
157
158             <form action="#">
159
160                 <input type="text" name="name" id="name" placeholder="Enter your name" class="input-field">
161                 <input type="text" name="email" id="email" placeholder="Enter your email" class="input-field">
162                 <textarea name="message" id="message" cols="30" rows="10" placeholder="Enter your message"
163                     class="input-field"></textarea>
164
165                 <button class="btn">Send</button>
166
167             </form>
168
169         </div>
170         <div class="social_box">
171             <h1>Reach me on</h1>
172
173             <div class="links">
174                 <div class="link w"></div>
175                 <div class="link t"></div>
176                 <div class="link i"></div>
177                 <div class="link l"></div>
178                 <div class="link y"></div>
179             </div>
```

```
PS D:\CAD> & d:/CAD/venv/Scripts/Activate.ps1
(venv) PS D:\CAD> & d:/CAD/venv/Scripts/python.exe d:/CAD/app.py
 * Serving Flask app 'app'
 * Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
 * Running on http://127.0.0.1:5000
Press CTRL+C to quit
 * Restarting with stat
```


Ln 11, Col 7 Spaces: 4 UTF-8 CRLF HTML Go Live Blackbox Trunk: Initializing



```
templates > index.html > html > body
97      <!-- tips section starts here -->
98      <section class="tips" id="tips-sec">
99          <div class="content">
100              <div class="item head">Your Ultimate Travel Tips</div>
101              <div class="item cont">
102                  <div class="one item">Are you planning your next adventure? Whether you're a seasoned traveler or
103                      embarking on your very first journey, these essential travel tips will help you make the most of
104                      your trip and ensure a unforgettable experience.
105                      the journey itself is as important as the destination, so enjoy the moment and capture it in your
106                      unique voice
107                      <ul>
108
109                          <li style="font-size: 2.5vmin;list-style-position:inside;"> Always have a backup power bank
110                          </li>
111                          <li style="font-size: 2.5vmin; list-style-position:inside;">keep a digital copy of your
112                              essential documents</li>
113                      </ul>
114
115                      </div>
116                      <div class="two item"></div>
117
118                      <div class="item more"><button>more tips</button></div>
119
120      </div>
121
122      <!-- tips section ends here -->
123
124      <!-- destination section starts here -->
125      <section class="dest" id="destination-sec">
126          <div class="content">
127              <div class="item head">Destination to top your travel list</div>
```


```
PS D:\CAD> & d:/CAD/venv/Scripts/Activate.ps1
(venv) PS D:\CAD> & d:/CAD/venv/Scripts/python.exe d:/CAD/app.py
 * Serving Flask app 'app'
 * Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
 * Running on http://127.0.0.1:5000
Press CTRL+C to quit
 * Restarting with stat
```

Ln 11, Col 7 Spaces: 4 UTF-8 CRLF HTML Go Live Blackbox Trunk: Initializing



style.css X

```
static > css > # style.css > *  
45  
46  
47 .logo h1 {  
48   font-size: 5vmin;  
49   white-space: nowrap;  
50   color: #rgba(255, 157, 0, 0.873);  
51   text-shadow: 0px 0px 2px #000000;  
52 }  
53  
54  
55  
56  
57 /* navbar */  
58  
59 header nav {  
60  
61   background-color: #rgba(220, 179, 128, 0.162);  
62   display: flex;  
63   justify-content: space-between;  
64   align-items: center;  
65   height: 100%;  
66   position: relative;  
67 }  
68  
69  
70 header nav .menu-btn {  
71  
72   position: absolute;  
73   width: 0;  
74   right: 2%;  
75   cursor: pointer;  
76  
77 }  
78  
79  
80 /* ul */  
81 header nav ul {  
82  
83   height: 100%;  
84 }
```




EXPLORER ... # style.css X

CAD static > css > # style.css > * 45
46
47 .logo h1 {
48 font-size: 5vmin;
49 white-space: nowrap;
50 color: #rgba(255, 157, 0, 0.873);
51 text-shadow: 0px 0px 2px #000000;
52 }
53
54
55
56 /* navbar */
57
58 header nav {
59
60 background-color: #rgba(220, 179, 128, 0.162);
61 display: flex;
62 justify-content: space-between;
63 align-items: center;
64 height: 100%;
65 position: relative;
66
67 }
68
69 header nav .menu-btn {
70
71 position: absolute;
72 width: 0;
73 right: 2%;
74 cursor: pointer;
75
76 }
77
78 }
79
80 /* ul */
81 header nav ul {
82
83 height: 100%;
84 }

TIMELINE TRUNK CHECK OUTLINE TRUNK HELP & FEEDBACK

Share Code Link Search Terminal Output

Ln 18, Col 40 Spaces: 4 UTF-8 CRLF CSS Go Live Blackbox Trunk: Initializing



```
# style.css x
static > css > # style.css > ✎ *
```

```
175
176     .about .content {
177         width: 95%;
178         height: 90%;
179         display: flex;
180         justify-content: space-evenly;
181         align-items: center;
182     }
183
184
185     .about .content .words {
186         width: 45%;
187         height: 80%;
188         background-color: ■rgb(255, 252, 241);
189         box-shadow: 1px 1px 5px □#00000070;
190         padding: 10px;
191         display: flex;
192         flex-direction: column;
193         justify-content: center;
194     }
195
196     .about .content .words h3 {
197
198         /* flex:1; */
199
200
201         /* background-color: yellow; */
202         font-size: 4vmin;
203         color: ■rgba(255, 157, 0, 0.873);
204         margin-bottom: 20px;
205     }
206
207     .about .content .words h1 {
208         font-size: 5vmin;
209         color: □#000000e0;
210     }
211
212     .about .content .words p {
213         text-align: justify;
```

EXPLORER ... # style.css X

CAD


pycache _site .jekyll-cache .vscode jekyll-site static css style.css images templates index.html venv app.py README.md

```
static > css > # style.css > ↗*
```

```
218 }
219
220 .about .content .words .line {
221   width: 15vmin;
222   height: 4px;
223   background-color: □rgb(226, 148, 22);
224   margin-left: 35px;
225   margin-bottom: 5px;
226
227 }
228
229
230 .about .content .img {
231   width: 45%;
232   height: 80%;
233   background-image: url("/static/images/about.jpeg");
234   background-size: cover;
235   background-position: center;
236   background-repeat: no-repeat;
237   box-shadow: 1px 1px 5px □#000000;
238
239 }
240
241 .about .content .box {
242   border-radius: 10px 50px 10px 10px;
243
244 }
245
246
247 /* blog section */
248
249 .blog {
250   width: 100vw;
251   height: 100vh;
252   background-color: □rgba(220, 179, 128, 0.162);
253   display: flex;
254   justify-content: center;
255   align-items: center;
256 }
```



- > TIMELINE
- > TRUNK CHECK
- > OUTLINE
- > TRUNK HELP & FEEDBACK



```
# style.css x
static > css > # style.css > ↗
430
431 .dest {
432   width: 100vw;
433   height: 100vh;
434   background-color: #rgba(220, 179, 128, 0.162);
435   display: flex;
436   justify-content: center;
437   align-items: center;
438 }
439
440 .dest .content {
441   width: 90%;
442   height: 95%;
443   display: grid;
444   grid-template-rows: 1fr 3fr 3fr;
445   gap: 1px;
446   grid-template-areas: 'head head head'
447     'img1 img2 img3'
448     'img4 img5 img6';
449   gap: 3vmin;
450 }
451
452
453
454
455 .dest .content .head {
456   grid-area: head;
457   white-space: nowrap;
458   display: flex;
459   justify-content: center;
460   align-items: center;
461   font-size: 7vmin;
462   color: #rgba(255, 157, 0, 0.873);
463 }
464
465
466 .dest .content .img1 {
467   grid-area: img1;
468   background-color: #grey;
background-image: url("../static/images/Indonesia.jpg");}
```

EXPLORER ... # style.css X


CAD

pycache _site .jekyll-cache .vscode jekyll-site static css # style.css images templates index.html venv app.py README.md

```
static > css > # style.css > *  
128 }  
129  
130 .home .content {  
131   width: 100%;  
132   height: 100%;  
133   display: flex;  
134   flex-direction: column;  
135   justify-content: center;  
136   align-items: center;  
137 }  
138  
139 .home .content p {  
140   font-weight: bold;  
141   font-size: 4vmin;  
142   color: #rgb(255, 255, 255);  
143   text-shadow: 3px 3px 5px #000000;  
144 }  
145 }  
146  
147 .home .content h1 {  
148  
149   font-size: 6vmin;  
150   margin-bottom: 200px;  
151   color: #rgb(255, 255, 255);  
152   text-shadow: 3px 3px 5px #000000;  
153 }  
154  
155 .home .content .line {  
156   margin: 5px 0 10px 0;  
157   border-radius: 10px;  
158   width: 30vmin;  
159   height: 5px;  
160   background-color: #rgb(203, 132, 0);  
161 }  
162  
163 /* about section */  
164  
165 .about {  
166   width: 100vw;
```

TIMELINE TRUNK CHECK OUTLINE TRUNK HELP & FEEDBACK

✖ 0 △ 0 ⌂ 0 Share Code Link Search Terminal Output Ln 18, Col 40 Spaces: 4 UTF-8 CRLF CSS ⌂ Go Live Blackbox ⌂ Trunk: Initializing



style.css

```
static > css > # style.css > ↗*
```

```
268
269
270    }
271
272    .blog .content .item {
273        background-repeat: no-repeat;
274        background-size: cover;
275        background-position: center;
276        padding: 10px;
277    }
278
279
280    .blog .content .one {
281        color: #rgba(255, 157, 0, 0.873);
282        grid-area: head;
283        display: flex;
284        justify-content: center;
285        align-items: center;
286        font-size: 7vmin;
287    }
288
289
290    .blog .content .two {
291        grid-area: img1;
292        background-image: url("/static/images/budget.jpg");
293    }
294
295    .blog .content .blogs {
296        position: relative;
297    }
298
299    .blog .content .blogs .para {
300        font-size: 3vmin;
301        letter-spacing: 2px;
302        position: absolute;
303        bottom: 2%;
304        background-color: black;
305        color: white;
306    }
```

EXPLORER ... # style.css X


CAD

pycache _site .jekyll-cache .vscode jekyll-site static css style.css images templates index.html venv app.py README.md

```
static > css > # style.css > ↗ *  
390  
391     .tips .content .cont .two {  
392         height: 100%;  
393         width: 50%;  
394         background-image: url("/static/images/tips.jpg");  
395         background-size: cover;  
396         background-repeat: no-repeat;  
397         background-position: center;  
398     }  
399  
400     .tips .content .head {  
401         white-space: nowrap;  
402         display: flex;  
403         justify-content: center;  
404         align-items: center;  
405         font-size: 7vmin;  
406         color: #rgba(255, 157, 0, 0.873);  
407     }  
408  
409     .tips .content .more {  
410         display: flex;  
411         justify-content: center;  
412         align-items: center;  
413     }  
414  
415     .tips .content .more button {  
416         font-size: 3vmin;  
417         padding: 2vmin;  
418         border-radius: 50px;  
419         border: none;  
420         outline: none;  
421         background-color: #rgba(203, 195, 195, 0.664);  
422     }  
423  
424  
425     .tips .content .more button:hover {  
426         background-color: #rgba(255, 166, 1, 0.421);  
427     }  
428  
429     /* destination section */
```

TIMELINE TRUNK CHECK OUTLINE TRUNK HELP & FEEDBACK

✖ 0 △ 0 ⌂ 0 Share Code Link Search Terminal Output Ln 18, Col 40 Spaces: 4 UTF-8 CRLF CSS Go Live Blackbox Trunk: Initializing



style.css X

static > css > # style.css > ⚒ *

```
351   .tips .content {  
352     width: 95%;  
353     height: 90%;  
354     display: grid;  
355     grid-template-rows: 1fr 10fr 1fr;  
356     gap: 2vmin;  
357   }
```


```
358  
359   .tips .content .cont {  
360     display: flex;  
361     flex-wrap: wrap;  
362     justify-content: space-evenly;  
363     align-items: center;  
364   }
```

```
365 }  
366  
.tip Determines the block-progression dimension of the text content area of an inline box.  
(Edge 12, Firefox 1, Safari 1, Chrome 1, IE 4, Opera 7)  
Syntax: normal | <number> | <length> | <percentage>
```

MDN Reference

```
372   line-height: 4vmin;  
373   font-size: 3vmin;  
374   background-color: ■rgb(255, 252, 241);  
375   padding: 20px;  
376   display: flex;  
377   flex-direction: column;  
378   justify-content: center;  
379   align-items: center;  
380 }
```

```
381  
382  
383  
384   .tips .content .cont .itm {  
385     border-radius: 10px 50px 10px 10px;  
386     box-shadow: 1px 1px 5px □#00000070;  
387  
388 }
```



EXPLORER ... # style.css X

CAD

pycache _site .jekyll-cache .vscode jekyll-site static

css

style.css images

templates index.html venv app.py README.md

307 static > css > # style.css > ↗*

308 309 310 .blog .content .three { background-image: url("/static/images/singapore.jpg"); grid-area: img2; } 314

315 .blog .content .four { background-image: url("/static/images/creditcard.jpg"); grid-area: img3; } 319

320 .blog .content .five { grid-area: more; display: flex; justify-content: center; align-items: center; } 326

327 .blog .content .five button { font-size: 3vmin; padding: 2vmin; border-radius: 50px; border: none; outline: none; background-color: #rgba(203, 195, 195, 0.664); } 334

335

336 .blog .content .five button:hover { background-color: #rgba(255, 166, 0, 0.282); } 338


339

340 /* travel tips section */ 341

342 .tips { width: 100vw; height: 100vh; background-color: #rgba(220, 179, 128, 0.162); display: flex;

TIMELINE TRUNK CHECK OUTLINE TRUNK HELP & FEEDBACK

Ln 18, Col 40 Spaces: 4 UTF-8 CRLF CSS Go Live Blackbox Trunk: Initializing



style.css X

static > css > # style.css > ⚒ *

```
351   .tips .content {  
352     width: 95%;  
353     height: 90%;  
354     display: grid;  
355     grid-template-rows: 1fr 10fr 1fr;  
356     gap: 2vmin;  
357   }
```

```
358  
359   .tips .content .cont {  
360     display: flex;  
361     flex-wrap: wrap;  
362     justify-content: space-evenly;  
363     align-items: center;  
364   }
```

```
365 }  
366  
.tip Determines the block-progression dimension of the text content area of an inline box.  
(Edge 12, Firefox 1, Safari 1, Chrome 1, IE 4, Opera 7)
```

Syntax: normal | <number> | <length> | <percentage>
[MDN Reference](#)

```
372   line-height: 4vmin;  
373   font-size: 3vmin;  
374   background-color: ■rgb(255, 252, 241);  
375   padding: 20px;  
376   display: flex;  
377   flex-direction: column;  
378   justify-content: center;  
379   align-items: center;  
380 }
```

```
381  
382  
383  
384   .tips .content .cont .itm {  
385     border-radius: 10px 50px 10px 10px;  
386     box-shadow: 1px 1px 5px □#00000070;  
387  
388 }
```



EXPLORER ... # style.css X

static > css > # style.css > ⚙ *

```
500 .dest .content .img3 {
501   grid-area: img3;
502   background-color: grey;
503   background-image: url("/static/images/japan.jpeg");
504   background-repeat: no-repeat;
505   background-size: cover;
506   background-position: center;
507 }
508 }
509 }

510 .dest .content .img4 {
511   grid-area: img4;
512   background-color: grey;
513   background-image: url("/static/images/morocco.jpeg");
514   background-repeat: no-repeat;
515   background-size: cover;
516   background-position: center;
517 }
518 }
519 }
520 }

521 .dest .content .img5 {
522   grid-area: img5;
523   background-color: grey;
524   background-image: url("/static/images/africa.jpeg");
525   background-repeat: no-repeat;
526   background-size: cover;
527   background-position: center;
528 }
529 }

530 .dest .content .img6 {
531   grid-area: img6;
532   background-color: grey;
533   background-image: url("/static/images/cuba.jpeg");
534   background-repeat: no-repeat;
535   background-size: cover;
536   background-position: center;
537 }
538 }
```

TIMELINE TRUNK CHECK OUTLINE TRUNK HELP & FEEDBACK

EXPLORER ... # style.css X

CAD

pycache _site .jekyll-cache .vscode jekyll-site static

css

style.css images

templates index.html venv app.py README.md

463
464 }
465
466 .dest .content .img1 {
467 grid-area: img1;
468 background-color: grey;
469 background-image: url("/static/images/indonesia.jpeg");
470 background-repeat: no-repeat;
471 background-size: cover;
472 background-position: center;
473
474 position: relative;
475 }
476
477 .dest .content .item {
478 position: relative;
479 }
480
481
482 .dest .content .item .para {
483 font-size: 3vmin;
484 letter-spacing: 2px;
485 position: absolute;
486 bottom: 2%;
487 background-color: black;
488 color: white;
489 }
490
491 .dest .content .img2 {
492 grid-area: img2;
493 background-color: grey;
494 background-image: url("/static/images/greece.jpeg");
495 background-repeat: no-repeat;
496 background-size: cover;
497 background-position: center;
498 }
499
500 .dest .content .img3 {
501 grid-area: img3;
502 background-color: grey;

TIMELINE TRUNK CHECK OUTLINE TRUNK HELP & FEEDBACK

Ln 18, Col 40 Spaces: 4 UTF-8 CRLF CSS Go Live Blackbox Trunk: Initializing

File Edit Selection View Go Run Terminal Help 🔍 CAD

EXPLORER ... # style.css X

CAD

- > _pycache_
- > _site
- > .jekyll-cache
- > .vscode
- > jekyll-site
- static
- css
- # style.css
- images
- templates
- index.html
- venv
- app.py
- README.md

static > css > # style.css > *
626 width: 100vw;
627 height: 20vh;
628 background-color: #rgba(240, 177, 19, 0.523);
629 border-radius: 20px 40px 0 0;
630
631 display: flex;
632 justify-content: center;
633 align-items: center;
634 font-size: 3vmin;
635 }
636
637 .foot span {
638 color: brown;
639 }
640
641 /* share button */
642
643 .share-container {
644 position: fixed;
645 bottom: 5%;
646 right: 10px;
647 transform: translateY(-50%);
648 z-index: 999;
649 }
650
651 .share-link {
652 display: block;
653 }
654
655 .share-link img {
656 width: 50px;
657 height: auto;
658 }
659
660
661 /* responsive */
662 /* ----- */
663 @media screen and (max-width: 800px) {
664 }

TIMELINE

TRUNK CHECK

OUTLINE

TRUNK HELP & FEEDBACK

Ln 18, Col 40 Spaces: 4 UTF-8 CRLF CSS Go Live Blackbox Trunk: Initializing

```
static > css > # style.css > 📁*
```

```
705  
706 @media screen and (max-width: 450px) {  
707  
708     .home {  
709         height: 90vh;  
710         width: 100vw;  
711         background-image: url("/static/images/mobile-view.jpg");  
712         background-repeat: no-repeat;  
713         background-size: cover;  
714         background-position: center;  
715     }  
716  
717     header nav ul li {  
718         display: none;  
719     }  
720  
721     header nav ul {  
722         width: 0;  
723     }  
724  
725  
726     header nav .logo {  
727         width: 100%;  
728         justify-content: center;  
729     }  
730  
731     header nav .menu-btn {  
732         width: 5vmin;  
733     }  
734 }
```

File Edit Selection View Go Run Terminal Help 🔍 CAD

EXPLORER ... # style.css X

CAD

- > _pycache_
- > _site
- > .jekyll-cache
- > .vscode
- > jekyll-site
- static
- css
- # style.css
- images
- templates
- index.html
- venv
- app.py
- README.md

static > css > # style.css > *
626 width: 100vw;
627 height: 20vh;
628 background-color: #rgba(240, 177, 19, 0.523);
629 border-radius: 20px 40px 0 0;
630
631 display: flex;
632 justify-content: center;
633 align-items: center;
634 font-size: 3vmin;
635 }
636
637 .foot span {
638 color: brown;
639 }
640
641 /* share button */
642
643 .share-container {
644 position: fixed;
645 bottom: 5%;
646 right: 10px;
647 transform: translateY(-50%);
648 z-index: 999;
649 }
650
651 .share-link {
652 display: block;
653 }
654
655 .share-link img {
656 width: 50px;
657 height: auto;
658 }
659
660
661 /* responsive */
662 /* ----- */
663 @media screen and (max-width: 800px) {
664 }


TIMELINE

TRUNK CHECK

OUTLINE

TRUNK HELP & FEEDBACK

Ln 18, Col 40 Spaces: 4 UTF-8 CRLF CSS Go Live Blackbox Trunk: Initializing



```
# style.css x
static > css > # style.css > /* *
662   /* -----
663   @media screen and (max-width: 800px) {
664
665     header nav ul li {
666       display: none;
667     }
668
669     header nav ul {
670       width: 0;
671     }
672
673     header nav .logo {
674       width: 100%;
675       justify-content: center;
676     }
677
678     header nav .menu-btn {
679       width: 5vmin;
680     }
681
682     .about .content {
683
684       flex-direction: column;
685     }
686
687     .about .content .box {
688
689       width: 90%;
690       height: 45%;
691     }
692
693   }
694
695   .tips .content .cont {
696
697     flex-direction: column-reverse;
698   }
699
700   .tips .content .cont .item {
701     width: 90%;
```

PHOTOGRAPHY — TRAVELS

versatile_photography_

Destination to top your travel list.



Indonesia



Greece



Japan



Morocco



Africa



Cuba



Let's connect

Enter your name

Enter your email

Enter your message

Send

Reach me on



@2023 VERSATILE_PHOTOGRAPHY ALL RIGHTS RESERVED



Conclusion:

IBM Cloud offers a robust and versatile platform for businesses and individuals looking to harness the power of cloud computing. Whether you're interested in hosting web applications, running AI and machine learning workloads, or implementing blockchain solutions, IBM Cloud provides a wide range of services and tools to meet your needs. With its focus on security, scalability, and innovation, IBM Cloud is a compelling choice for those seeking a reliable cloud infrastructure to support their digital transformation journey. So, whether you're a developer, a startup, or an enterprise, IBM Cloud is certainly worth considering for your cloud computing needs.