

CUSTOMER SUPPORT TICKET PRIORITY PREDICTION AND AUTOMATED ASSIGNMENT SYSTEM USING AGENTFORCE

**PROJECT DOCUMENTATION
A.R.J COLLEGE OF ENGINEERING AND TECHNOLOGY**

Team ID : SWTID-2026-2134

Team Leader : Mohana .S
Team member : Dhana Sundari. P
Team member : Naveena .M

USER STORY

The Customer Support Ticket Priority Prediction and Automated Assignment System uses Salesforce and Agentforce to analyze customer support ticket descriptions, determine priority as High, Medium, or Low, and trigger backend automation for appropriate support handling. The implementation uses the Support Ticket Intelligence custom object, an Auto-Launched Flow, and an Agentforce subagent named Support Ticket Priority Analysis. High-priority tickets create an urgent handling task and are assigned to a senior support agent.

1. INTRODUCTION

1.1 Project Overview

Customer support teams receive many tickets and may need to manually identify urgent issues, prioritize them, and assign them to an appropriate support level. This project implements a Salesforce-based workflow in which the latest ticket for an Account is retrieved, its description is analyzed using configured conditions, and the resulting priority is returned through Agentforce.

1.2 Purpose

- Automatically classify support tickets as High, Medium, or Low priority.
- Retrieve the latest support ticket associated with a customer Account.
- Reduce manual prioritization and assignment effort.
- Create an urgent handling Task for High-priority tickets.
- Use Agentforce to provide conversational access to the ticket analysis.
- Return ticket ID, priority, assigned agent, and an action message to the conversation.


2. IDEATION PHASE

2.1 Problem Statement

User	I'm trying to	But	Because	Which makes me feel
Support Agent	Focus on critical tickets first	Tickets are not always prioritized automatically	Ticket prioritization can be manual	Frustrated
Customer	Get urgent issues resolved quickly	Critical issues may wait behind lower-priority tickets	Support teams handle large ticket volumes	Concerned
Support Manager	Assign tickets to the right support level	Assignment may require manual decisions	Ticket urgency is not consistently analyzed	Overwhelmed
Support Agent	Identify urgent issues from descriptions	Important keywords can be missed	Descriptions contain different urgency signals	Uncertain
Support Manager	Reduce SLA-related risk	Older unresolved tickets may remain unnoticed	SLA risk needs additional checking	Concerned

2.2 Empathy Map Canvas

- Think & Feel: Wants critical issues identified quickly so urgent customer problems receive attention.
- Hear: Receives customer issue descriptions and support requests.
- See: Ticket status, issue type, description, priority level, assignment, and SLA risk.
- Say & Do: Reviews tickets, handles assigned cases, and focuses on urgent support issues.
- Pain: Manual prioritization, missed urgency signals, and delays in handling critical tickets.
- Gain: Automatic priority classification, clearer assignment, urgent-task creation, and reduced manual effort.



2.3 Brainstorming & Idea Prioritization

- Manual ticket registers
- Spreadsheet-based ticket tracking
- Standalone support portal
- Salesforce CRM with Agentforce


Final Selection: Salesforce CRM with Agentforce.

- Automation through Salesforce Flow
- AI-assisted ticket interaction through Agentforce
- Automatic priority classification
- Automatic urgent-task creation
- Reduced manual support effort

3. REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

Ticket Creation → Account Identification → Ticket Retrieval → Description Analysis → Priority Classification → Agent Assignment → Urgent Task Creation → Support Handling → Resolution



3.2 Solution Requirements

FR No.	Requirement
FR-1	Support ticket creation and management
FR-2	Account and Contact association
FR-3	Ticket description analysis
FR-4	Automatic priority classification
FR-5	High-priority task creation
FR-6	Support agent assignment
FR-7	SLA breach risk field/checking scope
FR-8	Agentforce conversational analysis


3.3 Non-Functional Requirements

NFR	Description
Usability	Clear Agentforce interaction and understandable priority messages.
Reliability	Consistent priority classification based on configured conditions.
Performance	Quick retrieval and analysis of the latest support ticket.
Security	Controlled Salesforce access to customer and ticket information.
Maintainability	Flow and Agentforce configuration can be updated.
Scalability	Salesforce automation can support increasing ticket volumes.

3.4 Data Flow Diagram

Customer / Support Request → Account → Latest Support Ticket → Ticket Description → Analyze Description → Priority Level → High/Medium/Low Decision → Agent Assignment → High-Priority Task (if applicable) → Final Response.

Agentforce flow: User provides Account Name → Support Ticket Priority Analysis → Auto-Launched Flow → Ticket Analysis → Priority and Assignment Output → Response to User.



3.5 Technology Stack

Layer	Technology / Component
Platform	Salesforce
Database	Support_Ticket_Intelligence__c with Account, Contact, User and Task relationships
Logic	Auto-Launched Flow
AI Agent	Agentforce
Agent Configuration	Support Ticket Priority Analysis subagent
Automation	Flow Decision, Assignment and Create Records
Output	Agentforce conversational response

4. PROJECT DESIGN PHASE

4.1 Problem–Solution Fit


Problem	Solution	Benefit
Manual ticket prioritization	Flow analyzes the ticket description and sets priority.	Faster identification of urgent cases.
Urgent issues may be missed	High-priority keyword decision.	Critical cases receive attention.
Manual task creation	Flow creates a Task for High priority.	Reduced manual effort.
Manual support assignment	Flow sets the assigned support level.	More consistent handling.
SLA risk can be overlooked	SLA Breach Risk field is available for risk awareness.	Better risk awareness.
Need for conversational access	Agentforce subagent.	AI-assisted interaction.

4.2 Proposed Solution

Parameter	Description
Problem	Manual ticket prioritization and assignment can delay critical customer support handling.
Solution	Salesforce-based Customer Support Ticket Priority Prediction and Automated Assignment System.
Innovation	Agentforce + Auto-Launched Flow for ticket description analysis, priority classification, assignment and urgent-task automation.
Impact	Faster identification of critical tickets, reduced manual effort, and improved support response handling.
Business Model	Customer support operations involving customers, support agents, support managers, and AI-assisted ticket handling.
Scalability	Scope for additional priority indicators, SLA monitoring, assignment rules and analytics.

4.3 Solution Architecture

Users / Support Team → Agentforce → Support Ticket Priority Analysis → Auto-Launched Flow → Account & Ticket Data → Description Analysis → Priority Decision → Task / Assignment → Final Message → Agentforce Response



5. PROJECT PLANNING & SCHEDULING

5.1 Project Planning

- Agile methodology
- Epics → Stories → Story Points
- Sprint-based execution

- Velocity-based estimation

Sprint	Functional Requirement / Epic	User Story / Task	Points	Priority	Members
Sprint-1	Salesforce Setup	Configure the Salesforce environment and prepare the Support Ticket Intelligence application.	3	High	Naveena.M
Sprint-2	Data Modeling	Create Support Ticket Intelligence object, fields and Account/Contact relationships.	8	High	Mohana.S
Sprint-3	Automation	Build Auto-Launched Flow to retrieve latest ticket and analyze description.	10	High	Mohana.S
Sprint-4	Agentforce	Create Support Ticket Priority Analysis subagent and configure its scope/instructions.	8	High	Naveena.M
Sprint-5	Task & Assignment	Create urgent Task for High priority and assign Senior Support Agent.	5	High	Dhana Sundari .P
Sprint-6	Conversation & Testing	Configure Flow-based Agentforce action, outputs and test with Account Name.	5	Medium	Dhana Sundari .P



6. PROJECT DEVELOPMENT PHASE

This section is rewritten from the actual screenshots. The screenshots in the uploaded PDF were shuffled, so the following sequence is the logical build order.

6.1 Milestone 1 – Create and Configure the Support Ticket Intelligence Object

Object Label: Support Ticket Intelligence

API Name: Support_Ticket_Intelligence__c



6.1.1 Open Object Manager

1. Open Salesforce Setup.
2. Open Object Manager.
3. Search for Support Ticket Intelligence.
4. Open the Support Ticket Intelligence custom object.
5. Open Fields & Relationships to configure the fields.

The screenshot shows the Salesforce Setup interface in Developer Edition. The user is in the 'Object Manager' section, specifically in the 'Fields & Relationships' tab for the 'Support Ticket Intelligence' object. The left sidebar shows a navigation menu with options like Details, Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Restriction Rules, Scoping Rules, Object Access, Field Access, Triggers, Flow Triggers, Validation Rules, and Conditional Field Formatting. The main content area displays a table of fields and their relationships. The table has columns for FIELD LABEL, FIELD NAME, DATA TYPE, and CONTROLLING FIELD. The fields listed are: Assigned To (Lookup(User)), Contact (Lookup(Contact)), Created By (Lookup(User)), Created Date (Date), Customer (Lookup(Account)), Description (Long Text Area(32768)), Issue Type (Picklist), Last Modified By (Lookup(User)), Owner (Lookup(User Group)), Priority Level (Picklist), Resolution Time (Number(18, 0)), SLA Breach Risk (Checkbox), and Status (Picklist). A 'Quick Find' search bar and 'New' and 'Delete' buttons are at the top right of the table. A user profile card for Mohana S. Naveena M. is visible on the right side of the screen.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD
Assigned To	Assigned_To__c	Lookup(User)	
Contact	Contact__c	Lookup(Contact)	
Created By	CreatedById	Lookup(User)	
Created Date	Created_Date__c	Date	
Customer	Customer__c	Lookup(Account)	✓
Description	Description__c	Long Text Area(32768)	
Issue Type	Issue_Type__c	Picklist	
Last Modified By	LastModifiedById	Lookup(User)	
Owner	OwnerId	Lookup(User Group)	✓
Priority Level	Priority_Level__c	Picklist	
Resolution Time	Resolution_Time__c	Number(18, 0)	
SLA Breach Risk	SLA_Breach_Risk__c	Checkbox	
Status	Status__c	Picklist	

6.1.2 Configure the Ticket Number Field

- Open Fields & Relationships.
- Open or create the Ticket Number field.
- Select Auto Number as the data type.
- Use the display format TKT-{0000}.
- Save the field.

The screenshot shows the 'Custom Field Definition Detail' page for the 'Ticket Number' field in the 'Support Ticket Intelligence' object. The page has tabs for 'Field Information', 'Set Field-Level Security', 'View Field Accessibility', and 'Where is this used?'. The 'Field Information' tab is active, showing details about the field: Field Label (Ticket Number), Field Name (Ticket_Number__c), API Name (Ticket_Number__c), Description (TKT-{0000}), Help Text, Data Owner, Field Usage, Data Sensitivity Level, and Compliance Categorization. The 'General Options' section shows the 'External ID' checkbox is unchecked. The 'Auto Number Options' section shows the 'Display Format' is set to 'TKT-{0000}'. The page also displays the user who created the field (Mohana S. Naveena M. Dhanasundari P.) and the date and time (10/1/2026, 1:23 AM). A user profile card for Mohana S. Naveena M. is visible on the right side of the screen.

6.1.3 Configure the Customer Field

11. Create a new field using Lookup Relationship.
12. Select Account as the related object.
13. Set the field label to Customer.
14. Save the field.

The screenshot displays the Salesforce Developer Edition interface. The browser address bar shows the URL: `orgfarm-28f7d45ce5-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/01ak0000FDXg1/FieldsAndRelationships/00Nak00005DuA4H/view`. The page title is "Support Ticket Intelligence". The left sidebar contains a navigation menu with options like "Details", "Fields & Relationships", "Page Layouts", "Lightning Record Pages", "Buttons, Links, and Actions", "Compact Layouts", "Field Sets", "Object Limits", "Record Types", "Related Lookup Filters", "Restriction Rules", "Scoping Rules", "Object Access", "Field Access", "Triggers", "Flow Triggers", "Validation Rules", and "Conditional Field Formatting". The "Fields & Relationships" section is active, showing the "Custom Field Definition Detail" for the "Customer" field. The field information includes: Field Label: Customer, Field Name: Customer, API Name: Customer__c, Description: Related Account, Help Text, Data Owner, Field Usage, Date Sensitivity Level, and Compliance Configuration. The field is created by Mohana S. Naveena M. Dhanasundari P. on 10/1/2026, 1:27 AM. The field is a Lookup relationship to the Account object. The lookup options show the related object as Account, the relationship name as Support Ticket Intelligences, and the child relationship name as Support_Ticket_Intelligences. The field is required, and the lookup filter is set to "No lookup filters defined". The validation rules section shows "No validation rules defined".

6.1.4 Configure the Contact Field


15. Create a new Lookup Relationship field.
16. Select Contact as the related object.
17. Set the field label to Contact.
18. Save the field.

The screenshot shows the Salesforce Setup interface for a Custom Field Definition Detail. The field is named 'Contact' and is of type 'Lookup'. The field label is 'Contact', the API name is 'Contact__c', and the description is 'Customer contact'. The field is associated with the 'Support Ticket Intelligence' object. The field is created by Mohana S. Naveena M. Dhanasundari P. on 10/1/2026 at 1:31 AM. The field is modified by the same user on 10/1/2026 at 1:31 AM. The field is associated with the 'Support Ticket Intelligence' object. The field is associated with the 'Support Ticket Intelligence' object. The field is associated with the 'Support Ticket Intelligence' object.

6.1.5 Configure the Issue Type Field


19. Create a Picklist field.
20. Set the field label to Issue Type.
21. Add the values Technical, Billing and General.
22. Save the field.

The screenshot shows the Salesforce Setup interface for a Custom Field Definition Detail. The field is named 'Issue Type' and is of type 'Picklist'. The field label is 'Issue Type', the API name is 'Issue_Type__c', and the description is 'Technical, Billing, General'. The field is associated with the 'Support Ticket Intelligence' object. The field is created by Mohana S. Naveena M. Dhanasundari P. on 10/1/2026 at 1:31 AM. The field is modified by the same user on 10/2/2026 at 5:49 AM. The field is associated with the 'Support Ticket Intelligence' object. The field is associated with the 'Support Ticket Intelligence' object. The field is associated with the 'Support Ticket Intelligence' object.



6.1.6 Configure the Description Field



23. Create a Long Text Area field.
24. Set the field label to Description.
25. Use it to store the customer's issue details.
26. Save the field.



6.1.7 Configure the Priority Level Field

27. Create a Picklist field.

- 28. Set the field label to Priority Level.
- 29. Add Low, Medium and High as the values.
- 30. Save the field.



6.1.8 Configure the Status Field

- 31. Create a Picklist field.
- 32. Set the field label to Status.

33. Add New, In Progress and Resolved.

34. Save the field.

The screenshot shows the Salesforce Setup interface for configuring a custom field named 'Status' for the 'Support Ticket Intelligence' object. The 'Fields & Relationships' tab is selected. The 'Custom Field Definition Detail' section shows the following information:

Field Information	Field Label	Field Name	API Name	Description	Help Text	Data Owner	Field Usage	Data Sensitivity Level	Compliance Categorization	Created By	Modified By
	Status	Status	Status__c							Mohana S. Naveena M. Dhanasundari P.	10/1/2026, 1:42 AM

The 'General Options' section shows the field is not required and has a default value of 'In Progress'. The 'Picklist Options' section shows the field is restricted to the values defined in the value set, with a controlling field of 'None'. The 'Picklist Values Used' section shows the field is active and inactive picklist values, with a maximum of 3 (1,000 max).

The 'Field Dependencies' section shows no dependencies defined. The 'Validation Rules' section shows no validation rules defined.

6.1.9 Configure the Created Date Field

35. Create/configure the ticket date field as Date.

36. Set the field label to Created Date.

37. Save the field.

The screenshot shows the Salesforce Setup interface for configuring a custom field named 'Created Date' for the 'Support Ticket Intelligence' object. The 'Fields & Relationships' tab is selected. The 'Custom Field Definition Detail' section shows the following information:

Field Information	Field Label	Field Name	API Name	Description	Help Text	Data Owner	Field Usage	Data Sensitivity Level	Compliance Categorization	Created By	Modified By
	Created Date	Created Date	Created_Date__c							Mohana S. Naveena M. Dhanasundari P.	10/1/2026, 1:43 AM

The 'General Options' section shows the field is not required and has a default value of 'None'. The 'Validation Rules' section shows no validation rules defined.

6.1.10 Configure the Assigned To Field

38. Create a Lookup Relationship field.
39. Select User as the related object.
40. Set the field label to Assigned To.
41. Save the field.

The screenshot displays the Salesforce Developer Edition interface. The browser address bar shows the URL: `orgfarm-28f7d45ce5-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/01ak0000FDXg1/FieldsAndRelationships/00Nak00005DuVnu/view`. The page title is "Support Ticket Intelligence". The left sidebar contains a navigation menu with options like "Details", "Fields & Relationships", "Page Layouts", "Lightning Record Pages", "Buttons, Links, and Actions", "Compact Layouts", "Field Sets", "Object Limits", "Record Types", "Related Lookup Filters", "Restriction Rules", "Scoping Rules", "Object Access", "Field Access", "Triggers", "Flow Triggers", "Validation Rules", and "Conditional Field Formatting". The main content area is titled "Support Ticket Intelligence Custom Field" and "Assigned To". It includes a "Custom Field Definition Detail" section with fields for "Field Label" (Assigned To), "Field Name" (Assigned_To), "API Name" (Assigned_To_c), "Description" (Support agent), "Help Text", "Data Owner", "Field Usage", "Data Sensitivity Level", and "Compliance Configuration". The "Field Information" section shows the "Object Name" as "Support Ticket Intelligence" and the "Data Type" as "Lookup". The "Lookup Options" section shows the "Related To" as "User" and the "Child Relationship Name" as "Support_Ticket_Intelligences". The "Lookup Filter" section shows "No lookup filters defined". The "Validation Rules" section shows "No validation rules defined". A user profile card for "Mohana S. Naveena M. Dhanaundari P." is visible on the right side of the page.

6.1.11 Configure the SLA Breach Risk Field


42. Create a Checkbox field.
43. Set the field label to SLA Breach Risk.
44. Use it as a risk flag for support-ticket monitoring.
45. Save the field.

The screenshot shows the Salesforce Setup interface in the 'Object Manager' section for 'Support Ticket Intelligence'. The 'Fields & Relationships' tab is selected, showing the 'Custom Field Definition Detail' for the 'SLA Breach Risk' field. The field is a checkbox type. The 'Field Information' section shows the field label as 'SLA Breach Risk', field name as 'SLA_Breach_Risk', API name as 'SLA_Breach_Risk__c', and description as 'Risk flag'. The 'General Options' section shows the field is not required, unique, or an external ID. The 'Field Dependencies' and 'Validation Rules' sections are empty.

6.1.12 Configure the Resolution Time Field

46. Create a Number field.
47. Set the field label to Resolution Time (hrs).
48. Use it to store time taken for resolution.
49. Save the field.

The screenshot shows the Salesforce Setup interface in the 'Object Manager' section for 'Support Ticket Intelligence'. The 'Fields & Relationships' tab is selected, showing the 'Custom Field Definition Detail' for the 'Resolution Time' field. The field is a number type. The 'Field Information' section shows the field label as 'Resolution Time', field name as 'Resolution_Time', API name as 'Resolution_Time__c', and description as 'Resolution Time'. The 'General Options' section shows the field is not required, unique, or an external ID. The 'Number Options' section shows the field length as 18 and decimal places as 0. The 'Field Dependencies' and 'Validation Rules' sections are empty.






6.1.13 Verify the Object

50. Return to the object Details page.
51. Verify the API name Support_Ticket_Intelligence__c.
52. Verify the object is deployed/available in the Salesforce org.
53. Verify Fields & Relationships contains the required fields.

6.2 Milestone 2 – Create and Verify a Support Ticket Record

54. Open the Support Ticket Intelligence application/object.
55. Open the ticket record used for testing.
56. Verify the Ticket Number is generated in the TKT-xxxx format.
57. Verify Customer, Contact, Issue Type and Description values.
58. Verify Status and the remaining ticket fields.
59. Use this ticket as the record that the Flow will retrieve.





6.3 Milestone 3 – Create the Auto-Launched Flow

Flow type shown in the screenshots: Auto-Launched Flow (No Trigger).

The flow is used as backend automation and is called from the Agentforce action.

6.3.1 Create the Flow

60. Open Setup and search for Flows.
61. Create a new Flow.
62. Select Auto-Launched Flow.
63. Create the flow without a trigger.
64. Open the Flow Builder.

6.3.2 Create Flow Variables

Variable	Type	Purpose
varAccountName	Text	Input Account Name supplied by Agentforce/user.
varAccountId	Text	Stores the Account Id retrieved by Get Account.
varTicketId	Text	Stores the Support Ticket record Id.
varPriorityLevel	Text	Stores High, Medium or Low.
varAssignedTo	Text	Stores the assigned support agent/team value.

varActionMessage	Text	Stores the final response message.
------------------	------	------------------------------------

Toolbox

fx_IsOlderThan2Days

Record (Single) Variables (3)

Account from Get Account

Support Ticket Intelligence from Get Ticket

Task from Create Task

Variables (6)

varAccountId

varAccountName

varActionMessage

varAssignedTo

varPriorityLevel

varTicketId

ELEMENTS

Assignments (9)

Set Assigned Agent

Set Final Message High

Set Final Message Low

Set Final Message Medium

Set High Priority

Set Low Priority

Set Medium Priority

Store Account Id

Store Ticket Id

Create Records (1)

Create Task

Decisions (1)

Analyze Description

Get Records (2)


Get Account

Get Ticket

6.3.3 Step 1 – Get Account


65. Add a Get Records element.
66. Set Label to Get Account.
67. Select Account as the object.
68. Set Account Name Equals {!varAccountName}.

69. Sort by CreatedDate in Descending order.
70. Store only the first record.




6.3.4 Step 2 – Store Account Id

71. Add an Assignment element after Get Account.
72. Set Label to Store Account Id.
73. Set varAccountId = Get Account.Id.
74. Save the assignment.





6.3.5 Step 3 – Get Ticket

75. Add another Get Records element.
76. Set Label to Get Ticket.
77. Select Support Ticket Intelligence as the object.
78. Set Customer Equals {!varAccountId}.
79. Sort by CreatedDate in Descending order.
80. Store only the first record.



6.3.6 Step 4 – Store Ticket Id


81. Add an Assignment element.
82. Set Label to Store Ticket Id.
83. Set varTicketId = Get Ticket.Id.
84. Save the assignment.



6.3.7 Step 5 – Analyze Description Decision

The Decision element is labelled Analyze Description.

85. Add a Decision element after Store Ticket Id.
86. Set Label to Analyze Description.
87. Create an outcome named High Priority.
88. Use CONTAINS conditions against Get Ticket > Description.
89. Configure High Priority keywords: urgent, not working, failure.
90. Create an outcome named Medium Priority.
91. Configure Medium Priority keywords: issue, slow, delay.
92. Use the Default Outcome for Low Priority.



Outcomes

For each path the automation can take, create an outcome. For each outcome, specify the conditions that must be met for the automation to take that path.

OUTCOME ORDER

- High Priority
- Medium Priority
- Low Priority

OUTCOME DETAILS

* Outcome Label: High Priority

* Outcome API Name: High_Priority

Condition Requirements to Execute Outcome: Any Condition Is Met (OR)

* Resource: ...om Get Ticket > Description Operator: Contains Value: urgent


OR * Resource: ...om Get Ticket > Description Operator: Contains Value: not working

OR * Resource: ...om Get Ticket > Description Operator: Contains Value: failure

+ Add Condition


6.3.8 Step 6 – Set High Priority

93. Under the High Priority path, add an Assignment.
94. Set Label to Set High Priority.
95. Set varPriorityLevel = High.
96. Save the assignment.




6.3.9 Step 7 – Set Medium Priority

97. Under the Medium Priority path, add an Assignment.
98. Set Label to Set Medium Priority.
99. Set varPriorityLevel = Medium.
100. Save the assignment.




6.3.10 Step 8 – Set Low Priority

101. Under the Low Priority path, add an Assignment.
102. Set Label to Set Low Priority.
103. Set `varPriorityLevel` = Low.
104. Save the assignment.




6.3.11 Step 9 – Create Task for High Priority

105. Continue the High Priority path.
106. Add a Create Records element.
107. Set Label to Create Task.
108. Select Task as the object.
109. Set Priority = High.
110. Set Status = Not Started.
111. Set Subject = Urgent Ticket Handling.
112. Set WhatId to the Support Ticket record represented by varTicketId.
113. Save the Create Records element.




6.3.12 Step 10 – Assign Senior Support Agent

114. After Create Task, add an Assignment.
115. Set Label to Set Assigned Agent.
116. Set varAssignedTo = Senior Support Agent.
117. Save the assignment.




6.3.13 Step 11 – Set Final Message for High Priority

118. Add an Assignment after Set Assigned Agent.
119. Set Label to Set Final Message High.
120. Set varActionMessage to the High-priority response message.
121. The screenshot shows the message beginning with 'High priority ticket detected. Assigned...'
122. Save the assignment.




6.3.14 Step 12 – Set Final Message for Medium Priority

123. Under the Medium Priority path, add an Assignment.
124. Set Label to Set Final Message Medium.
125. Set varActionMessage to the Medium-priority response.
126. Save the assignment.




6.3.15 Step 13 – Set Final Message for Low Priority


127. Under the Low Priority path, add an Assignment.
128. Set Label to Set Final Message Low.
129. Set varActionMessage to the Low-priority response.
130. Save the assignment.



6.3.16 Step 14 – Connect the Paths to End

131. Connect the High Priority path to End after the final message.
132. Connect the Medium Priority path to End after its final message.
133. Connect the Low Priority path to End after its final message.
134. Review the entire flow for missing connections.





6.3.17 Step 15 – Save and Activate

135. Save the Flow.
136. Review the Flow Builder for errors.
137. Activate the Flow so Agentforce can call it.
138. Verify that the Flow is active before configuring the Agentforce action.

6.4 Milestone 4 – Configure Agentforce

SETUP > AGENTFORCE STUDIO
Agentforce Agents

Try the new Agentforce Builder!
The new Agentforce Builder is our AI-first experience for building, testing, and deploying enterprise-grade agents in Agent Script for more consistent behavior.


[Let's Go](#)

Agent Name	Type	Description	Created By	Active	Last Modified
Agentforce (Default)	Employee	An AI assistant for in-org business tasks.	Mohana.S., Naveena.M., Dhanasundari.P	✓	Oct 02, 2026

User Profile: Mohana.S., Naveena.M., Dhanasundari.P
orgfarm-28f7d45ce5-dev-ed.develop.my.salesforce.com
[Settings](#) [Log Out](#)

DISPLAY DENSITY: ☒ Comfy, ☐ Compact

OPTIONS: [Switch to Salesforce Classic](#), [Add Username](#)




6.4.1 Enable Agentforce

139. Open Salesforce Setup.
140. Search for Agentforce/Agents.
141. Open Agentforce Default.
142. Use Get Started and turn on the required Agentforce features.
143. Open the Default Agent and select Open in Builder.

6.4.2 Create the Support Ticket Priority Analysis Subagent

144. In Agentforce Builder, select New to create a subagent.
145. Select the appropriate creation option and continue.
146. Set the Name to Support Ticket Priority Analysis.
147. Use the API name shown in the Agentforce configuration.
148. Set the classification description to explain that the subagent analyzes ticket descriptions and urgency.
149. Set the scope so the subagent only handles support-ticket analysis, priority determination and backend automation.
150. Exclude unrelated requests such as billing, subscription management and account updates.



← Subagent Details

Subagent Configuration
This Subagent's Actions

You're customizing

Support Ticket Priority Analysis

* Name

Support Ticket Priority Analysis

* API Name

Support_Ticket_Priority_Analysis_16jak00003Mm5t

* Classification Description ⓘ

This topic analyzes customer support tickets to determine priority based on issue description and urgency. It handles user requests related to ticket status, issue severity, and support prioritization.

* Scope ⓘ

Your job is only to analyze support ticket descriptions, determine the priority level (High, Medium, Low), and trigger backend automation for task assignment. Do not handle unrelated requests such as billing, subscription management, or account updates.

Instructions ⓘ

The following instructions are used to run this subagent.


* Instruction ⓘ

Set the priority level accordingly.
If the ticket is High Priority:
Trigger the Auto-Launched Flow
Ensure a task is created for immediate handling

6.4.3 Configure Agentforce Instructions


151. Ask the user for Account Name if it has not been provided.
152. Retrieve the latest support ticket associated with the Account.
153. Read and analyze the ticket Description.

154. High Priority: description contains urgent, not working or failure.
155. Medium Priority: description contains issue, slow or delay.
156. Low Priority: none of the High/Medium keywords are present.
157. Set the priority accordingly.
158. For High Priority, trigger the Auto-Launched Flow and ensure urgent handling is initiated.
159. Assign the ticket to the appropriate support level, such as Senior Support Agent for High priority.
160. Return a clear response message.
161. Do not update records directly or send emails; use the Flow for actions.




6.4.4 Configure the Agentforce Action

162. Open the Actions section for the Support Ticket Priority Analysis subagent.
163. Add the Flow-based action that calls the Auto-Launched Flow.
164. Set the action description to explain that it analyzes the customer support ticket using the Account Name.
165. Configure the Account Name input variable.
166. Make the input required.
167. Enable collecting the input from the user.
168. Configure the Flow output variables to be available in the conversation.



)



6.4.5 Configure Action Input

169. Input variable: varAccountName.
170. Data type: lightning__textType.
171. Description: enter the customer Account Name to fetch and analyze the latest support ticket.
172. Require Input: Enabled.
173. Collect Data From User: Enabled.

6.4.6 Configure Action Outputs

Output	Purpose	Show in Conversation
--------	---------	----------------------

varAccountId	Returns the Account Id used for ticket retrieval.	Enabled
varActionMessage	Displays the final message indicating priority and actions.	Enabled
varAssignedTo	Indicates the assigned support agent/team.	Enabled
varPriorityLevel	Returns High, Medium or Low.	Enabled
varTicketId	Returns the Support Ticket record Id.	Enabled

Data Type

lightning__textType

Filter from agent action ⓘ

☐

Show in conversation ⓘ

☒

Output Rendering

Text

Map to Variable

Search variables... 

3 *varAssignedTo Instructions ⓘ

Indicates the support agent or team assigned to handle the ticket

✓ Advanced Settings

Data Type

lightning__textType

Filter from agent action ⓘ

☐

Show in conversation ⓘ

☒

Output Rendering

Text

Map to Variable

4 *varPriorityLevel Instructions ⓘ
Represents the calculated ticket priority level (High, Medium, Low) based on issue description.

▼ Advanced Settings

Data Type
lightning__textType

Filter from agent action ⓘ
☐

Show in conversation ⓘ
☒

Output Rendering
Text

Map to Variable
Search variables... 🔍

5 *varTicketId Instructions ⓘ
Returns the unique identifier of the support ticket analyzed by the system.

▼ Advanced Settings

Data Type
lightning__textType

Filter from agent action ⓘ
☐

Show in conversation ⓘ
☒

Output Rendering
Text

Map to Variable
Search variables... 🔍

6.5 Milestone 5 – Test the Completed System

The screenshots show a working conversation using the Account Name MOHANA.

174. Open the Support Ticket Intelligence record used for testing.
175. Open the Agentforce panel.
176. Ask Agentforce: 'give me my support ticket data'.
177. Agentforce requests the Account Name.
178. Provide the Account Name: MOHANA.
179. Agentforce retrieves the latest ticket associated with that Account.
180. The ticket description is analyzed.
181. The ticket is classified as High priority in the captured test.
182. The response states that the ticket was assigned to a senior agent.
183. Verify that the Flow output values are returned in the conversation.

Developer Edition

Support Ticket Intelligence

TKT-0002

Related Details

Support Ticket Intelligence Name	TKT-0002	Owner	Mohana S. Naveena M., Dhanasundari P.
Ticket Number	TKT-0001		
Customer	MOHANA		
Contact			
Issue Type	Technical		
Description	Urgent		
Priority Level	High		
Status	New		
Created Date	10/1/2026		
Assigned To	Mohana S. Naveena M., Dhanasundari P.		
SLA Breach Risk			

Activity

Upcoming & Overdue

Hi I'm Agentforce, an AI assistant. I can do things like search your Salesforce data or the internet, edit your Salesforce records, and draft or revise emails and fields. Ask me "What else can you do?" to see how I can help simplify your work day.

hi

Hello! How can I assist you today?

Describe your task or ask a question...

Agentforce is AI and can make mistakes.

Developer Edition

Support Ticket Intelligence

TKT-0002

Related Details

Support Ticket Intelligence Name	TKT-0002	Owner	Mohana S. Naveena M., Dhanasundari P.
Ticket Number	TKT-0001		
Customer	MOHANA		
Contact			
Issue Type	Technical		
Description	Urgent		
Priority Level	High		
Status	New		
Created Date	10/1/2026		
Assigned To	Mohana S. Naveena M., Dhanasundari P.		
SLA Breach Risk			

Activity

Upcoming & Overdue

Hi I'm Agentforce, an AI assistant. I can do things like search your Salesforce data or the internet, edit your Salesforce records, and draft or revise emails and fields. Ask me "What else can you do?" to see how I can help simplify your work day.

hi

Hello! How can I assist you today?

give me my support ticket data

Could you please provide the Account Name associated with your support ticket? This will help me retrieve and analyze the latest ticket for you.

Describe your task or ask a question...

Agentforce is AI and can make mistakes.

nm - supriSalesforceCustomerLightningFlows | SalTKT-0002AgentforcAgentforSupport TAsk Gemini

orgfarm-28f7d45ce5-dev-ed.develop.lightning.force.com/lightning/r/Support_Ticket_Intelligence__c/a03ak00002Eo2LhAAJ/view

Developer Edition

Developer EditionWelcome

Support Ticket IntelligenceTKT-0002

RelatedDetails

Support Ticket Intelligence Name	Owner
TKT-0002	Mohana.S., Naveena.M., Dhanasundari.P.
Ticket Number	
TKT-0001	
Customer	
MOHANA	
Contact	
Issue Type	
Technical	
Description	
Urgent	
Priority Level	
High	
Status	
New	
Created Date	
10/1/2026	
Assigned To	
Mohana.S., Naveena.M., Dhanasundari.P.	
SLA Breach Risk	

Activity

Upcoming & Overdue

Urgent

You have

Urgent

You have

To change what

Agentforce (Default)

Hello! How can I assist you today?

give me my support ticket data


Could you please provide the Account Name associated with your support ticket? This will help me retrieve and analyze the latest ticket for you.

MOHANA

The latest support ticket for MOHANA has been analyzed and prioritized. Let me know if you need further assistance.
001ak00003o5sT6AAK
High priority ticket detected. Assigned to senior agent.
Senior Support Agent
true
a03ak00002Eo2LhAAJ

Describe your task or ask a question...

Agentforce is AI and can make mistakes.



6.5.1 Test Result

Test Item	Expected Result	Captured Result
Account input	Agentforce asks for Account Name when missing.	Agentforce requested the Account Name.
Account value	User supplies Account Name.	MOHANA supplied.
Latest ticket retrieval	Flow retrieves the latest ticket for the Account.	Latest support ticket was analyzed.
Priority classification	High/Medium/Low based on configured description conditions.	High priority was returned in the captured test.
Assignment	High priority is assigned to senior support level.	Senior Support Agent was returned.
Action message	Clear final response is displayed.	High-priority handling message was displayed.

7. FUNCTIONAL & PERFORMANCE TESTING

Testing was performed using the completed Salesforce configuration and Agentforce conversation. The captured screenshots validate object configuration, Flow elements, Agentforce action configuration, ticket retrieval and the final High-priority response.

- Support Ticket Intelligence object and fields were verified.
- Account and Contact relationships were configured.
- Auto-Launched Flow elements were verified.
- Description-based High/Medium/Low decision logic was verified.
- High-priority Task creation was configured.
- Senior Support Agent assignment was configured.
- Agentforce subagent and Flow action were configured.
- The conversation test successfully returned a High-priority result for the captured Account.

8. ADVANTAGES & DISADVANTAGES

Advantages

- Automatic Ticket Prioritization – Classifies support tickets as High, Medium, or Low based on configured description conditions.
- Faster Identification of Critical Issues – Helps support agents focus on urgent tickets first.
- Reduced Manual Effort – Automates ticket analysis, priority setting, task creation and assignment.
- Intelligent Ticket Handling – Agentforce analyzes ticket details and initiates backend automation.
- Automatic Urgent Task Creation – High-priority tickets create an Urgent Ticket Handling task.
- Improved Support Assignment – High-priority tickets are assigned to the Senior Support Agent value in the Flow.
- Conversational Support – Users can interact with Agentforce to analyze ticket information.
- Better Response Handling – Automation reduces delays caused by manual prioritization.
- SLA Risk Awareness – A dedicated SLA Breach Risk field is present for risk tracking.
- Scalable Support Operations – Salesforce automation can support increasing ticket volumes.

Disadvantages

- Keyword-Based Priority Logic – Current priority classification depends on configured keywords such as urgent, not working, failure, issue, slow and delay.
- Limited Context Understanding – Keyword conditions may not capture every urgency signal.
- Dependence on Accurate Ticket Data – Correct Account, Contact and ticket information is required.
- Flow Configuration Dependency – Changes to ticket handling require Flow maintenance.
- Agentforce Configuration Dependency – Agentforce behavior depends on correct subagent and action configuration.
- Limited Agentforce Scope – The documented subagent focuses on ticket analysis, priority determination and backend automation.
- SLA Monitoring is Limited – The screenshots show the SLA Breach Risk field, but no comprehensive SLA escalation flow is shown.
- Assignment Logic May Need Expansion – More support teams or complex rules would require additional configuration.
- Maintenance Required – Keywords, variables, outputs and assignment logic may need updates.
- Advanced Analytics are not shown in the captured implementation.

9. CONCLUSION

The Customer Support Ticket Priority Prediction and Automated Assignment System demonstrates how Salesforce Flow and Agentforce can work together to reduce manual support-ticket handling. The implemented solution retrieves the latest ticket for an Account, analyzes its description, classifies the priority, creates an urgent Task for High-priority cases, assigns the support level, and returns a clear conversational response. The captured test using MOHANA demonstrates the High-priority outcome and Senior Support Agent assignment.

10. FUTURE SCOPE

- Add more priority indicators and business rules.
- Extend Agentforce outputs with additional ticket information.
- Add sophisticated SLA monitoring and escalation.
- Support additional support teams and assignment rules.
- Introduce analytics for priority trends and resolution performance.
- Add more variables and configure them in the Agentforce action for richer outputs.
- Expand the keyword logic to support more urgency expressions and contextual rules.

11. APPENDIX

A. Custom Object: Support Ticket Intelligence

B. API Name: Support_Ticket_Intelligence__c

C. Key Records: Account, Contact, User, Task

D. Flow: Auto-Launched Flow used for ticket retrieval, analysis, assignment and response

E. Agentforce Subagent: Support Ticket Priority Analysis

F. Agentforce Action: Flow-based support ticket intelligence action

G. Test Account shown in the captured conversation: MOHANA

H. Screenshot ordering note: The original 54 screenshots were shuffled. This document intentionally reorders them by implementation stage: Object → Ticket → Flow → Agentforce → Testing.

Thank You