

① Where we use Arithmetic operators in DevOps?

→ Arithmetic operators are mainly used in shell scripting (Bash), they help to perform calculations in automation scripts, CI/CD pipelines, incrementing build numbers, and controlling loops in DevOps workflows.

for example

① Loop counter → `count=$((count + 1))`
* to increase the counter.

② file or log counting → `files=$(ls | wc -l)`
`echo "Total files: $files"`
* here `wc -l` counts the files
* no arithmetic operator is used in this command. it only counts files.

③ Disk & memory calcⁿ → `used=$((total - free))`
* uses the - arithmetic operator to calculate used memory.

where they are used in DevOps.

- * Counting the num of servers or files.
- * incrementing build num in CI/CD pipelines.
- * Calculating disk space or memory usage.
- * Loop counters in shell scripts.
- * Automating deployment and monitoring tasks.

~~mkd~~ - p home / india / Karnataka / Bengaluru, Shivamogga, Durg
Andhra Pradesh / Vizag, Karnul, Uttar Pradesh / Lucknow, Tamil Nadu
Chennai Coimbatore

CP home / india / Karnataka / Durga home / india / Uttar Pradesh / \$ \$
mv home / india / Andhra Pradesh / Karnul home / india / Tamil Nadu / \$ \$
mv ~~home / india / Tamil Nadu~~ Coimbatore Coimbatore .