

Problem List

Accepted

Editorial

All Submissions

Accepted 76 / 76 testcases passed

Mohanapri... submitted at Jun 30, 2026 21:48

Runtime

1 ms | Beats 68.98%

Memory

42.12 MB | Beats 40.63%



Memory Usage (MB)	Percentage
0	0%
10	65%
20	5%
30	2%
40	1%

Code | Java

1 class Solution {

Submit

Code

Java

Auto

```
1 class Solution {
2     public int commonFactors(int a, int b) {
3         int c=0;
4         for(int i=1;i<=a && i<=b;i++)
5         {
6             if(a%i==0 && b%i==0)
7             {
8                 c++;
9             }
10        }
11        return c;
12    }
13 }
```

Saved

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 Case 2

Input

a =

12

Problem List

Editorial Solutions Accepted

All Submissions

Accepted 204 / 204 testcases passed
Mohanapri... submitted at Jun 30, 2026 21:50

Runtime

0 ms | Beats 100.00%

Memory

42.51 MB | Beats 18.14%

Test Case	Memory Usage
1	100%
2	~5%
3	~5%
4	~5%
5	~5%

Code | Java

1 class Solution {

Submit

Auto

</> Code

Java

```
1 class Solution {
2     public int numberOfSteps(int num) {
3         int count = 0;
4         while (num > 0) {
5             if (num % 2 == 0) {
6                 num /= 2;
7             } else {
8                 num -= 1;
9             }
10            count++;
11        }
12        return count;
13    }
14 }
```

Saved

Testcase Test Result

Accepted Runtime: 0 ms

Case 1 Case 2 Case 3

Input

num =
14

Problem List

Accepted

Editorial

Solution

All Submissions

Accepted

1013 / 1013 testcases passed

Mohanapri... submitted at Jun 30, 2026 21:53

Runtime

1 ms | Beats 99.11%

Memory

42.38 MB | Beats 84.58%

Time (ms)	Percentage (%)
1ms	~100%
2ms	~5%
3ms	~5%
4ms	~5%

Code | Java

```
1 class Solution {  
2     public boolean isUgly(int n) {  
3         for (int i=2; i<6 && n>0; i++)  
4             while (n % i == 0)  
5                 n /= i;  
6         return n == 1;  
7     }  
8 }  
9
```

Submit

Auto

Saved

Testcase | Test Result

Output

true

Expected

true

Contribute a testcase

Problem List

Accepted

Editorial

All Submissions

Accepted 200 / 200 testcases passed

Mohanapri... submitted at Jun 30, 2026 21:55

Runtime

0 ms | Beats 100.00%

Memory

42.20 MB | Beats 55.10%



Test Case	Memory Usage
1	100%
2	~5%
3	~5%
4	~5%
5	~5%

Code | Java

1 class Solution {

Submit

Auto

</> Code

Java

```
1 class Solution {
2     public int numberOfMatches(int n) {
3         int matches = 0;
4         while (n > 1) {
5             matches += n / 2;
6             n = (n + 1) / 2;
7         }
8         return matches;
9     }
10 }
```

Saved

Testcase

Test Result

Accepted Runtime: 0 ms

Case 1

Case 2

Input

n = 7

Problem List

Accepted

Editorial

All Submissions

Accepted 111 / 111 testcases passed

Mohanapri... submitted at Jun 30, 2026 21:56

Runtime

0 ms | Beats 100.00%

Memory

43.40 MB | Beats 58.56%

Category	Value
1ms	100%
2ms	~5%
3ms	~5%
6ms	~5%

Code | Java

1 class Solution {

Code

Java Auto

1 class Solution {
2 public int busyStudent(int[] startTime, int[] endTime, int queryTime) {
3 int cnt=0;
4 for(int i=0;i<startTime.length;i++){
5 if(startTime[i]<=queryTime&&queryTime<=endTime[i]){
6 cnt++;
7 }
8 }
9 return cnt;
10 }
11 }
12
13

Saved

Testcase Test Result

Accepted Runtime: 0 ms

Case 1 Case 2

Input

startTime =
[1,2,3]

Problem List

Submit

Auto

Accepted

84 / 84 testcases passed

Mohanapri... submitted at Jun 30, 2026 22:02

Runtime

0 ms | Beats 100.00%

Memory

42.13 MB | Beats 41.38%



Test Case	Memory Usage
1	100%
2	~10%
3	~10%
4	~10%
5	~10%

Code

Java

```
1 class Solution {
2     public int countOdds(int low, int high) {
3         return (high - low + 1 + low % 2) / 2;
4     }
5 }
```

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Input

low = 3

Problem List

Accepted

All Submissions

Accepted 200 / 200 testcases passed
Mohanapri... submitted at Jun 30, 2026 22:07

Runtime

5 ms | Beats 46.58%

Memory

44.07 MB | Beats 37.66%



5ms 10ms

Code | Java

1 class Solution {

Submit

Code

Java Auto

```
1 class Solution {
2     public String capitalizeTitle(String title) {
3         StringBuilder sb = new StringBuilder();
4         String[] words = title.split(" ");
5
6         for(int i = 0; i < words.length; i++) {
7             String w = words[i].toLowerCase();
8             if (w.length() > 2) {
9                 w = Character.toUpperCase(w.charAt(0)) + w.substring(1);
10            }
11            sb.append(w);
12            if (i < words.length - 1) sb.append(" ");
13        }
14
15        return sb.toString();
16    }
17 }
```

Saved

Testcase Test Result

Accepted Runtime: 2 ms

Case 1

Case 2

Case 3

Input

title =
"capITalIze tHe titLe"

Problem List

Accepted

All Submissions

Accepted 104 / 104 testcases passed

Mohanapriy... submitted at Jul 01, 2026 08:53

Runtime

3 ms | Beats 59.52%

Memory

43.01 MB | Beats 86.80%



17ms 27ms 40ms

Code | Java

1 class Solution {

Code

```
8         continue;
9     }
10    for(int k=0;k<n;k++){
11        if(nums[j]-nums[i]==diff && nums[k]-nums[j]==diff){
12            count++;
13            break;
14        }
15    }
16 }
17 }
18 return count;
19 }
20 }
```

Saved

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1

Case 2

Input

nums =
[0,1,4,6,7,10]

Problem List

Editorial Solutions Accepted x

All Submissions

Accepted 79 / 79 testcases passed
Mohanapriy... submitted at Jul 01, 2026 09:02

Runtime
6 ms | Beats 49.85%

Memory
45.38 MB | Beats 88.04%

Runtime (ms)	Percentage (%)
1	~1
2	~1
3	~1
4	~1
5	~30
6	~18
7	~17
8	~8
9	~10

Code | Java

1 class Solution {

Submit

0

Code

Java Auto

```
1 class Solution {
2     public boolean judgeCircle(String moves) {
3         int x = 0, y = 0;
4
5         for (int i = 0; i < moves.length(); i++) {
6             char c = moves.charAt(i);
7
8             if (c == 'U') y++;
9             if (c == 'D') y--;
10            if (c == 'R') x++;
11            if (c == 'L') x--;
12        }
13
14        return x == 0 && y == 0;
15    }
16 }
```

Saved

Testcase

Test Result

Accepted Runtime: 0 ms

Case 1

Case 2

Input

moves =
"UD"

728. Self Dividing Numbers

Solved

Easy Topics Companies Hint

A **self-dividing number** is a number that is divisible by every digit it contains.

- For example, 128 is a **self-dividing number** because $128 \% 1 == 0$, $128 \% 2 == 0$, and $128 \% 8 == 0$.

A **self-dividing number** is not allowed to contain the digit zero.

Given two integers `left` and `right`, return a list of all the **self-dividing numbers** in the range `[left, right]` (both **inclusive**).

Example 1:

Input: `left = 1, right = 22`

Output: `[1,2,3,4,5,6,7,8,9,11,12,15,22]`

Example 2:

2K 31 6 Online

Code

Java Auto

```
1 class Solution {
2     public List<Integer> selfDividingNumbers(int left, int right) {
3         List<Integer> res = new ArrayList<>();
4         for (int i = left; i <= right; i++) {
5             for (n = i; n > 0; n /= 10)
6                 if (n % 10 == 0 || i % (n % 10) != 0) break;
7             if (n == 0) res.add(i);
8         }
9         return res;
10    }
11 }
12
```

Saved

Testcase Test Result

Accepted Runtime: 0 ms

Case 1 Case 2

Input

left =
1