

← ↻ <https://leetcode.com/problems/design-hashmap/submissions/2058668547/>

Problem List

Submit Ctrl Enter Code

Description Editorial Solutions Accepted Submissions

All Submissions

Accepted 37 / 37 testcases passed

Mohanapriya2212 submitted at Jul 07, 2026 08:31


Analysis Solution

Runtime

327 ms Beats 5.03%

Memory

51.56 MB Beats 69.33%



Code Java

```
1 class MyHashMap {
2     List<Integer> keys;
3     List<Integer> values;
4
5     public MyHashMap() {
6         keys = new ArrayList<>();
7         values = new ArrayList<>();
8     }
9
10    public void put(int key, int value) {
11        if (keys.contains(key))
12            values.set(keys.indexOf(key), value);
13        else {
14            keys.add(key);
15            values.add(value);
16        }
17    }
18
19    public int get(int key) {
20        if (!keys.contains(key))
```

Saved

Testcase Test Result

Accepted Runtime: 0 ms

Case 1

Input

← ↻ <https://leetcode.com/problems/rotate-image/submissions/2058669506/>

🏠 Problem List < > 🔍

🚀 Submit 📄 🌟

📄 Description 📖 Editorial 🧑‍💻 Solutions 🔄 Accepted × 🔄 Submissions

← All Submissions

Accepted 21 / 21 testcases passed

👤 Mohanapriya2212 submitted at Jul 07, 2026 08:33

🔍 Analysis


📝 Solution

⌚ Runtime

0 ms | Beats 100.00% 🌟

💾 Memory

43.80 MB | Beats 34.46%



Code | Java

```
1 class Solution {
2     public void rotate(int[][] matrix) {
3         int n = matrix.length;
4
5         for (int i = 0; i < n; i++) {
6             for (int j = i + 1; j < n; j++) {
7                 int temp = matrix[i][j];
```

</> Code

Java ▾ 🔒 Auto

```
10     }
11 }
12
13     for (int i = 0; i < n; i++) {
14         int l = 0, r = n - 1;
15         while (l < r) {
16             int temp = matrix[i][l];
17             matrix[i][l] = matrix[i][r];
18             matrix[i][r] = temp;
19             l++;
20             r--;
21         }
22     }
23 }
24 }
25
```

Saved

☑ Testcase | >_ Test Result

Accepted Runtime: 0 ms

☑ Case 1

☑ Case 2

Input

← ↻ 🔒 https://leetcode.com/problems/search-a-2d-matrix/submissions/2058670820/

Problem List < > 🔍

Description | Editorial | Solutions | Accepted x | Submissions

← All Submissions

Accepted 133 / 133 testcases passed

Mohanapriya2212 submitted at Jul 07, 2026 08:35

Analysis Solution

Runtime

0 ms | Beats 100.00%

Memory

43.86 MB | Beats 61.96%



Code | Java

```
1 class Solution {
2     public boolean searchMatrix(int[][] matrix, int target) {
3         int row = 0;
4         int col = matrix[0].length - 1;
5
6         while (row < matrix.length && col >= 0) {
7             if (matrix[row][col] == target) {
8                 return true;
9             } else if (matrix[row][col] < target) {
10                row++;
11            } else {
12                col--;
13            }
14        }
15
16        return false;
17    }
18 }
19
```

Java Auto

1 class Solution {
2 public boolean searchMatrix(int[][] matr
3 int row = 0;
4 int col = matrix[0].length - 1;
5
6 while (row < matrix.length && col >=
7 if (matrix[row][col] == target)
8 return true;
9 } else if (matrix[row][col] < ta
10 row++;
11 } else {
12 col--;
13 }
14 }
15
16 return false;
17 }
18 }
19

Saved

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1 Case 2

Input

Problem List

Submit

Code

Settings

Description

Editorial

Solutions

Accepted

Submissions

All Submissions

Accepted 36 / 36 testcases passed

Mohanapriya2212 submitted at Jul 07, 2026 08:37

Analysis

Solution

Runtime

0 ms | Beats 100.00%

Memory

46.95 MB | Beats 11.47%

Time Interval	Percentage
1ms	~75%
2ms	~25%
3ms	~5%
4ms	~5%

Code | Java

```
1 class Solution {
2     public int[][] transpose(int[][] matrix) {
3         int n=matrix.length;
4         int m=matrix[0].length;
5         int[][] ans=new int[m][n];
6         for(int i=0;i<n;i++){
7             for(int j=0;j<m;j++){
```

Code

Java

Auto

```
1 class Solution {
2     public int[][] transpose(int[][] matrix) {
3         int n=matrix.length;
4         int m=matrix[0].length;
5         int[][] ans=new int[m][n];
6         for(int i=0;i<n;i++){
7             for(int j=0;j<m;j++){
8                 ans[j][i]=matrix[i][j];
9             }
10        }
11        return ans;
12    }
13 }
14
15
16
```

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Input

Problem List

Submit

DescriptionAcceptedEditorialSolutionsSubmissions

All Submissions

Accepted18 / 18 testcases passed

Mohanapriya2212 submitted at Jul 07, 2026 08:37

AnalysisSolution

Runtime

0 ms | Beats 100.00%

Memory

46.90 MB | Beats 13.36%

Runtime (ms)	Beats (%)
0	100.00%
1	~1%
2	~1%
3	~1%
4	~1%
5	~1%

Code | Java

```
1 /**
2  * Definition for singly-linked list.
3  * class ListNode {
4  *     int val;
5  *     ListNode next;
6  *     ListNode(int x) {
7  *         val = x;
8  *         next = null;
9  *     }
10 * }
```

Code

JavaAuto

```
16
17
18     while(fast != null && fast.next != null)
19     {
20         slow = slow.next;
21         fast = fast.next.next;
22     }
23     if(slow == fast){
24         slow = head;
25         while(slow != fast){
26             slow = slow.next;
27             fast = fast.next;
28         }
29         return slow;
30     }
31     return null;
}
```

Saved

TestcaseTest Result

AcceptedRuntime: 0 ms

Case 1Case 2Case 3

Input

Problem List

Submit

Description | Editorial | Solutions | Accepted | Submissions

All Submissions

Accepted 208 / 208 testcases passed

Mohanapriya2212 submitted at Jul 07, 2026 08:39

AnalysisSolution

Runtime

1 ms | Beats 2.51%

Memory

43.38 MB | Beats 76.72%

The bar chart displays performance metrics for the submission. The top chart represents runtime, with a scale from 0% to 150%. The submission's runtime is 1 ms, which is significantly faster than most other submissions, placing it in the top 2.51% (Beats 2.51%). The bottom chart represents memory usage, with a scale from 0% to 100%. The submission's memory usage is 43.38 MB, which is better than 76.72% of other submissions (Beats 76.72%).

Code | Java

```
1 /**
2  * Definition for singly-linked list.
3  * public class ListNode {
4  *     int val;
5  *     ListNode next;
6  *     ListNode() {}
7  *     ListNode(int val) { this.val = val;
8  * }
```

Code

Java Auto

```
31
32         if (result == null) {
33             node.next = null;
34             result = node;
35         } else if (result != null) {
36             node.next = result;
37             result = node;
38         }
39     }
40 }
41
42     return result;
43 }
44 }
45
46
```

Saved

Testcase | Test Result

Accepted Runtime: 0 ms

Case 1

Case 2

Case 3

Input

Problem List

Submit

Description

Editorial

Solutions

Accepted

Submissions

All Submissions

Accepted 168 / 168 testcases passed

Mohanapriya2212 submitted at Jul 07, 2026 08:39

Analysis

Solution

Runtime

0 ms | Beats 100.00%

Memory

45.48 MB | Beats 50.69%

Code

Java

```
1 /**
2  * Definition for singly-linked list.
3  * public class ListNode {
4  *     int val;
5  *     ListNode next;
6  *     ListNode() {}
7  *     ListNode(int val) { this.val = val; }
8  *     ListNode(int val, ListNode next) { this.val = val; this.next = next; }
9  * }
10 */
11 class Solution {
12     public ListNode deleteDuplicates(ListNode head) {
13         ListNode res = head;
14
15         while (head != null && head.next != null) {
16             if (head.val == head.next.val) {
17                 head.next = head.next.next;
18             } else {
19                 head = head.next;
20             }
21         }
22
23         return res;
24     }
25 }
```

Testcase

Test Result

Accepted

Runtime: 0 ms

Case 1

Case 2

Input