

Employee Management


1. Objective

To develop a Java program that demonstrates **constructor overloading** by creating employee objects using different constructors and displaying their details.

2. Algorithm

1. Start the program.
2. Create an Employee class with data members such as name, ID, designation, salary, and promotion status.
3. Define a default constructor to initialize default values.
4. Define a constructor with name and id.
5. Define a constructor with name, id, designation, and salary.
6. Define a constructor with all employee details.
7. Define a display() method to print employee details.
8. In the main() method, create four employee objects using the different constructors.
9. Call the display() method for each employee.
10. Stop the program.

3. UML Class Diagram



4. Source Code

```
// Employee class
class Employee{
    // Data members
    String name;
    int id;
    String designation;
    double salary;
    String promotionStatus;
    // Default constructor
    Employee(){
        name = "Unknown";
        id = 0;
        designation = "Unknown";
        salary = 0;
        promotionStatus = "Not Available";
    }
    // Constructor with name and id
    Employee(String name, int id){
        this.name = name;
        this.id = id;
        designation = "Employee";
        salary = 0;
        promotionStatus = "Pending";
    }
    // Constructor with name, id, designation and salary
    Employee(String name, int id, String designation, double salary){
```

```

        this.name = name;
        this.id = id;
        this.designation = designation;
        this.salary = salary;
        promotionStatus = "Pending";
    }

    // Constructor with all details
    Employee(String name, int id, String designation, double salary, String promotionStatus)
    {
        this.name = name;
        this.id = id;
        this.designation = designation;
        this.salary = salary;
        this.promotionStatus = promotionStatus;
    }

    // Method to display employee details
    void display(){
        System.out.println("Name          : " + name);
        System.out.println("ID            : " + id);
        System.out.println("Designation    : " + designation);
        System.out.println("Salary        : " + salary);
        System.out.println("Promotion Status : " + promotionStatus);
        System.out.println();
    }
}

// Main class
class EmployeeManagement{
    public static void main(String args[]){

```

```

// Object using default constructor
Employee e1 = new Employee();

// Object using constructor with name and id
Employee e2 = new Employee("Mohana", 101);

// Object using constructor with name, id, designation and salary
Employee e3 = new Employee( "Rahul", 102, "Manager", 50000);

// Object using constructor with all details
Employee e4 = new Employee("Anjali", 103, "Senior Manager",75000, "Promoted");

// Displaying employee details
System.out.println("----- EMPLOYEE 1 -----");
e1.display();

System.out.println("----- EMPLOYEE 2 -----");
e2.display();

System.out.println("----- EMPLOYEE 3 -----");
e3.display();

System.out.println("----- EMPLOYEE 4 -----");
e4.display();

}

}

```

5. Output

----- EMPLOYEE 1 -----

Name : Unknown

ID : 0

Designation : Unknown

Salary : 0.0

Promotion Status : Not Available

----- EMPLOYEE 2 -----

Name : Mohana

ID : 101

Designation : Employee

Salary : 0.0

Promotion Status : Pending

----- EMPLOYEE 3 -----

Name : Rahul

ID : 102

Designation : Manager

Salary : 50000.0

Promotion Status : Pending

----- EMPLOYEE 4 -----

Name : Anjali

ID : 103

Designation : Senior Manager

Salary : 75000.0

Promotion Status : Promoted