

Security Audit Report

Generated on May 22, 2026 · 07:05

Summary table with 5 columns: Devices (14), High Risk (0), Medium (7), Safe (4), Vulnerabilities (16).

The audit scanned 14 devices on the target network. 0 high-risk and 7 medium-risk devices were identified, with 16 vulnerabilities catalogued. High-risk devices require immediate remediation.

Discovered Devices Inventory

Table with 6 columns: IP / MAC, Hostname, Protocol, Open Ports, Risk, Score. Contains 9 rows of device data including Zigbee bulbs/sensors and various BLE devices.

IP / MAC	Hostname	Protocol	Open Ports	Risk	Score
BLE_89185615 436C2E21-E90C-A414-3 337-79BE89185615	Unknown BLE Device	Bluetooth	—	MEDIUM	30.0
192.168.1.1 20:3A:EB:91:B9:A8	192.168.1.1	Wi-Fi	—	SAFE	0
192.168.1.4 1A:8A:32:DD:25:8A	Unknown	Wi-Fi	—	SAFE	0
BLE_F6133F0C 79B8544F-EA5A-ABE2-8 02F-5D4CF6133F0C	[TV] Samsung 7 Series (55)	Bluetooth	—	SAFE	0
BLE_8149465C F208A671-BEC9-38C7-2 94D-CBAD8149465C	[LG] webOS TV QNED80T6B	Bluetooth	—	SAFE	0

Vulnerability Analysis & Remediation

ZB:00:11:22:33:44:55 · Zigbee Bulb

● HIGH ZIGBEE_DEFAULT_KEY

Using default TC Link key (0x00...00) — Easily exploitable

Remediation: Apply latest firmware/patches and restrict service exposure with firewall rules.

● CRITICAL ZIGBEE_NO_ENCRYPT

Zigbee network is unencrypted — Packets are visible to everyone

Remediation: Apply latest firmware/patches and restrict service exposure with firewall rules.

● MEDIUM ZIGBEE_REPLAY

No protection against Replay attacks on the network

Remediation: Apply latest firmware/patches and restrict service exposure with firewall rules.

ZB:AA:BB:CC:DD:EE:FF · Zigbee Sensor

● HIGH ZIGBEE_DEFAULT_KEY

Using default TC Link key (0x00...00) — Easily exploitable

Remediation: Apply latest firmware/patches and restrict service exposure with firewall rules.

● CRITICAL ZIGBEE_NO_ENCRYPT

Zigbee network is unencrypted — Packets are visible to everyone

Remediation: Apply latest firmware/patches and restrict service exposure with firewall rules.

● MEDIUM ZIGBEE_REPLAY

No protection against Replay attacks on the network

Remediation: Apply latest firmware/patches and restrict service exposure with firewall rules.

ZB:11:22:33:44:55:66 · Smart Plug

● **HIGH ZIGBEE_DEFAULT_KEY**

Using default TC Link key (0x00...00) — Easily exploitable

Remediation: Apply latest firmware/patches and restrict service exposure with firewall rules.

● **CRITICAL ZIGBEE_NO_ENCRYPT**

Zigbee network is unencrypted — Packets are visible to everyone

Remediation: Apply latest firmware/patches and restrict service exposure with firewall rules.

● **MEDIUM ZIGBEE_REPLAY**

No protection against Replay attacks on the network

Remediation: Apply latest firmware/patches and restrict service exposure with firewall rules.

BLE_950020C4 · Unknown BLE Device

● **HIGH BLE_NO_PAIRING**

Device does not require pairing and allows anyone to connect

Remediation: Enable pairing 'Bonding' requirements in device settings if supported.

BLE_6D687505 · Unknown BLE Device

● **HIGH BLE_NO_PAIRING**

Device does not require pairing and allows anyone to connect

Remediation: Enable pairing 'Bonding' requirements in device settings if supported.

BLE_CCC3A699 · Unknown BLE Device

● **HIGH BLE_NO_PAIRING**

Device does not require pairing and allows anyone to connect

Remediation: Enable pairing 'Bonding' requirements in device settings if supported.

BLE_8687D376 · Unknown BLE Device

● **HIGH BLE_NO_PAIRING**

Device does not require pairing and allows anyone to connect

Remediation: Enable pairing 'Bonding' requirements in device settings if supported.

BLE_032D1047 · Unknown BLE Device

● **HIGH BLE_NO_PAIRING**

Device does not require pairing and allows anyone to connect

Remediation: Enable pairing 'Bonding' requirements in device settings if supported.

BLE_9648887B · Unknown BLE Device

● **HIGH BLE_NO_PAIRING**

Device does not require pairing and allows anyone to connect

Remediation: Enable pairing 'Bonding' requirements in device settings if supported.

BLE_89185615 · Unknown BLE Device

● **HIGH BLE_NO_PAIRING**

Device does not require pairing and allows anyone to connect

Remediation: Enable pairing 'Bonding' requirements in device settings if supported.

This report is generated automatically by Pentex One. Findings should be validated by a qualified security professional before remediation.