

Pentex One — Security Audit Report

Generated on: May 13, 2026 - 23:31:32

Executive Summary

The security audit discovered a total of **15** devices. Among these, **2** were identified as high risk and **6** as medium risk. Immediate action is recommended for devices marked in red.

Discovered Devices Inventory

IP/MAC	Hostname	Protocol	Risk Level	Score
192.168.1.2 Unknown	host.docker.internal	Wi-Fi	CRITICAL	90.0
ZB:00:11:22:33:44:55 00:11:22:33:44:55	Zigbee Bulb	Zigbee	CRITICAL	75.0
ZB:AA:BB:CC:DD:EE:FF AA:BB:CC:DD:EE:FF	Zigbee Sensor	Zigbee	CRITICAL	75.0
ZB:11:22:33:44:55:66 11:22:33:44:55:66	Smart Plug	Zigbee	CRITICAL	75.0
192.168.1.1 Unknown	csp1.zte.com.cn	Wi-Fi	RISK	50.0
192.168.1.3 Unknown	redmi-note-8-pro	Wi-Fi	RISK	50.0
BLE_8D:5F:7F 0F:43:0E:8D:5F:7F	Unknown BLE Device	Bluetooth	MEDIUM	30.0
BLE_67:EE:C1 74:71:8E:67:EE:C1	Unknown BLE Device	Bluetooth	MEDIUM	30.0
192.168.1.4 Unknown	ammar	Wi-Fi	MEDIUM	17.0
THREAD:FD00::1 Unknown	Google Nest Hub	Thread	MEDIUM	15.0
THREAD:FD00::2 Unknown	Apple HomePod Mini	Thread	MEDIUM	15.0
THREAD:FD00::3 Unknown	Smart Lock	Thread	MEDIUM	15.0
192.168.1.5 Unknown	oppo-reno14-5g	Wi-Fi	HIGH	12.0
192.168.1.6 Unknown	192.168.1.6	Wi-Fi	SAFE	0.0
192.168.1.8 Unknown	redmi-note-8	Wi-Fi	SAFE	0.0

Vulnerability Analysis & Remediation

Device: 192.168.1.2 (host.docker.internal)

- **MYSQL_EXPOSED** (CRITICAL)

Issue: MySQL database exposed to the network. Risk of unauthorized access, data exfiltration, and SQL injection.

Remediation: Contact vendor for updates.

Device: ZB:00:11:22:33:44:55 (Zigbee Bulb)

- **ZIGBEE_DEFAULT_KEY** (HIGH)

Issue: Using default TC Link key (0x00...00) — Easily exploitable

Remediation: Contact vendor for updates.

- **ZIGBEE_NO_ENCRYPT** (CRITICAL)

Issue: Zigbee network is unencrypted — Packets are visible to everyone

Remediation: Contact vendor for updates.

- **ZIGBEE_REPLAY** (MEDIUM)

Issue: No protection against Replay attacks on the network

Remediation: Contact vendor for updates.

Device: ZB:AA:BB:CC:DD:EE:FF (Zigbee Sensor)

- **ZIGBEE_DEFAULT_KEY** (HIGH)

Issue: Using default TC Link key (0x00...00) — Easily exploitable

Remediation: Contact vendor for updates.

- **ZIGBEE_NO_ENCRYPT** (CRITICAL)

Issue: Zigbee network is unencrypted — Packets are visible to everyone

Remediation: Contact vendor for updates.

- **ZIGBEE_REPLAY** (MEDIUM)

Issue: No protection against Replay attacks on the network

Remediation: Contact vendor for updates.

Device: ZB:11:22:33:44:55:66 (Smart Plug)

- **ZIGBEE_DEFAULT_KEY** (HIGH)

Issue: Using default TC Link key (0x00...00) — Easily exploitable

Remediation: Contact vendor for updates.

- **ZIGBEE_NO_ENCRYPT** (CRITICAL)

Issue: Zigbee network is unencrypted — Packets are visible to everyone

Remediation: Contact vendor for updates.

- **ZIGBEE_REPLAY** (MEDIUM)

Issue: No protection against Replay attacks on the network

Remediation: Contact vendor for updates.

Device: 192.168.1.1 (csp1.zte.com.cn)

- **RPC_PORTMAPPER** (HIGH)

Issue: RPC portmapper is exposed. Allows enumeration of RPC services and can lead to NFS exploitation.

Remediation: Contact vendor for updates.

- **MSSQL_EXPOSED** (CRITICAL)

Issue: Microsoft SQL Server exposed to network. Risk of SQL injection, data exfiltration, and remote code execution.

Remediation: Contact vendor for updates.

- **PPTP_VPN_WEAK** (HIGH)

Issue: PPTP VPN uses MS-CHAPv2, which is cryptographically broken and susceptible to offline brute-force.

Remediation: Contact vendor for updates.

- **DEFAULT_CREDENTIALS** (CRITICAL)

Issue: Default credentials 'root/root' work on the device!

Remediation: Change default passwords immediately to a strong, unique passphrase.

Device: 192.168.1.3 (redmi-note-8-pro)

- **SMTP_SUBMISSION** (LOW)

Issue: SMTP submission port exposed. Ensure STARTTLS is enforced and authentication is required.

Remediation: Contact vendor for updates.

- **DEFAULT_CREDENTIALS** (CRITICAL)

Issue: Default credentials 'admin/admin' work on the device!

Remediation: Change default passwords immediately to a strong, unique passphrase.

Device: BLE_8D:5F:7F (Unknown BLE Device)

- **BLE_NO_PAIRING** (HIGH)

Issue: Device does not require pairing and allows anyone to connect

Remediation: Enable pairing 'Bonding' requirements in device settings if supported.

Device: BLE_67:EE:C1 (Unknown BLE Device)

- **BLE_NO_PAIRING** (HIGH)

Issue: Device does not require pairing and allows anyone to connect

Remediation: Enable pairing 'Bonding' requirements in device settings if supported.

Device: 192.168.1.4 (ammar)

- **SYSLOG_EXPOSED** (MEDIUM)

Issue: Syslog port exposed without authentication. Logs can be forged or intercepted.

Remediation: Contact vendor for updates.

- **HTTP_ALT_EXPOSED** (MEDIUM)

Issue: Alternative HTTP port exposed. May expose admin panels, dev servers, or staging environments.

Remediation: Contact vendor for updates.

- **HTTPS_ALT_EXPOSED** (MEDIUM)

Issue: Alternative HTTPS port exposed. Verify TLS configuration and restrict admin access.

Remediation: Contact vendor for updates.

Device: THREAD:FD00::1 (Google Nest Hub)

- **THREAD_ACTIVE_COMMISSIONER** (MEDIUM)

Issue: Active commissioner mode enabled (potential attack vector)

Remediation: Contact vendor for updates.

Device: THREAD:FD00::2 (Apple HomePod Mini)

- **THREAD_ACTIVE_COMMISSIONER** (MEDIUM)

Issue: Active commissioner mode enabled (potential attack vector)

Remediation: Contact vendor for updates.

Device: THREAD:FD00::3 (Smart Lock)

- **THREAD_ACTIVE_COMMISSIONER** (MEDIUM)

Issue: Active commissioner mode enabled (potential attack vector)

Remediation: Contact vendor for updates.

Device: 192.168.1.5 (oppo-reno14-5g)

- SMTP_OPEN_RELAY (HIGH)
Issue: SMTP port exposed. May be misconfigured as an open relay, enabling spam and phishing campaigns.
Remediation: Contact vendor for updates.
- HTTP_UNENCRYPTED (MEDIUM)
Issue: Unencrypted HTTP traffic exposes data to man-in-the-middle attacks.
Remediation: Contact vendor for updates.

Access Control (RFID/NFC) Audit

UID / Identifier	Tag Technology	Risk Rating
D7:23:3C:72	NFC NTAG216	RISK
01:5F:BB:AA:B5:C3:FA	MIFARE DESFire EV2	SAFE
86:C4:76:15	NFC NTAG216	RISK
F7:B9:93:3E	NFC NTAG213	RISK
6D:6A:6A:17	NFC NTAG216	SAFE
4A:DF:D6:81:F2:53:82	MIFARE DESFire EV2	SAFE
23:B3:26:DE:D5:48:C7	Mifare Classic 1K	RISK
FA:34:D5:1B	NFC NTAG213	RISK
71:EB:80:8D:66:18:56	Mifare Classic 1K	RISK
BB:81:0B:1C	EM4100	RISK
3E:A8:DF:6C	HID iCLASS	RISK
E2:0C:BD:FC	Mifare Classic 4K	RISK