



PRODUCT CATALOGUE



2.4 MP AHD DOME CAMERA

- BODY TYPE - Plastic
- FEATURES - 1/2.9" 3.6mm Lens 1080P
- Full Color/Night Vision with Audio

MODEL - UTCSDA-1002



2.4 MP AHD BULLET CAMERA

- BODY TYPE - Plastic
- FEATURES - 1/2.9" 3.6mm Lens 1080P
- Full Color/Night Vision with Audio

MODEL - UTCSBA-1002

2.4 MP AHD DOME CAMERA SEMI-METAL

- Support TVI/AHD/CVI/CVBS output
- FEATURES - 1/2.9" 3.6mm Lens 1080P
- Full Color/Night Vision with Audio

MODEL - UTCSDA-1003



2.4 MP AHD BULLET CAMERA S-METAL

- Support TVI/AHD/CVI/CVBS output
- FEATURES - 1/2.9" 3.6mm Lens 1080P
- Full Color/Night Vision with Audio

MODEL - UTCSBA-1003

2.4 MP AHD DOME CAMERA

- Support TVI/AHD/CVI/CVBS output
- FEATURES - 1/2.9" 3.6mm Lens 1080P
- Full Color/Night Vision with Audio

MODEL - UTCSDA-1004



2.4 MP AHD BULLET CAMERA

- Support TVI/AHD/CVI/CVBS output
- FEATURES - 1/2.9" 3.6mm Lens 1080P
- Full Color/Night Vision with Audio

MODEL - UTCSBA-1004

5 MP IP DOME CAMERA

- YT0T 0081 LENS & 6 Warm Light LED
- 1/3" 3.6 mm Lens ONVIF POE BOARD
- Full Color/Night Vision with Audio

MODEL - UTIPDCP-5102



5 MP IP BULLET CAMERA

- YT0T 0081 LENS & 6 Warm Light LED
- 1/3" 3.6 mm Lens ONVIF POE BOARD
- Full Color/Night Vision with Audio

MODEL - UTIPBCP-5102



5 MP IP DOME CAMERA SEMI-METAL

- YT0T 0081 LENS & 4 Warm Light LED
- 1/3" 3.6 mm Lens ONVIF POE BOARD
- Full Color/Night Vision with Audio

MODEL - UTIPDCP-5104



5 MP IP BULLET CAMERA SEMI-METAL

- YT0T 0081 LENS & 4 Warm Light LED
- 1/3" 3.6 mm Lens ONVIF POE BOARD
- Full Color/Night Vision with Audio

MODEL - UTIPBCP-5104



5 MP IP DOME CAMERA METAL

- 1/3" 3.6 MM DARK FIGHTER LENS
- Full Color/Night Vision with Audio
- Video Capture Resolution - 2560*1944

MODEL - UTIPDCP-5106



5 MP IP BULLET CAMERA METAL

- 1/3" 3.6 MM DARK FIGHTER LENS
- Full Color/Night Vision with Audio
- Video Capture Resolution - 2560*1944

MODEL - UTIPBCP-5106



5 MP IP BULLET VARIFOCAL

- BODY TYPE - METAL
- Motorized auto varifocal lens 2.8mm-12mm
- 5x Optical zoom

MODEL - UTVFBA-5001



5 MP IP DOME VARIFOCAL

- BODY TYPE - METAL
- Motorized auto varifocal lens 2.8mm-12mm
- 5x Optical zoom

MODEL - UTVFDA-5001

5 MP IP DOME CAMERA PRO

- 6 Warm Light LED
- 1/3" 3.6 mm Lens ONVIF POE BOARD
- Full Color/Night Vision with Audio

MODEL - UTIPDCP-5202



5 MP IP BULLET CAMERA PRO

- Weather Proof & 6 Warm Light LED
- 1/3" 3.6 mm Lens ONVIF POE BOARD
- Full Color/Night Vision with Audio

MODEL - UTIPBCP-5202

IP ANPR CAMERA

- Sensor 24hours CMOS
- 92° Wide Field of View & IP67 Weather Proof
- 9.84ft - 26.25FT Capture Distance

MODEL - UTIPANPR-5302



2MP IP VANDAL PROOF

- IR DISTANCE UP TO 20-30MTR
- UP TO 2MP RESOLUTION
- FIXED IRIS

MODEL - UTCSBA-1002

2U FOLDING RACK

FRONT FIBER
SAFE KEY LOCK

SIZE - 500*350*162
WEIGHT - 2.200GM



MODEL - UTR-1002

2U MINI FOLDING RACK

FRONT FIBER
SAFE KEY LOCK

SIZE - 350*350*140
WEIGHT - 2.700GM



MODEL - UTRM-1002

4U FOLDING RACK

FRONT FIBER
SAFE KEY LOCK

SIZE - 550*350*250
WEIGHT - 3.400GM



MODEL - UTR-1004

6U FOLDING RACK

FRONT FIBER
SAFE KEY LOCK

SIZE - 650*300*300
WEIGHT - 4.200GM



MODEL - UTR-1006

9U FOLDING RACK

FRONT FIBER
SAFE KEY LOCK

SIZE - 444*550*450
WEIGHT - 5.300GM



MODEL - UTR-1009



MODEL - UTR-1012

12U FOLDING RACK

FRONT FIBER
SAFE KEY LOCK

SIZE - 590*600*440
WEIGHT - 6.200GM



PVC JUNCTION BOX RACK

3 PIN POWER SOCKET
SAFE KEY LOCK STEEL

SIZE - 13x10x4.5 (INCH)
FRESH PVC

MODEL - UTR-P001



PVC JUNCTION BOX MINI RACK

3 PIN POWER SOCKET
SAFE KEY LOCK STEEL

SIZE - 9.5x9x4.5(INCH)
FRESH PVC

MODEL - UTR-P001M

PVC JUNCTION OUTDOOR RACK

FRONT FIBER
SAFE KEY LOCK

SIZE - 16.25x12.25x7 (INCH)
FRESH PVC

MODEL - UTR-P002



4x4 JUNCTION BOX

PLASTIC BODY
Lightweight

CCTV MOUNTING BOX
VIRGIN PVC BOX

UTPVC4x4

5x5 JUNCTION BOX

PLASTIC BODY
Lightweight

CCTV MOUNTING BOX
VIRGIN PVC BOX

MODEL - UTPVC5x5



PREMIUM JUNCTION BOX

4x4 PREMIUM GRADE THERMO PLASTIC
DURABLE HOUSING
HEAVY CCTV LOAD BEARING

5x5

MODEL - UTPVCP4x4

MODEL - UTPVCP 5x5



4CH POE SWITCH

15.4 W Per Port
100 MBPS SPEEDS

10/100MBPS + 2UPLINK
Metal Casing




MODEL - UT04-10/100MBPS

8CH POE SWITCH

15.4 W Per Port
100 MBPS SPEEDS

10/100MBPS + 2UPLINK
Metal Casing



UT08-10/100MBPS

4CH POE SWITCH GIGA


4*100/1000M Ports + 2 Uplink Ports
Maximum PoE Output Power 65W



MODEL - UTG04-10/1000MBPS

8CH POE SWITCH GIGA

8*100/1000M Ports + 2 Uplink Ports
Maximum PoE Output Power 65W



MODEL - UTG08-10/1000MBPS

8CH POE SWITCH UPLINK WITH SFP

8*100/1000M Ports + 2 Uplink Ports + SFP
Maximum PoE Output Power 65W



MODEL - UTSF08-10/1000MBPS

16CH POE SWITCH WITH SFP

16 – 10/100/1000Mbps Gigabit Ethernet Ports
150watts available PoE



MODEL - UTSF08-10/1000MBPS

METAL POWER SUPPLY 4CH

High Efficiency (85% at 230 VAC)

Short Circuit Protection, Auto Start

Over Voltage, Over Load & Surge Protection

MODEL - UTPSE-104



METAL POWER SUPPLY 8CH

High Efficiency (85% at 230 VAC)

Short Circuit Protection, Auto Start

Over Voltage, Over Load & Surge Protection

MODEL - UTPSE-108

FIBER PREMIUM POWER SUPPLY 4CH

Voltage Booster For long cable

Short Circuit Protection, Auto Start

Low Power Consumption & Low Ripple Voltage

MODEL - UTPSP-104



FIBER PREMIUM POWER SUPPLY 8CH

Voltage Booster For long cable

Short Circuit Protection, Auto Start

Low Power Consumption & Low Ripple Voltage

MODEL - UTPSP-108

METAL POWER SUPPLY 16CH

High Voltage Cut Off upto 300V AC

Short Circuit Protection, Auto Start

Over Voltage, Over Load & Surge Protection

MODEL - UTPSE-116



NANO PREMIUM POWER SUPPLY 16CH

Integrated Power IC Technology

Short Circuit Protection, Auto Start

Low Power Consumption & Low Ripple Voltage

MODEL - UTPSN-116

UNITECH IVR 10CH

App: UNITECH 

Supports Upto 10 Screens real time preview

1 SATA Support Upto 16TB

S265 also support for Decoding Format



MODEL - UT-IVR-10CH

App: UNITECH 



MODEL - UT-IVR-16CH

UNITECH IVR 16CH

Supports Upto 16 Screens

Upto 4K Resolution Video Output

Supports Upto 8MP Cameras

UNITECH IVR 32CH

App: UNITECH 

Supports Upto 32 Screens real time preview

P2P Via Smartphones

ONVIF



MODEL - UT-IVR-32CH



12V POWER ADAPTER

AVAILABLE - 1, 2, 3 & 5AMP

INPUT - 100V AC - 260V AC

BUILT-IN MULTIPLE SAFETY

Output Current 12Volt 3Amp PROTECTION SYSTEMS

MODEL - UTPSA-101 to 105

5V 1AMP POWER ADAPTER

INPUT - 100V AC - 280V AC

Soft start & low inrush current.

Output Current 5Volt 1Amp



MODEL - UTPSA-501



BNC & DC CONNECTOR

SEMI GOLD CONNECTOR
16/40 - GAUGE COPPER
GOOD QUALITY PVC

MODEL - UT-BNC-114

SEMI GOLD CONNECTOR
14/42 - GAUGE COPPER
GOOD QUALITY PVC

MODEL - UT-DC-105



3+1 CCTV CABLE

020/7/36 VIDEO CCA
36 ALLOY JAALI FRESH PVC

LENGTH - 60YARD
TYPE - CCA

MODEL - ERECT



MODEL - ELITE

3+1 CCTV CABLE

020/7/36 VIDEO COPPER
36 ALLOY JAALI FRESH PVC

LENGTH - 60YARD
TYPE - CCA

020/14/43 VIDEO COPPER
36 ALLOY JAALI FRESH PVC

LENGTH - 70MTR
TYPE - COPPER

MODEL - GRAPAVKAP



MODEL - 90Y

3+1 CCTV CABLE

020/14/42 VIDEO COPPER
36 ALLOY JAALI FRESH PVC

LENGTH - 90YARD
TYPE - COPPER

020/14/41 VIDEO COPPER
36 ALLOY JAALI FRESH PVC

LENGTH - 90MTR
TYPE - COPPER

MODEL - PRIX



MODEL - JUPITER

3+1 CCTV CABLE

020/14/42 VIDEO COPPER
36 ALLOY JAALI FRESH PVC

LENGTH - 90Y
TYPE - COPPER

CAT6 NETWORKING CABLE

GAUDGE 0.20/0.51
0.21MM 23 AWG CABLE

LENGTH - 100, 305MTR
TYPE - CCA

INDOOR CABLE

MODEL - CARECTO



CAT 6 UTP



MODEL - GRANDE

CAT6 NETWORKING CABLE

GAUDGE 0.20/0.51
0.21MM 24 AWG CABLE

LENGTH - 100, 305MTR
TYPE - CCA

INDOOR CABLE

CAT6 NETWORKING CABLE

GAUDGE 0.20/0.51
0.21MM 24 AWG CABLE

LENGTH - 305MTR
TYPE - COPPER

INDOOR CABLE

MODEL - MAS



MODEL - ESPARTO

CAT6 NETWORKING CABLE

GAUDGE 0.20/0.55
0.21MM 24 AWG CABLE

LENGTH - 305MTR
TYPE - COPPER

INDOOR CABLE

CAT6 NETWORKING CABLE

GAUDGE 0.18/0.45
0.21MM 23 AWG CABLE

LENGTH - 100, 305MTR
TYPE - COPPER

INDOOR CABLE

MODEL - RAZON



MODEL - BRACTO

CAT6 NETWORKING CABLE

GAUDGE 0.20/0.51
0.24MM 24 AWG CABLE

LENGTH - 305MTR
TYPE - COPPER

OUTDOOR CABLE

CAT6 NETWORKING CABLE

GAUDGE 0.19/0.45
0.21MM 23 AWG CABLE

LENGTH - 30MTR
TYPE - COPPER

OUTDOOR CABLE

MODEL - SPIRA



CAT6 NETWORKING CABLE

GAUDGE 0.20/0.51
0.24MM 24 AWG CABLE

LENGTH - 305MTR
TYPE - COPPER


OUTDOOR CABLE

MODEL - SUNFEX

FIBER CABLE

WIRE CORE - 2, 4, 6 & 12 FRP AVAILABLE
WIRE PACKING MINIMUM - 1KM

MODEL - UT-FIBER-C



TELEPHONE CABLE

CCS & CCU
GAUDGE 0.45/018

LENGTH - 100 & 300MTR
TYPE - COPPER

IN & OUTDOOR CABLE

UT-TELEPHONE

HDMI CABLE ECONOMIC

HIGH DYNAMIC RANGE (HDR)
RESOLUTION - 1920 X 1080 60HZ

LENGTH - 1.5M, 3M,
5M, 10M, 15M, 20M,
25M & 30M

MODEL - UT-ECO



4K HD+ HDMI CABLES

HIGH DYNAMIC RANGE (HDR)
UP TO 2160P (3,840 X 2,160)

LENGTH - 1.5M, 3M,
5M & 10M

MODEL - UT-4K-HD

UNITECH 64GB SD CARD

READ SPEED - 140MBPS SPEEDS TO MOVE UP TO
1000 PHOTOS PER MINUTE
HARDWARE - MICROSDXC

UNITECH

64 micro[®]
SD
XC I
GB

MODEL - UT-64GB-SD

UNITECH

128 micro[®]
SD
XC I
GB

MODEL - UT-128GB-SD

UNITECH 128GB SD CARD

READ SPEED - 140MBPS SPEEDS TO MOVE UP TO
1000 PHOTOS PER MINUTE
HARDWARE - MICROSDXC

WIRELESS ROUTER WiFi 6

SUPPORT WPA/WPA2
WIRELESS SECURITY

4G/5G SIM SUPPORTED
RJ45 Lan support, Multi-
User Platform

MODEL - UT-WIFI-6



UT-POE-EXT-1

POE EXTENDER 1x1


PLUG & PLAY
100 MBPS

4KV LIGHTNING PROTECTION
200 METERS EXTEND FUNCTION

PLUG & PLAY
100 MBPS

4KV LIGHTNING PROTECTION
350 METERS EXTEND FUNCTION

UT-POE-EXT-2



UT-POE-EXT-4

POE EXTENDER 1x4

PLUG & PLAY
100 MBPS

4KV LIGHTNING PROTECTION
500 METERS EXTEND FUNCTION

POE SPLITTER

DUAL IPC LINE COMBINER & SPLITTER
THE MAXIMUM TRANSMISSION DISTANCE IS 200M

MODEL - UT-POE-SPLIT



HDMI EXTENDER

30 METERS HDMI EXTENDER,
UP TO 100FT HDMI ETHERNET NETWORK EXTENDER
ADAPTER OVER RJ45 CAT5-E CAT6 CABLE

MODEL - UT-HD-EXT-30

HDMI EXTENDER

60 METERS HDMI EXTENDER & SPEED - 1.65 GBPS
COMPATIBLE DEVICES - HDTV PS3 PS4 HD-DVD/DVD/BLUE-RAY PLAYER ETC



MODEL - UT-HD-EXT-60



KVM EXTENDER

LENGTH - 60MTR
PLUG & PLAY

FULL HD 1080P SUPPORT
DUAL POWER SUPPLY

MODEL - UT-KVM-EXT-60

KVM EXTENDER

LENGTH - 120MTR
PLUG & PLAY

4K SUPPORT
DUAL POWER SUPPLY



MODEL - UT-KVM-EXT-120



VGA CABLE

LENGTH - 1.5, 3, 5 & 10MTR
PLUG & PLAY

COILED IN PROTECTIVE TUBING

MODEL - UT-VGA-1101

CAT 7 - PATCH CORD

HIGH SPEED CAT7 ETHERNET CABLE: UP TO 600MHZ
BANDWIDTH AND DATA SPEED UP TO 10GBPS PER
SECOND
LENGTH - 1, 3, 5, 10, 15 & 20MTR

MODEL - UT-CORD-7



MODEL - UT-RJ45

UNITECH RJ45 CONNECTOR

- FAST AND STABLE TRANSMISSION SPEED
- ENVIRONMENTALLY METERIALS
- GOLD PLATED 8P8C METAL CONNECTOR PINS

CAMERA JALI

- ANTI-VANDAL PROTECTIVE CAGE
- ALL WEATHERPROOF COATING
- HEAVY METAL



MODEL - UT-HD-EXT-60



MODEL - UT-6S*1B-1

UNITECH POWER STRIP

FIVE UNIVERSAL SOCKETS
VOLTAGE: 220-240 V, 50-60 HZ.

2-METER CABLE
DURABLE BUILD

UNITECH POWER STRIP

SIX UNIVERSAL SOCKETS
VOLTAGE: 220-240 V, 50-60 HZ.

2-METER CABLE
DURABLE BUILD



MODEL - UT-6S*6B-1



MODEL - UT-BAG

UNITECH TOOL KIT BAG

FEATURES - 30L BACKPACK
CLOSURE - ZIPPER

WATERPROOF
2 COLOR AVAILABLE



Registered Office:

Plot no. 3/8 Ajanta Compound, Site-2 Loni Rd,
Industrial Area, Mohan Nagar, Ghaziabad,
Uttar Pradesh 201007



Technical Support:

+91 99119 61407



Sales Support

+91 8700 317239, +91 8368 261012



Email:

info@unitechcctv.com



App: UNITECH CCTV

25
YEARS

Excellence • Quality • Reliability



Web: www.unitechcctv.com